

Yealink Meeting Server Release Notes of Version 1.2

Table of Contents

Yeal	/ealink Meeting Server Release Notes of Version 1.21							
Yeal	ink Meeting Server Release Notes of Version 1.2	2						
1.	Introduction	2						
2.	New Features	2						
3.	Optimization	2						
4.	Bug Fixes	2						
5.	New Features Descriptions	2						



Yealink Meeting Server Release Notes of Version 1.2

1. Introduction

• Firmware Version:

YMS: 10.23.0.35 upgrades to 10.23.0.40

- Applicable Models: YMS
- Release Date: Jan 3rd, 2018.

2. New Features

- 1. Added the feature of advanced conference management.
- 2. Added the feature that you can manage user accounts in a hierarchical call manner.
- 3. Added the feature of Record.
- 4. Added the feature of SIP Trunk ACL.
- 5. Added the feature that you can customize mail signature.
- 6. Added the feature of Redialing Devices Automatically.
- 7. Added the feature of MCU stack, enhancing the ability of video & audio processing.

3. Optimization

None

4. Bug Fixes

1. Fixed some bugs and improved the system stability as well as compatibility.

5. New Features Descriptions

1. Added the feature of advanced conference management.

Description: Optimized the conference management UI, you can view and manage meeting intuitively. The advanced features of conference management include calling the roll, banner, one-click dialing, controlling far-end camera, etc. Besides, in training mode, you can configure the personal layout as well as video carousel.



YEALINK NETWORK TECHNOLOGY CO., LTD.

www.yealink.com

Yealink Meeting Server					Engli	sh 🕶 🔕 (Z.1934)52	statist 🕶
✓ Yealink祝颜面试 Idle						End	🗢 Back
Participant List	Participant Grouping	Name	Account	Group	Status	Operations	
Search Q	▼ □ 厦门亿联阿里云YMS	〇 2 亿联视频面试	8638	厦门亿联同里云YMS	n an	Selected 0	w
O All	 ▶ □ 渠道测试 □ 隷发集团 					Mute	*
Attendance	0 「杭州中国通信					Video Off	*
C Absence	□ 上海視園					Block Audio	-
O Moderators	□ 中远海运物流					24	
O Lecturers	□ 重庆隆鑫工业						
🔼 Guests	□ 河南新网盟 0						
Apply for speaking ()	□ 云南华莱科技				0		
	□ 云畅测试						
	12,53816						
Functions	○ 12.0月時,					Global Operations	
	□ 今(6來回次首內山 □ 信力應闭					🐇 Mute A	JI
1 0	□ 北京汉能集团					Block A	
Invite Layout Fast Cal	□ 汉能集团	-1				0	
	□ YL-SE					Lock Confe	rence
	中博						
Message	Constant of Asia						

2. Added the feature that you can manage user accounts in a hierarchical call manner.

Description: You can add departments based on the enterprise organization to manage user accounts in a hierarchical manner, and set different viewing permission based on different user level.

Yealin	k Meeting Server 亿联银	5					Home Quic	ck settings Eng	llish +	^ ۱	vdmin 👻
-4/1-	User Room System	Third Par	ty Devic	e		Add Department	E Add Account	Batch Import	≣ Exp	port D	lirectory
Status	Search Q.		Q Batch send mails		📅 Batch delete				亿联银行		
	Organizational		i .	Name -	Account 🌲	Department	Email	Build ti	Оре	ration	
Account	* 仏联银行		1	0000	0000	0号部门	chensw@yealink.	2017-12-08	/	8	亩
	▶ 产品部		2	0001	0001	0号部门		2017-12-08	1	63	亩
	VCS-SE		3	0002	0002	0号部门		2017-12-08	1	63	亩
Meeting Room	海ば账号	6	4	0003	0003	0号部门		2017-12-08	1	63	亩
(VARP)	不存在的部门2	6	5	0004	0004	0号部门		2017-12-08	1	63	亩
VMR	▶ 0号部门	6	6	0005	0005	0号部门		2017-12-08	1	173	亩
	▶ 1号部门	0	7	0006	0006	0号部门		2017-12-08	1	63	亩
C	▶ 2号部门	6	8	0007	0007	0号部门		2017-12-08	1	673	亩
Statistics	▶ 3号部门 ▶ 4号部门		9	8000	0008	0号部门		2017-12-08	1	10	亩
25	▶ 5 号部门	6	10	0009	0009	0号部(1)		2017-12-08	1	63	亩
System	▶ 6号部门	6	11	0010	0010	0号部门		2017-12-08	1	63	亩
	▶ 7 号部门		12	0012	0012	0号部门		2017-12-08	1	53	亩
	▶ 8号部门	6	13	0013	0013	0号部门		2017-12-08	1	63	亩
	▶ 9号部门	6	14	0014	0014	0号部门		2017-12-08	1	63	亩

3. Added the feature of Record.

Description: If the Record feature is enabled, you can add studios to the YMS to record conferences.

To enable the record feature:



www.yealink.com

Click System -> Call Settings -> Global settings.

Yealin	k Meeting Server Yealink	Network Technology	Co.,Ltd		Home Qui	ck settings	English -	(1) Adn
Status	Call Settings Global settings	Record :	The recording function should	l be equipped with a	DST Recording St	eaming Server		
Account	Call routing — Gateway Configuration	Please enter the studio Studio name*	information Studio URI* (2)	Username* 🕐	Password* 🕐	YMS networ card*	k	
	H.323 gateway SIP trunk	B	http://10.10.10.10.6000/RPC	user	pass pass	enp3s0fC enp3s0fC	• × • ×	
Room	- System Settings	+						
VMR	Time/Time zone SMTP mailbox	IVR service	Simplified Chinese				•	
Statistics	Disk space — System Maintenance		Co	onfirm				
System	Device upgrade							

4. Added the feature of SIP Trunk ACL.

Description: If devices are not registered YMS account, the devices cannot place a call to YMS account directly. To solve this problem, you need configure the SIP trunk ACL (Access Control List). The format of calling information must meet: YMS account@ domain name of YMS, and the domain name of YMS must be resolvable. **To add SIP trunk ACL:**

Yealink Meeting Server | Yealink Network Technology Co.,Ltd Home Quick settings English - (1) Admin - Call Settings SIP Trunk ACL 🕐 4 E Add ACL Global settings Status The Batch delete Call routing 2 - Gateway Configuration Account 1 YMS203 10.86.0.203 0 亩 H.323 gateway SIP trunk > SIP Trunk ACL - System Settings VMR Network Time/Time zone ¢ SMTP mailbox Disk space - System Maintenance

Click System -> Gateway Configuration -> SIP Trunk ACL.

5. Added the feature that you can customize mail signature.

Description: You can specify the signature displayed in email. By default, the mail signature is Yealink Team, www.yealink.com.

To specify the mail signature:

Device upgrade

¢



YEALINK NETWORK TECHNOLOGY CO., LTD. www.yealink.com

Click System -> System Settings -> SMTP mailbox.

Yealin	ik Meeting Server Yeali	ink Network Technology Co	o.,Ltd	Home	Quick settings	English +	۹	Admin
-Mr-	- Call Settings		.5*					
Status	Global settings	SMTP server :	smtp.yealinkvc.com					
	Call routing	Mail address :	test@vealinkvc.com					
×.	- Gateway Configuration							
Account	H.323 gateway	Username :	test@yealinkvc.com					
	SIP trunk	Password :						
Meeting	SIP Trunk ACL	Mail signature :	Yealink Team	www.yealir	ik.com			
	- System Settings	Port :	25					
VMR	Network		This server requires a secure	connection.				
	Time/Time zone	Mail certification :	Select files		Browse In	mport		
¢	SMTP mailbox		Mail certification :Null					
Statistics	Disk space		The imported mail certification will ta	ike affect after Web serv	vice restarted.			
	- System Maintenance		Mailbay test sattings	Confirm				
System	Device upgrade		manuox test setungs	Commit				

6. Added the feature of Redialing Devices Automatically.

Description: If the Automatic dialing feature is enabled via YMS, while the devices you invited disconnect with the YMS in conference. To invite them to join the conference again after they connect to YMS, you can enable the Automatic redialing feature.

To enable the automatic redialing feature:

Click System -> Call Settings -> Global settings.

Yealin	Meeting Server	Yealink Netw	ork Technology Co.	,Ltd			Home	Quick settings	English -	(1) Admin
-1+-	- Call Settings	1	onePlusN :	1+7				•		
Status	Global settings	•		Max number of small	I videos displayed in	onePlusN layout				
	Call routing			When the number	r of small videos e	exceed the maximum, ever	y 10s •			
1	- Gateway Configuration			• 1 • sma	all video(s) switch	per cycle				
Account	H.323 gateway			All small videos	switch per cycle					
	SIP trunk			Voice activated tir	me : 2s 🔻					
Meeting	SIP Trunk ACL									
Room	- System Settings		Conference settings							
VMR	Network		Join conference beforehand :	60 minutes						
VMR	Time/Time zone		Third party registration :	0						
dh	SMTP mailbox			Allow third party dev	ices to be registered	I on YMS				
Statistics	Disk space		Automatic dialing :	The scheduled confe	rence will dial the de	vices automatically when it be	gins			
	- System Maintenance		Device type:	☑ VC800/VC500			✓ VC110			
\$	Device upgrade						rs			
System	Backup/Restore		Automatic redialing :	Scheduled conference	e can automatically i	redial the interrupt line device	6			