

T42G Skype for Business[®] Edition User Guide



Version 8.65 Mar.2017

Copyright

Copyright © 2017 YEALINK(XIAMEN) NETWORK TECHNOLOGY CO., LTD

Copyright © 2017 Yealink(Xiamen) Network Technology CO., LTD. All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of Yealink(Xiamen) Network Technology CO., LTD. Under the law, reproducing includes translating into another language or format.

When this publication is made available on media, Yealink(Xiamen) Network Technology CO., LTD. gives its consent to downloading and printing copies of the content provided in this file only for private use and not for redistribution. No parts of this publication may be subject to alteration, modification or commercial use. Yealink(Xiamen) Network Technology CO., LTD. will not be liable for any damages arising from use of an illegally modified or altered publication.

Warranty

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS GUIDE ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS GUIDE ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF PRODUCTS. YEALINK(XIAMEN) NETWORK TECHNOLOGY CO., LTD. MAKES NO WARRANTY OF ANY KIND WITH REGARD TO THIS GUIDE, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Yealink(Xiamen) Network Technology CO., LTD. shall not be liable for errors contained herein nor for incidental or consequential damages in connection with the furnishing, performance, or use of this guide.

Declaration of Conformity

CE

Hereby, Yealink(Xiamen) Network Technology CO., LTD. declares that this phone is in conformity with the essential requirements and other relevant provisions of the CE, FCC.

You can find the CE and FCC information from the label on the back of the Skype for Business phone. Statements of compliance can be obtained by contacting support@yealink.com.

CE Mark Warning

This device is marked with the CE mark in compliance with EC Directives 2014/30/EU and 2014/35/EU.

Part 15 FCC Rules

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device is compliant with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1. This device may not cause harmful interference, and
- 2. This device must accept any interference received, including interference that may cause undesired operation.

Industry Canada (IC)

This Class [B] digital apparatus complies with Canadian ICES-003 Rules.

Class B Digital Device or Peripheral

Note: This device is tested and complies with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- 1. Reorient or relocate the receiving antenna.
- 2. Increase the separation between the equipment and receiver.
- 3. Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- 4. Consult the dealer or an experience radio/TV technician for help.

WEEE Warning



To avoid the potential effects on the environment and human health as a result of the presence of hazardous substances in electrical and electronic equipment, end users of electrical and electronic equipment should understand the meaning of the crossed-out wheeled bin symbol. Do not dispose of WEEE as unsorted municipal waste and have to collect such WEEE separately.

Customer Feedback

We are striving to improve our documentation quality and we appreciate your feedback. Email your opinions and comments to DocsFeedback@yealink.com.

GNU GPL INFORMATION

Yealink firmware contains third-party software under the GNU General Public License (GPL). Yealink uses software under the specific terms of the GPL. Please refer to the GPL for the exact terms and conditions of the license.

The original GPL license, source code of components licensed under GPL and used in Yealink products can be downloaded online:

http://www.yealink.com/GPLOpenSource.aspx?BaseInfoCateId=293&NewsCateId=293&CateId=293.

About This Guide

Yealink T42G phone with Skype for Business firmware enables a new era in unified communications. It is designed to work with Skype for Business Server. Connecting a Yealink T42G Skype for Business phone to Skype for Business Server allows you to place regular and Voice over Internet Protocol (VoIP) calls, answer calls, forward calls, conduct a Skype for Business conference call, and dial from your Skype for Business contacts list through integration with Microsoft's Active Directory.

This guide provides everything you need to quickly use your new phone. First, verify with your system administrator that the network is prepared for configuring your Yealink T42G Skype for Business phone, and your network is correctly configured. Also be sure to read the **Packaging Contents** and **Regulatory Notices** sections in this guide before you set up and use the Yealink T42G Skype for Business phone.

In This Guide

Topics provided in this guide include:

- Chapter 1 Overview
- Chapter 2 Getting Started
- Chapter 3 Customizing Your Phone
- Chapter 4 Basic Call Features
- Chapter 5 Common Area Phone
- Chapter 6 Better Together over Ethernet
- Chapter 7 Troubleshooting

Summary of Changes

This section describes the changes to this guide for each release and guide version.

Changes for Release 8, Guide Version 8.65

The following sections are new for this edition:

- Team-Call Group on page 100
- Response Group Ringtone on page 102
- Boss-Line Ringtone on page 111
- Delegates-call Ringtone on page 111

Changes for Release 8, Guide Version 8.60

The following sections are new for this edition:

- Connecting to the Network on page 16
- Disabling BToE on Your Phone on page 157
- Exiting BToE on Your Computer on page 158
- Uninstalling the Yealink BToE Connector on page 158

Major updates have occurred to the following section:

- Phone Installation on page 13
- Better Together over Ethernet on page 143

Changes for Release 8, Guide Version 8.50

The following sections are new for this edition:

- Remembering Password on page 40
- Private Line Tones on page 113
- Hotline on page 71
- Shared Line Appearance for Skype for Business on page 102
- Join Calls into a Conference on page 117

Major updates have occurred to the following sections:

- Signing into Skype for Business on page 17
- Entering Data and Editing Fields on page 26
- Phone Lock on page 37
- Viewing Skype for Business Favorites on page 45
- Working with Schedule Reminders on page 88
- Joining Skype Conferences from the Calendar on page 89
- Emergency Call on page 67
- Better Together over Ethernet on page 143
- Troubleshooting Solutions on page 159

Table of Contents

About This Guide	v
In This Guide	v
Summary of Changes	
Changes for Release 8, Guide Version 8.65	
Changes for Release 8, Guide Version 8.60	vi
Changes for Release 8, Guide Version 8.50	vi
Table of Contents	vii
Overview	1
Hardware Component Instructions	1
Icon Instructions	3
LED Instructions	4
User Interfaces	
Phone User Interface	
Web User Interface	
Documentations	9
Getting Started	11
Packaging Contents	
Optional Accessories	
Phone Installation	
Attaching the Stand or the Optional Wall Mount Bracket	14
Connecting the Handset and Optional Headset	
Connecting the Power	
Connecting to the Network	
Phone Initialization	
Signing into Skype for Business	
User Sign-in	
PIN Authentication Web Sign-in	
Signing in via PC	
Signing Out of Skype for Business	
Changing Presence Status	
Always Online	
Account Lock	
Entering Data and Editing Fields	
Phone Status	
Basic Network Settings	
Idle Screen	
Customizing Your Phone	33
General Settings	
Language	
Time and Date	
Administrator Password	
Key as Send	

Phone Lock	
Remembering Password	
Audio Settings	
Volume	
Phone Ringtone	
Contact Management	
Skype for Business Directory	
Local Directory	
Placing Calls to Contacts	
Searching for Contacts	
Call History Management	
Headset Use	
Headset Mode Activation/Deactivation	
Headset Prior	
Dual Headset	
E911	
E911 Location Tip	
Location Notification	
Adding the Location Information	
Viewing the Location Information	
Emergency Call	
Dial-now	
Live Dialpad	
Hotline	
Privacy Mode	
Modifying the Privacy Mode from the Phone	
	72
Modifying the Privacy Mode from the Skype for Business Client	73
Modifying the Privacy Mode from the Skype for Business Client	75
Modifying the Privacy Mode from the Skype for Business Client Basic Call Features Placing Calls	75
Modifying the Privacy Mode from the Skype for Business Client Basic Call Features Placing Calls Answering Calls	75
Modifying the Privacy Mode from the Skype for Business Client Basic Call Features Placing Calls Answering Calls Ending Calls	75
Modifying the Privacy Mode from the Skype for Business Client Basic Call Features Placing Calls Answering Calls Ending Calls Redialing Numbers	75
Modifying the Privacy Mode from the Skype for Business Client Basic Call Features Placing Calls Answering Calls Ending Calls Redialing Numbers Auto Answer	75
Modifying the Privacy Mode from the Skype for Business Client	75
Modifying the Privacy Mode from the Skype for Business Client	75 76 77 78 79 79 79 79 80
Modifying the Privacy Mode from the Skype for Business Client	75
Modifying the Privacy Mode from the Skype for Business Client	75
Modifying the Privacy Mode from the Skype for Business Client	75 76 77 78 79 79 79 79 80 81 82 82 82
Modifying the Privacy Mode from the Skype for Business Client	75 76 77 78 79 79 79 80 81 82 82 82 83
Modifying the Privacy Mode from the Skype for Business Client	75
Modifying the Privacy Mode from the Skype for Business Client	75
Modifying the Privacy Mode from the Skype for Business Client	75
Modifying the Privacy Mode from the Skype for Business Client	75
Modifying the Privacy Mode from the Skype for Business Client	75
Modifying the Privacy Mode from the Skype for Business Client	75
Modifying the Privacy Mode from the Skype for Business Client	75
Modifying the Privacy Mode from the Skype for Business Client	75
Modifying the Privacy Mode from the Skype for Business Client	75
Modifying the Privacy Mode from the Skype for Business Client	75
Modifying the Privacy Mode from the Skype for Business Client	75757 6
Modifying the Privacy Mode from the Skype for Business Client	75
Modifying the Privacy Mode from the Skype for Business Client	75
Modifying the Privacy Mode from the Skype for Business Client	75

Boss-Admin Feature	
Assigning/Removing Delegates	
Viewing the Bosses/Delegates	
Using the Boss-Admin Feature	
Boss-Line Ringtone	
Delegates-call Ringtone	
Inbound Private Line	
Private Line Tones	
Call Transfer	
Blind Transfer	
Consultative Transfer	
Group Call Pickup	
Skype for Business Conference	
Initiating a Skype for Business Conference Call	
Viewing the Dial-in Number and Conference ID	
Viewing the Conference Participants	
Managing the Conference Participants	
Call Park	
Voice Mail	
Leaving the Voice Mail	
Managing the Voice Mail	
Multicast Paging	
Sending RTP Stream	
Receiving RTP Stream	
Using Multicast Paging	
Branch Office Resiliency	
Common Area Phone	
Signing into a Common Area Phone	
Using a Common Area Phone	
Switching to a Skype for Business Account	
Signing Out of a Common Area Phone	
Better Together over Ethernet	143
Getting Started with Better Together over Ethernet	143
Installing the Yealink Better Together over Ethernet Connector	143
Enabling Better Together over Ethernet	149
Paired Status	149
Pairing Your Phone with Your Computer	
Signing in via PC	
Setting Your Phone as Your Primary Audio Device	
Using Better Together over Ethernet	
Placing BToE Calls	
Answering BToE Calls	
Pausing BToE Calls	
Resuming BToE Calls	
Moving Call Audio between Your Phone and Computer:	
Using BToE to Lock and Unlock Your Phone	
Disabling BToE on Your Phone	
Exiting BToE on Your Computer	
Uninstalling the Yealink BToE Connector	
Troubleshooting	159

Index	
Appendix A - Time Zones	175
Service Agreements Limitations of Liability Safety Instructions	
Regulatory Notices	
Troubleshooting Solutions	

Overview


This chapter provides the overview of the T42G Skype for Business phone. Topics include:

- Hardware Component Instructions
- Icon Instructions
- LED Instructions
- User Interfaces
- Documentations

If you require additional information or assistance with your new phone, contact your system administrator.

Hardware Component Instructions

The main hardware components of the T42G Skype for Business phone are the LCD screen and the keypad.



	Item	Description
1	LCD Screen	 Shows information about calls, messages, soft keys, time, date and other relevant data: Call information-caller ID, call duration Icons (for example, ■×) Missed call text or second incoming caller information Prompt text (for example, "Saving config file!") Time and date
2	Power Indicator LED	Indicates phone power and some feature statuses.Receives an incoming call–Fast flashingReceives a voice mail–Slow flashing
3	Line Keys	 Enable you to select a phone line Call a favorite contact quickly Assign Boss-Admin feature Assign multicast paging feature
	(Mute Key)	Toggles and indicates mute feature. The key LED illuminates solid red when the call is muted.
4	(Headset Key)	Toggles and indicates the headset mode. The key LED illuminates solid green when headset mode is activated.
	(Message Key)	Accesses voice mails.
	(Redial Key)	Redials a previously dialed number.
5	Speakerphone Key	Toggles and indicates the hands-free (speakerphone) mode. The key LED illuminates solid green when the speakerphone mode is activated.
6	Volume Key	Adjusts the volume of the handset, headset, speaker, and ringer.
7	Keypad	Provides the digits, letters, and special characters in context-sensitive applications.
	$\bigcirc \bigcirc \bigcirc \bigcirc \bigcirc$	Scroll through the displayed information.
8	ОК	Confirms actions or answers incoming calls.
	×	Cancels actions or rejects incoming calls.
9	Soft Keys	Label automatically to identity their context-sensitive features.
(10)	Speaker	Provides hands-free (speakerphone) audio output.
(11)	Hookswitch Tab	Secures the handset in the handset cradle when the Skype for Business phone is mounted vertically. For more information on how to adjust the hookswitch tab, refer to

Hardware component instructions of the T42G Skype for Business phone are:

	Item	Description
		Yealink Wall Mount Quick Installation Guide for SIP-T40
		T41 T42 IP Phones
		Picking up the handset from the handset cradle, the
(12)	Hookswitch	hookswitch bounces and the phone connects to the line.
	HOOKSWILCH	Laying the handset down on the handset cradle, the
		phone disconnects from the line.

Icon Instructions

Icons appearing on the phone LCD screen are described in the following table:

Icon	Description
5	Network is unavailable
\bigcirc	Sign in failed
••	Hands-free speakerphone mode
۲.	Handset mode
ତ	Headset mode
00	Voice Mail
AA	Auto Answer
0	Call Hold
A	Call Mute
∎ (×	Ringer volume is 0
≙	Phone Lock
	Unread voice mail
	Read voice mail
┎→	Call Forward/Forwarded Calls
~	Missed Calls

Icon	Description
	Received Calls
N	Placed Calls
HD	Optima HD voice
	Local contact
*	The favorites of local directory
2	Conference organizer
2.	Conference presenter
20	Conference attendee
Ē	Conference lock
	Available
	Busy
	Do Not Disturb
L	Be Right Back/Off Work/Away
X	Off Line
?	Unknown

LED Instructions

Power Indicator LED

LED Status	Description
Solid red	The phone is initializing.
Fast flashing red (300ms)	The phone is ringing.
Slow flashing red(1s)	The phone receives a voice mail.
	The phone is powered off.
Off	The phone is idle.
	The phone is busy.

LED Status	Description
	The call is placed on hold or is held.
	The call is muted.

The first line key LED (configured as a phone line)

LED Status	Description
Colid aroon	The line is seized.
Solid green	The line is in conversation.
Fast flashing green	The line receives an incoming call.
Slow flashing green	The call is placed on hold.
Off	The line is inactive.

The third line key LED (configured as a B/A key)

LED Status	Description
Solid green	The boss or delegate is in conversation.
Solid green	The call is placed on hold.
Fast flashing green	The call is placed on hold by the other party (your boss or delegate).

Note

The above introduces the default power indicator LED status. The status of the power indicator LED is configurable via web user interface. For more information, refer to Yealink_Skype_for_Business_HD_IP_Phones_Administrator_Guide.

User Interfaces

Two ways to customize configurations of your T42G Skype for Business phone:

- The user interface on the Skype for Business phone
- The user interface in a web browser on your PC


The hardware components keypad and LCD screen constitute the phone user interface, which allows the user to execute all call operation tasks and basic configuration changes directly on the phone. In addition, you can use the web user interface to access all configuration settings. In many cases, either the phone user interface and/or the web user interface interchangeably. However, in some cases, it is only possible to use one or the other interface to operate the phone and change settings.

Phone User Interface

You can customize your phone by pressing the **Menu** soft key to access the phone user interface. The **Settings**->**Advanced Settings** option is only accessible to the administrator, and the default administrator password is "admin" (case-sensitive). For more information on customizing your phone with the available options from the phone user interface, refer to Customizing Your Phone on page 33.

Menus are used to access information and configure the phone.

The figure below shows the phone's menus and submenus.



Web User Interface

In addition to the phone user interface, you can also customize your phone via web user interface. In order to access the web user interface, you need to know the IP address of your new phone. To obtain the IP address, press on the phone. Enter the IP address (e.g., http://192.168.0.10 or 192.168.0.10) in the address bar of the web browser on your PC. The default administrator user name and password are both "admin" (case-sensitive).

The main options you can use to customize the Skype for Business phone via phone user
interface and/or via web user interface are listed in the following table:

Options	Phone User Interface	Web User Interface
Status		
IP Address		
MAC		
Firmware	./	.1
Network	N N	N
Phone		
Location		
License		
Basic Phone Settings		
Language	\checkmark	
Time & Date	\checkmark	
Administrator Password	\checkmark	\checkmark
Key as Send	\checkmark	
Phone Lock	\checkmark	
Account Lock	\checkmark	
Audio Settings		
Volume	\checkmark	×
Ring Tones	\checkmark	\checkmark
Private Line Ring Tones	\checkmark	\checkmark
Contact Management		
Skype for Business Directory	\checkmark	×
Local Directory	\checkmark	\checkmark
Call History Management	\checkmark	\checkmark
Headset Use		
Headset Mode	\checkmark	×
Headset Prior	×	
Dual Headset	×	
Calendar	\checkmark	
Always Online	\checkmark	\checkmark
Log Upload	\checkmark	
E911 Location Tip	\checkmark	
Dial-now	×	

Options	Phone User Interface	Web User Interface
Live Dialpad	×	
Hotline		
Privacy Mode		×
Basic Call Features		
Redialing Numbers	\checkmark	
Auto Answer		×
Call Waiting		\checkmark
Call Mute		
Call Hold/Resume	N	
Call Forward		×
Call Transfer	\checkmark	
Multicast Paging	\checkmark	.1
ВТоЕ	\checkmark	N
Skype for Business Account		
PIN Authentication		
Extension	\checkmark	
Extension PIN	\checkmark	.1
User Sign-in		N
Sign in address	\checkmark	
User	\checkmark	
Web Sign-in	\checkmark	
Sign in via PC	\checkmark	×
Remember Password	×	\checkmark

Note

The table above lists most of the feature options. Please refer to the relevant sections for more information.

Documentations

Name	Contents	Where found	Language
Quick Start Guide	Basic call features and phone customizations	In the package/ On the website	English/Chinese
User Guide	Phone/Web user interface settings Basic call features and BToE (Better Together over Ethernet) feature	On the website	English/Chinese

The following table shows documentations available for the T42G Skype for Business phone.

Note

You can download the latest documentations online:

http://www.yealink.com/solution_info.aspx?ProductsCateID=1248&cateid=1248&BaseInfoCateId=1328&Cate_Id=1248&parentcateid=1328.

Getting Started

This chapter provides basic installation instructions and information for obtaining the best performance with the T42G Skype for Business phone. Topics include:


- Packaging Contents
- Phone Installation
- Phone Initialization
- Signing into Skype for Business
- Signing Out of Skype for Business
- Changing Presence Status
- Account Lock
- Entering Data and Editing Fields
- Phone Status
- Basic Network Settings
- Idle Screen

If you require additional information or assistance with your new phone, contact your system administrator.


Packaging Contents

The following components are included in your T42G Skype for Business phone package:


• T42G Skype for Business Phone



• Phone Stand



• Handset & Handset Cord



• Ethernet Cable



• Quick Start Guide




Check the list before installation. If you find anything missing, contact your system administrator.


Optional Accessories

The following items are optional accessories for your T42G Skype for Business phone. You need to purchase them separately if required.

• Power Adapter (5.5mm DC plug)



Wall Mount Bracket



• Headset



• Wireless Headset Adapter EHS36



Note

We recommend that you use the accessories provided or approved by Yealink. The use of unapproved third-party accessories may result in reduced performance.

Phone Installation


If your phone is already installed, proceed to Phone Initialization on page 16.

This section introduces how to install the phone:


- 1) Attach the stand or the optional wall mount bracket
- 2) Connect the handset and optional headset
- 3) Connect the power
- 4) Connect to the Network

Attaching the Stand or the Optional Wall Mount Bracket

Desk Mount Method



Wall Mount Method (Optional)




Note

The hookswitch tab has a lip which allows the handset to stay on-hook when the Skype for Business phone is mounted vertically.

For more information on how to attach the wall mount bracket, refer to *Yealink Wall Mount Quick Installation Guide for SIP-T40 T41 T42 IP Phones*.

Connecting the Handset and Optional Headset



Note

EHS36 is used for connecting the phone and a compatible wireless headset. For more information on how to use the EHS36, refer to *Yealink EHS36 User Guide*.

Connecting the Power


You have two options for power and network connections. Your system administrator will advise you which one to use.

- AC power
- Power over Ethernet (PoE)

AC Power

To connect the AC power:

1. Connect the DC plug on the power adapter to the DC5V port on the phone and connect the other end of the power adapter into an electrical power outlet.



Note

The Skype for Business phone should be used with Yealink original power adapter (5V/1.2A) only. The use of the third-party power adapter may cause the damage to the phone.


Power over Ethernet

With the included or a regular Ethernet cable, the T42G Skype for Business phone can be

powered from a PoE-compliant switch or hub.

To connect the PoE for the T42G Skype for Business phone:

1. Connect the Ethernet cable between the Internet port on the phone and an available port on the in-line power switch/hub.




Note

If in-line power is provided, you don't need to connect the phone to the power adapter. Make sure the switch/hub is PoE-compliant.

Important! Do not remove power from the phone while it is updating firmware and configurations.

Connecting to the Network

Connect your phone to the network.



Note The phone can also share the network with another network device such as a PC (personal computer). This is an optional connection. For more information on this function, contact your system administrator.

Phone Initialization

After your phone is powered on, the system boots up and performs the following steps:

Automatic Phone Initialization

The phone finishes the initialization by loading the saved configuration. The LCD screen displays "Welcome Initializing Please wait..." during the initialization.

DHCP (Dynamic Host Configuration Protocol)

The phone attempts to contact a DHCP server in your network to obtain valid IPv4 network settings (e.g., IP address, subnet mask, default gateway address and DNS address) by default. After the phone finishes the initialization, the sign-in screen appears on the LCD screen.

Note If your network does not use DHCP, proceed to Basic Network Settings on page 29.

Signing into Skype for Business

Skype for Business users are authenticated against Microsoft Active Directory Domain Service. The following four sign-in methods are available:

- **User Sign-in**: This method uses the user's credentials (sign-in address, user name, and password) to sign into Skype for Business Server. This sign-in method is applicable to Onprem account and Online account.
- PIN Authentication: This method uses the user's phone number (or extension) and personal identification number (PIN) to sign into Skype for Business Server. This sign-in method is only applicable to Onprem account.
- **Web Sign-in:** This method uses the unique website shown on the phone to sign in. This sign-in method is only applicable to Online account.
- Sign in via PC: when your phone is paired with your computer using Better Together over Ethernet (BToE), use the Skype for Business client to sign in. This sign-in method is applicable to Onprem account and Online account.

If the Skype for Business Server is configured to forcibly lock the phone. You need to configure an unlock PIN at the initial sign-in. For more information, refer to Phone Lock on page 37.


Note If the phone reboots after successful login, the login credentials from the previous Sign-In will be cached. User can sign in successfully without reentering the credentials.

User Sign-in

You can sign into Microsoft Skype for Business on your phone with your login credentials, which includes your address, username, and password. Your system administrator provides you with your login credentials.

To sign into Skype for Business Server using User Sign-in method via phone user interface:

- 1. Press the Sign in soft key.
- 2. Press () or () to select User Sign in.



3. Enter your Skype for Business user's sign-in address (e.g., 2216@yealinkuc.com) in the Sign in address field.

User Sign in-	-
1. Sign in address:	
2216@yealinkuc.com	
Back abc Delete Sign in	D

- 4. Enter your Skype for Business user name (e.g., 2216@yealinkuc.com) in the User field.
- 5. Enter the sign-in password in the **Password** field.
- 6. Press the Sign in soft key.

To sign into the Skype for Business Server using User Sign-in method via web user interface:

- 1. Click on Account->Register.
- 2. Select User Sign in from the pull-down list of Mode.
- **3.** Enter your Skype for Business user's sign-in address (e.g., 2216@yealinkuc.com) in the **Login address** field.
- **4.** Enter your Skype for Business user name (e.g., 2216@yealinkuc.com) in the **Register Name** field.
- 5. Enter the sign-in password in the **Password** field.

Yealink 1426	Status Account N	etwork Features Settings Direct	Log Out
	Mode	User Sign in 👻	NOTE
Register	Register Status	Disabled	Login address
Basic	Extension		Provided by the operator login address
Codec	Pin		Register Name
	Login address	2216@yealinkuc.com	Provided by the operator register name.
	Register Name	2216@yealinkuc.com	Password Provided by the operator
	Password	•••••	Password.
	Sign In Sign	Out Cancel	You can click here to get more guides.

6. Click Sign In to accept the change.

PIN Authentication

You can sign into Skype for Business on your phone with your PIN Authentication credentials. Your system administrator provides you with your PIN Authentication credentials.

To sign into Skype for Business Server using PIN Authentication method via phone user interface:

- 1. Press the Sign in soft key.
- 2. Press () or () to select PIN Authentication.

1.	PIN Authentication	I
2.	User Sign-in	
з.	Web Sign-in	Ι
		Ι
	Back OK	Ď

3. Enter your phone number or extension (e.g., 2216) in the Extension field.

PIN Authentication	·
1. Extension: 2216	
Back 123 Delete Sign in	l

- 4. Enter your PIN in the Extension PIN field.
- 5. Press the Sign in soft key.

To sign into the Skype for Business Server using PIN Authentication method via web user interface:

- 1. Click on Account->Register.
- 2. Select Pin Authentication from the pull-down list of Mode.
- **3.** Enter your Skype for Business user's phone number or extension (e.g., 2216) in the **Extension** field.
- 4. Enter your personal identification number (e.g., user2216) in the **Pin** field.

Yealink 1426	Status Account Network	Features Settings Directory	Log Out
Register	Mode	Pin Authentication 🔹	NOTE
Basic	Register Status Extension	Disabled 2216	Login address Provided by the operator login address
Codec	Pin Login address	•••••	Register Name Provided by the operator register name.
	Register Name Password		Password Provided by the operator Password.
	Sign In Sign Out	Cancel	You can click here to get more guides.

5. Click **Sign In** to accept the change.

Web Sign-in

You can sign into your Skype for Business Online account using the Web Sign-In method, which allows you to sign into the phone with your Skype for Business Online account using a web browser. Your system administrator provides you with your login credentials.

To configure Web Sign-in method via web user interface:

- 1. Click on Features->General Information.
- 2. Select the desired value from the pull-down list of Web Sign in.
 - If it is enabled, you can sign into the Skype for Business Server using Web sign-in method.
 - If it is disabled, you cannot sign into the Skype for Business Server using Web sign-in method.

			Log Out
Yealink 1426	Status Account Network	Features Settings Directory	Security
General Information	General Information	Enabled v	NOTE
Audio	Key As Send Hotline Number	# v 2248	Call Waiting This call feature allows your phone to accept other incoming calls during the conversation.
Remote Control	Hotline Delay(0~10s)	4	Key As Send Select * or # as the send key.
	Busy Tone Delay (Seconds) Return code when refuse	0 • • • • • • • • • • • • • • • • • • •	You can click here to get more guides.
	- E911 Location Tip	Enabled •	
	Update Checking Time Use DHCP Option 120	24 Disabled	
	SFB Cert Service URL Enable SFB Automation	Disabled v	
	SFB Inactive Time	5	
	SFB Away Time Web Sign in	5 Enabled	
	Remember Password Confirm	Disabled Cancel	

3. Click **Confirm** to accept the change.


To sign into Skype for Business Server using Web Sign-in method via phone user interface:

- 1. Press the Sign in soft key.
- **2.** Press (\bullet) or (\bullet) to select **Web Sign-in**.
- 3. Press the Sign in soft key.

The screen will show the pairing code and URL.



- 4. Enter the URL (e.g., http://aka.ms/sphone) into your web browser.
- On the Skype for Business Authentication website, enter your email address (e.g., zhangdx@example.com) in the Email address field.



6. Click Verify email to check the validity of the email address.

The sign-in screen will appear if the email address is valid.

Office 365
Work or school, or personal Microsoft account
Email or phone
Password
Keep me signed in
Sign in
Can't access your account?

- 7. Enter your Online account and password.
- **8.** (Optional) Check the **Keep me signed in** checkbox, so that you don't need to enter a password next time.
- 9. Click Sign in.

10. Enter the pairing code (e.g., GKB52ZKTN) in the Code field.

Device	Login
Enter the code that device	you received from the application on your
GKB52ZKTN	
	Skype for s Certified Phone
Click cancel if y different applic	ou received this code from a
unierent applic	ation.
Continue	Cancel

- 11. Click Continue.
- **12.** Click the account to sign in.

A confirmation message is displayed when your phone successfully signs into Skype for Business.

Signing in via PC

When your phone and your computer and paired using Better Together over Ethernet (BToE), you can sign into your phone using the Skype for Business client on your computer. For more information, refer to Better Together over Ethernet on page 143.

Signing Out of Skype for Business

To sign out of Skype for Business Server:

- 1. Press the Status soft key.
- **2.** Press \frown or \frown to select **Sign Out**.

The phone will sign out of Skype for Business server.

5. Off Work	
6. Away	
7. Reset Status	
8. Sign Out	
Back (ЭК

After you sign out of Skype for Business, the account-related features (calling, viewing Skype for Business contacts, calendar, etc.) are not available. However, you can still use

other phone features.

Signing out via web user interface at the path Account->Register->Sign Out.

Changing Presence Status

After signing in successfully, the first line key displays your account and presence status by default.

User's presence information is constantly synchronized with Microsoft Skype for Business Server based on a variety of factors. However, you can change your presence information manually on the phone. For example, when you are busy with some urgencies, you can change your status to Do Not Disturb to avoid being disturbed.

The following table lists the status that the contact can change on the phone:

Icon	Status	Description		
\checkmark	Available	The contact is online and available to contact.		
	Busy	 The contact is available but engaged in another activity. Those activities include: In a call In a conference 		
=	Do Not Disturb	If the contact doesn't want to be disturbed and DND is activated, callers will hear a tone indicating that the contact's phone is busy. The incoming call will be forwarded to contact's voice mail directly. The contact can receive calls from the work group only.		
	Be Right Back	The contact is engaged in another activity and will return shortly.		
	Off Work	The contact is not working and not available to contact.		
		 The contact is probably not available. This status is displayed for the following reasons: The contact's phone has been idle for more than the idle time period setting-10 minutes by default. 		
	Away	• The contact's Microsoft Office Outlook calendar indicates that the contact is out of the office.		
		 The contact is temporarily unavailable. As soon as activity is detected on the contact's phone, Microsoft Skype for Business Server automatically resets the presence status to 		

Icon	Status	Description	
		Available.	

To change your presence status:

- 1. Press the **Status** soft key.
- **2.** Press \frown or \frown to highlight the desired status.

	1.	Available	
~	2,	Busy	
	з.	Do Not Disturb	
	4	Be Right Back	Ш
	Ba	ick OK	Ó

3. Press the **OK** soft key to accept the change.

The presence status will be changed on the phone and be synchronized to the Skype for Business Server.

To reset your presence status to the default:

- 1. Press the Status soft key.
- 2. Press () or () to highlight Reset Status.

 Be Right Back 	
5. Off Work	
6. Away	
7. Reset Status	
Back	0K

3. Press the OK soft key to accept the change.

Your status is reset to "Available".

Always Online

Always online feature can maintain current status of the phone until you manually change status. For example, the current status of the phone is available, if the always online feature is enabled, then the phone status will stay available until you manually change it. You can configure this feature via phone user interface or web user interface.

To enable the always online via phone user interface:

- 1. Press Menu->Settings->Basic Settings->Always Online.
- 2. Press () or (), or the Switch soft key to select Enabled from the Always Online field.

Always Online	
1. Always Online:	
Enabled	•
Back Switch	Save

3. Press the Save soft key to accept the change or the Back soft key to cancel.

Always online is configurable via web user interface at the path **Account->Basic->Always Online**.

Note If your phone status is DND before dialing an emergency number, then the phone status will be changed to available after the emergency call even if always online feature is enabled. For more information on emergency call, refer to Emergency Call on page 67.

Account Lock

You can lock your account to prevent your account being signed in or signed out randomly. If account lock feature is enabled, users are prompted for administrator password to sign in or sign out. Note that if you sign into Skype for Business Server using **User Web Sign-in** or **Sign in via PC** method, account lock feature is not applicable.

Account lock feature is disabled by default. You can configure it via phone user interface or web user interface.

To configure the account lock feature via phone user interface:

- 1. Press Menu->Settings->Advanced Settings (default password: admin) ->Account Lock.
- **2.** Press (\cdot) or (\cdot) , or the **Switch** soft key to select **Enabled** from the **Account Lock** field.

Account Lock-	
1. Account Lock:	
Enabled	•
Back Switch	Save

3. Press the **Save** soft key to accept the change or the **Back** soft key to cancel.

Account lock is configurable via web user interface at the path **Account->Basic->Account Lock**.

To sign out when account lock is enabled via phone user interface:

- 1. Press the Status soft key.
- **2.** Press (\bullet) or (\bullet) to select **Sign Out**.

The screen will be shown as below:



- 3. Enter the administrator password.
- 4. Press the **OK** soft key to sign out.

To sign in when account lock is enabled via phone user interface:

1. Press the Sign in soft key.

- 2. Select the desired sign-in method.
- 3. Enter the authentication information in the corresponding field respectively.
- 4. Press the Sign in soft key.

The screen will be shown as below:



- 5. Enter the administrator password.
- 6. Press the OK soft key.
 - If phone lock feature is enabled, you will enter the unlock PIN settings screen.
 - If phone lock feature is disabled, you will sign in successfully.

For more information on phone lock, refer to Phone Lock on page 37.

Entering Data and Editing Fields

You can enter data and edit fields using the phone keypad.

Keypad on the phone can provide different characters when using the **abc**, **ABC** or **123** input mode. You can change the following input modes to enter data and edit fields on your phone. When your phone keypad matches the input mode, you can press the keypad repeatedly to view the character (or number) options and stop to select. When the character (or numbers) you want to enter displays in the field, wait one second, and enter the next character (or numbers). The following table lists the input modes and character (or number) options for the keypad:

The following table lists th	e input modes and character	(or number) options for the keypad:

Input Mode Keypad	abc	ABC	123
1			1
2 ABC	abc2äæåàáâãç	ABC2ÄÆÅÀÁÂÃÇ	2
3 DEF	def3èéêëð	DEF3ÈÉÊËÐ	3
4 or a	ghi4ìíĩi	GHI4ÌÍÎÏ	4
5 Jac	jkl5£	JKL5£	5
6 MINO	mno6öøòóôõñ	MNO6ÖØÒÓÔÑ	6
7 Parts	pqrs7ßS	PQRS7S	7

Input Mode Keypad	abc	ABC	123
8 mv	tuv8ùúûü	TUV8ÙÚÛÜ	8
9 wavz	wxyz9ýÞ	WXYZ9ÝÞ	9
0	space	space	0
	*.,'?!\-()@/:_;+&%=< > £ \$¥¤[]{}~^¡¿§#"	*.,'?!\-()@/:_;+&%=< > £ \$¥¤[]{}~^¡¿§#"	*.@+\:
# 3550	#	#	#

To enter or edit data:

Do one of the following:

If you want to	Then you can	
	Press a keypad key one or more times (depending what input mode you're in) to enter the characters that is displayed on the keypad key.	
	You can press the abc soft key one or more times to switch among uppercase (ABC soft key), numeric (123 soft key) and lowercase (abc soft key) input modes.	
Enter only digits (1), uppercase (A) characters, or lowercase (a) characters.	 For example, if the input mode is ABC: To enter "A", press 2 once. To enter "B", press 2 twice quickly. To enter "C", press 2 three times quickly. To enter "2ÄÆÅÀÂÂÇ", press 2 more than three times quickly. Note: When you are in the uppercase (ABC soft key) or lowercase (abc soft key) input mode, 1 is not available. 	
Enter special characters.	 Press the keypad key # or *. , or long press 0. For 0 Key: If it is the uppercase (ABC soft key) or lowercase (abc soft key) input mode, it will provide the space character. If it is the numeric (123 soft key) input mode, it 	

If you want to	Then you can	
	will only provide the digit 0.	
	- Long press 0 on the pre-dialing screen will	
	provide the special character "+".	
	For # teno key:	
	- It only provides the pound character "#".	
	For \star. key:	
	- If it is the uppercase (ABC soft key) or lowercase	
	(abc soft key) input mode, it will provide the	
	following special characters:	
	*.,'?!\-()@/:_;+&%=<>£\$¥¤[]{}~^i¿§#" .	
	- If it is the numeric (123 soft key) input mode, it	
	will provide the following special characters:	
	*.@+\:.	
	Press \bigcirc or \bigcirc to position the cursor to the right	
Delete text you entered.	of the text you want to delete, and then press the	
	Delete soft key to delete one character at a time.	

Phone Status

You can view the phone status via phone user interface or web user interface.

Available information of phone status includes:

- Network status (e.g., IPv4 status, IP mode, MAC address)
- Phone status (e.g., product name, hardware, firmware, product ID, MAC address and device certificate status)
- Location information (location is set to assist emergency responder)
- License (device license status)

To view the phone status via phone user interface:

1. Press (οκ), or press **Menu->Status**.

1. IPV4:	10.2.10.210
2. MAC:	00:15:65:47:61:F9
3. Firmware:	29.8.1.65
4. More	
Back	أصوح

2. Press (\bullet) or (\bullet) to scroll through the list and view the specific information.

To view the phone status via web user interface:

- 1. Open the web browser on your PC.
- 2. Enter the IP address in the browser's address bar, and then press the Enter key.

3. Enter the user name (admin) and password (admin) in the login page.

Login	Enterprise IP phone SIP-T42G	
Username Password	admin	
Ca	onfirm Cancel	

4. Click **Confirm** to login.

The phone status is displayed on the first page of the web user interface.

fealink 11426			Log Ou
	Status Account Netwo	ork Features Settings Dir	ectory Security
Status	Version		NOTE
SFB Status	Firmware Version	29.8.1.65	Version
SFD Status	Hardware Version	29.0.0.0.0.0	It shows the version of firmware
Memory Info	Network		Network It shows the information of WAN
	Internet Port	IPv4	port.
	IPv4		🛽 You can click here to get
	WAN Port Type	DHCP	more guides.
	WAN IP Address	10.2.10.210	
	Subnet Mask	255.255.255.0	
	Gateway	10.2.10.254	
	Primary DNS	192.168.1.20	
	Secondary DNS	192.168.1.22	
	Network Common		
	MAC Address	0015654761F9	
	Link Status	Connected	
	Device Type	Bridge	

Basic Network Settings

If your phone cannot contact a DHCP server for any reason, you need to configure network settings manually. The Skype for Business phone supports three IP modes: **IPv4**, **IPv6** and **IPv4&IPv6**.

To configure the IP mode via phone user interface:

- Press Menu->Settings->Advanced Settings (default password: admin)
 ->Network->WAN Port.
- 2. Press (•) or (•) to select IPv4, IPv6 or IPv4 & IPv6 from the IP Mode field.

WAN	Port Opti	on
1. IP Mode:		
Ipv4		4
Back		Save

3. Press the **Save** soft key to accept the change or the **Back** soft key to cancel.

You can configure a static IPv4 address for the Skype for Business phone. Before configuring it, make sure that the IP mode is configured as **IPv4** or **IPv4 & IPv6**.

To configure a static IPv4 address via phone user interface:

- 1. Press Menu->Settings->Advanced Settings (default password: admin) ->Network->WAN Port.
- **2.** Press (-) to select **IPv4**, and then press the **Enter** soft key.
- **3.** Press (•) to select **Static IPv4 Client**, and then press the **Enter** soft key.
- Enter the desired value in the IPv4, Subnet Mask, Default Gateway, IPv4 Pri.DNS and IPv4 Sec.DNS field respectively.

	Static II	Pv4 Client—	
1. IPv4: 192.168.1.	10		
Back	173	Delete	

5. Press the Save soft key to accept the change or the Back soft key to cancel.

You can configure a static IPv6 address for the Skype for Business phone. Before configuring it, make sure that the IP mode is configured as **IPv6** or **IPv4 & IPv6**.

To configure a static IPv6 address via phone user interface:

- 1. Press Menu->Settings->Advanced Settings (default password: admin) ->Network->WAN Port.
- 2. Press () to select IPv6, and then press the Enter soft key.
- 3. Press (-)to select Static IPv6 Client, and then press the Enter soft key.
- Enter the desired value in the IPv6 IP, IPv6 IP Prefix, IPv6 Default Gateway, IPv6
 Pri.DNS and IPv6 Sec.DNS field respectively.


e	itatic IP	v6 Client——	
1. IPv6 IF	' :		
2005:1:1:1	5::8		
Back	123	Delete	Save

5. Press the Save soft key to accept the change or the Back soft key to cancel.

Note Wrong network settings may result in inaccessibility of your phone and may also have an impact on your network performance. For more information on these network parameters, contact your system administrator.

Idle Screen

If the phone is successfully started up, and a Skype for Business user signs into the Skype for Business Server on the phone, the idle screen will be shown as below:



No.	Name	Description	
1	Status Bar	Shows feature status. For more information, refer to	
1	Status Dai	Icon Instructions on page 3.	
		Show default account.	
		• Show local favorites and Skype for Business	
		favorites. For more information, refer to	
		Contact Management on page 42.	
2	Line Key Labels	• Show the B/A line key. For more information,	
		refer to Boss-Admin Feature on page 101.	
		• Show the Paging line key. For more	
		information, refer to Multicast Paging on page	
		132.	
3	Daga Jaana	Shows three page icons.	
5	Page Icons	You can press the sixth line key to turn the page.	
4	Charter t Kara	Shows the soft key labels. The default soft key labels	
4	Shortcut Keys	are "Status", "History", "Directory" and "Menu".	
		Shows time, date, the phone account and the static	
-	E Main Mindau	forward ways.	
5	5 Main Window The phone account is displayed in the		
		bottom-middle of the LCD screen.	

Customizing Your Phone

You can customize your T42G Skype for Business phone by personally configuring certain settings, for example, time & date, ring tones and E911. You can also manage the contacts and call history.

This chapter provides basic operating instructions for customizing your phone. Topics include:

- General Settings
- Audio Settings
- Contact Management
- Call History Management
- Headset Use
- E911
- Dial-now
- Live Dialpad
- Hotline
- Privacy Mode

If you require additional information or assistance with your new phone, contact your system administrator.

General Settings

Language

The default language of the phone user interface is English. If the language of your web browser is not supported by the phone, the web user interface will use English by default. You can change the language for the phone user interface and the web user interface respectively.

To change the language for the phone user interface:

- 1. Press Menu->Settings->Basic Settings->Language.
- **2.** Press (\bullet) or (\bullet) to select the desired language.



3. Press the Save soft key to accept the change.

Text displayed on the phone user interface will change to the selected language.

To change the language for the web user interface:

- 1. Click on Settings->Preference.
- 2. Select the desired language from the pull-down list of Language.

Yealink 1426	Status Account Networ	k Features Settings	Log Out
Preference Time&Date Upgrade Auto Provision Configuration Dial Plan	Language Live Dialpad Watch Dog Ring Type Upload Ringtone Confirm	English (English) English (English) Angle An	NOTE Preference Settings The preference settings for administrator. The you can click here to get more guides.

3. Click Confirm to accept the change.

Text displayed on the web user interface will change to the selected language.

Time and Date

The time and date are displayed on the LCD screen when the phone is idle. You can configure the phone to obtain the time and date from the SNTP server automatically, or configure the time and date manually. If the phone cannot obtain the time and date from the Simple Network Time Protocol (SNTP) server, contact your system administrator for more information.

To configure the SNTP settings via phone user interface:

- 1. Press Menu->Settings->Basic Settings->Time & Date->SNTP Settings.
- 2. Press (•) or (•), or the **Switch** soft key to select the time zone that applies to your area from the **Time Zone** field.

The default time zone is "+8".

SNTP Settings_	
1. Time Zone:	
+8	41
Back Switch	h Save

- Enter the domain names or IP addresses of SNTP servers in the NTP Server1 and NTP Server2 field respectively.
- Press () or () , or the Switch soft key to select the desired value from the Daylight Saving field.
- Press (•) or (•), or the Switch soft key to select the desired time zone name from the Location field.


This field appears only if **Daylight Saving** field is selected as **Automatic**.

The default time zone name is "China(Beijing)".

- 6. Press the Save soft key to accept the change or the Back soft key to cancel.
- **Note** Please refer to Appendix A Time Zones for the list of available time zones on the Skype for Business phone.

To configure the time and date manually via phone user interface:

- 1. Press Menu->Settings->Basic Settings->Time & Date->Manual Settings.
- 2. Enter the specific date in the Date(YMD) field.
- 3. Enter the specific time in the Time(HMS) field.



4. Press the **Save** soft key to accept the change.

The time and date displayed on the LCD screen will change accordingly.

To configure the time and date format via phone user interface:

- 1. Press Menu->Settings->Basic Settings->Time & Date->Time & Date Format.
- Press (•) or (•), or the Switch soft key to select the desired time format (12 Hour or 24 Hour) from the Time Format field.
- Press (•) or (•), or the Switch soft key to select the desired date format from the Date Format field.

1. Date Format:		
WWW MMM DD		41
Back	Switch	Save

4. Press the Save soft key to accept the change or the Back soft key to cancel.

There are 7 available date formats. For example, for the date format "WWW DD MMM", "WWW" represents the abbreviation of the week, "DD" represents the two-digit day, and "MMM" represents the first three letters of the month.

The date formats available:

Date Format	Example (2016-8-19)
WWW MMM DD	Fri Aug 19
DD-MMM-YY	19-Aug-16
YYYY-MM-DD	2016-08-19
DD/MM/YYYY	19/08/2016
MM/DD/YY	08/19/16
DD MMM YYYY	19 Aug 2016
WWW DD MMM	Fri 19 Aug


Time and date format is configurable via web user interface at the path **Settings**->**Time & Date**.

Administrator Password

The **Advanced Settings** option is only accessible to the administrator. The default administrator password is "admin". For security reasons, you should change the default administrator password as soon as possible.

To change the administrator password via phone user interface:

- 1. Press Menu->Settings->Advanced Settings (default password: admin)->Set Password.
- 2. Enter the current password in the Current PWD field.



- 3. Enter the new password in the New PWD field.
- 4. Enter the new password again in the Confirm PWD field.
- 5. Press the Save soft key to accept the change or the Back soft key to cancel.

Administrator password is configurable via web user interface at the path Security->Password.

Key as Send

You can set the "#" key or "*" key to perform as a send key while dialing.

To configure key as send via phone user interface:

- 1. Press Menu->Features->Key as send.
- 2. Press (\cdot) or (\cdot) , or the Switch soft key to select **#** or ***** from the Key as send field, or

select **Disabled** to disable this feature.

Key a	s send	
1. Key as send:		
#		41
Back	Switch	Save

3. Press the Save soft key to accept the change or the Back soft key to cancel.

Key as send is configurable via web user interface at the path **Features**->**General Information**->**Key as send**.

Phone Lock

If the Skype for Business Server is configured to forcibly lock the phone, user can use phone lock feature to lock the phone to prevent it from unauthorized use. And the Skype for Business phone will prompt the user to configure an unlock PIN at the initial sign-in.

			nlock F	°in S	Setting—	
1.	New	PIN	:			
			400			
			123		Delete	Save

To set unlock PIN:

- 1. Enter the unlock PIN (PIN's length must be from 6 to 15) in the **New PIN** field.
- 2. Press the Next soft key, and then enter the unlock PIN again in the Confirm PIN field.
- 3. Press the Save soft key.

When the unlock PIN is configured successfully, you can do one of the following to lock your phone.

- Long press $frac{1}{4}$ for two seconds to lock the phone immediately when the phone is idle.
- Press Menu->Lock.
- Press Menu->Settings->Basic Settings->Phone Lock.

Press (\bullet) or (\bullet) to select **Lock the phone**, and then press the **OK** soft key.

 The phone will be locked automatically when it has been inactive for the designated time (in seconds). The time is configurable on the Skype for Business Server only.

When the phone is locked, an icon 🚔 appears on the idle screen..

When the locked phone is making a call:

- You can pick up the handset or press the line key or press the speakerphone key to enter the pre-dialing screen.
- You can press the **Emerg Call** soft key to select an emergency number.
- When the parameter **DisableHandsetOnLockedMachine** is set to **True** on the Skype for

Business Server, the locked phone can only place an emergency call and cannot make other outgoing calls.

When the parameter **DisableHandsetOnLockedMachine** is set to **False** on the Skype for Business Server, the locked phone can place an emergency call and other outgoing calls.

By default the locked phone can only place an emergency call and cannot make other outgoing calls.

You cannot search contacts on the pre-dialing screen.

When the locked phone is idle:

Line keys, digit keys, # key, * key, volume key, headset key and speakerphone key are available and other keys on the phone are locked.

When the locked phone receives an incoming call:

You can answer, reject or mute the incoming calls only.


When the locked phone engages in a call:

You can place the call on hold, end the call or dial emergency numbers (whether the phone can make other outgoing calls depends on the value of **DisableHandsetOnLockedMachine**) only.

Note Phone status will change to Away after the phone is locked and the phone will revert to previous status when unlocked. For more information, refer to Changing Presence on page 23.

To change the phone unlock PIN via phone user interface:

- 1. Press Menu->Settings->Basic Settings->Phone Lock.
- **2.** Press (\bullet) or (\bullet) to select **Change PIN**.



- 3. Press the OK soft key.
- 4. Enter current PIN in the Current PIN field.

	Chang	e PIN	
1. Curren	t PIN:		
Back	123	Delete	Save

- 5. Enter the new unlock PIN in the New PIN field.
- 6. Enter the new unlock PIN again in the Confirm PIN field.
- 7. Press the Save soft key to change the unlock PIN.

Unlock PIN is configurable via web user interface at the path Settings->Phone Lock.

Note Rebooting a phone will make you configure the unlock PIN again.

To unlock the phone via phone user interface:

1. Press the **Unlock** soft key or any locked key, the LCD screen will prompt you to enter unlock PIN.

	-Unlock	PIN	
1. Unlock	PIN:		
Back I	123	Delete	OK

- 2. Enter the PIN in the Unlock PIN field.
- **3.** Press the **OK** soft key or $(\mathbf{o}\mathbf{k})$ to unlock the phone.

The icon 🚔 disappears from the idle screen. You can lock the phone again.

Note You can also unlock the phone by administrator password.

To disable the phone lock feature via web user interface:

- 1. Press Menu->Settings->Basic Settings->Phone Lock.
- 2. Press (\cdot) or (\cdot) , or the **Switch** soft key to select **Disabled** from the **Phone Lock** field.

Phone Lock-	
1. Phone Lock	
Disabled	41
Back Switch	Save

3. Press the Save soft key to accept the change.

The phone user interface prompts "Reboot now?".


4. Press OK soft key.

The phone lock feature will be disabled after a reboot.

Phone lock is configurable via web user interface at the path Settings->Phone Lock.

Remembering Password

You can enable the remembering password feature, so that a **Remember Password** option will appear at the phone login screen.



(PIN Authentication method)

Remembering password feature is disabled by default, and it is configurable via web user interface only.

To configure remember password feature via web user interface:

- 1. Click on Features->General Information.
- 2. Select Enabled from the pull-down list of Remember Password.

Mastal							Log Out
Yealink 1426	Status	Account	Network	Features	Settings	Directory	Security
General Information Audio Remote Control LED		eneral Information Cal Waiting Key As Send Hotine Number Hotine Delay(0~10: Busy Tone Delay (S Return code when Time-Out for Dial-No	s) econds) refuse	Enabled # 2248 4 0 603 (Declne) 1	v v		NOTE Call Waiting This call feature allows your phone to accept other incoming calls during the conversation. Key As Send Select * or # as the send key. You can click here to get more guides.
		Enable SFB Automa SFB Inactive Time SFB Away Time Web Sign in Remember Passwor	d	Disabled 5 5 Enabled Enabled	▼ ▼ Cancel		

3. Click **Confirm** to accept the change.

A dialog box pops up to prompt you that this configuration will take effect after a reboot.

4. Click **OK** to reboot the phone.

Audio Settings

Volume

You can press the Volume key to adjust the ringer volume when the phone is idle or is ringing. You can also press the Volume key to adjust the receiver volume of currently engaged audio device (handset, speakerphone or headset) when the phone is in use.

To adjust the volume when the phone is idle:

1. Press - + to adjust the ringer volume.

🗹 Lin Wei	11:2832	(★Lin Wei
★ Ann	Tue Jan 26	2+2224
★ jga	- =0000000000000000	+ 123
Status	History Director	

Note If the ringer volume is adjusted to minimum, the **I** icon will appear on the LCD screen.

To adjust the volume when the phone is ringing:

1. Press - + to adjust the ringer volume.

🗹 Lin Wei	<<< 🕿 >>>	2228
🖈 May 📃	Merry	2529
2+2224	- = = = = = = = = = = = = = = = = = = =	123
Answer	FWD Silence	[More

To adjust the volume when the phone is during a call:

1. Press **rest** to adjust the volume of the currently engaged audio device (handset, speakerphone or headset).

🔳 Lin Wei	Talking		Z 2228
🗲 May) Merr	У	2529
2+2224) – esserîjî d	• Uppood +	123
EndCall	Hold	Conf	More

Phone Ringtone

Phone ringtones are used to indicate incoming calls and distinguish your phone from your neighbor's.

To select a ring tone for the phone via phone user interface:

1. Press Menu->Settings->Basic Settings->Ring Tones-> Normal Ringtone.



- **2.** Press (\bullet) or (\bullet) to select the desired ring tone.
- 3. Press the Save soft key to accept the change or the Back soft key to cancel.

Phone ringtone for the phone is configurable via web user interface at the path **Settings->Preference->Ring Type**.

To upload a custom ring tone for the phone via web user interface:

- 1. Click on Settings->Preference.
- In the Upload Ringtone field, Click Browse... to locate a ring tone file (the file format must be .wav) from your local system.

Yealink 1426	Status Account Network	Features Settings Directory	Log Out
Preference	Language	English (English)	NOTE
Time&Date	Live Dialpad Watch Dog	Disabled • Enabled •	Preference Settings The preference settings for administrator.
Upgrade Auto Provision	Ring Type Private line ring	Ring1.wav	You can click here to get more guides.
Configuration Dial Plan	Upload Ringtone	Browser No file selected. Upload Cancel	
Voice	Confirm	Cancel	

3. Click Upload to upload the file.

The custom ring tone appears in the pull-down list of **Ring Type**.

Note The priority of ring tone for an incoming call on the phone is as follows: Contact ring tone (refer to Adding Local Contacts) ->Phone ring tone.

Both single custom ring tone file and total custom ring tone files must be within 100KB. Uploading custom ring tones for your phone is configurable via web user interface only.

Contact Management

The phone directory list displays local directory and Skype for Business directory. You can view contact information on the phone.

Note

Skype for Business Server and Exchange Server are integrated. You can search Outlook contacts on your phone. For more information, refer to Searching for Contacts on page 58.

Skype for Business Directory

The Skype for Business directory on your phone displays all Skype for Business contacts of your Microsoft Skype for Business client. You can store up to 500 Skype for Business contacts in your phone's Skype for Business directory. You can view Skype for Business contacts on the phone, but you cannot add, edit or delete Skype for Business contacts on the phone.

Adding Skype for Business Contacts

To add contacts via Skype for Business client:

1. Enter a few continuous characters of the contact name or continuous numbers of the contact number in the Search field.

The contacts whose name or phone number matches the characters entered will appear in your contacts list.

2. Right-click the contact, and then click Add to Contacts List.

0	Skype for Business 🛛 🗕	
<u>File Meet Now Tools</u>	<u>H</u> elp	
What's happening today?		
Lin Wei Available • Building 51 •		
27	2	
• •		¢-
2248		×
MY CONTACTS		
+2248		
+2248		
Merry Inactive	e 5 mins - Voice Only	
Werry - mactive	Send an IM	
	<u>C</u> all	F .
	Start a <u>V</u> ideo Call	
	Send an <u>E</u> mail Message	
	Schedu <u>l</u> e a Meeting	
	Сор <u>у</u>	
	Find Previous Conversations	
Other Contacts	Add t <u>o</u> Contacts List	۶.
	Tag for Status Change Alerts	
	Change Privacy Relationship	F .
	See Contact Card	
🔄 ▼ 🗘 ▼ CALL FORWARDING OFF		

3. Select the desired group.

The contact is added to the selected group.

Viewing Skype for Business Contacts

You can view the following information about each contact on the phone:

- The contact's presence icon
- The contact's name
- The detailed information of the contact (e.g., name, mail address)

Note For more information on the presence icon, refer to Icon Instructions on page 3.

To view the Skype for Business contacts:

1. Press Directory->SFB Directory.

1. Favorites		
2. Delegates		Π
3. Bosses		
4. Other Contacts		U
Back	Search [Enter

- **2.** Press (\bullet) or (\bullet) to select the desired group.
- **3.** Press the **Enter** soft key.

Each contact is displayed with a presence icon and the address.

? +2224	224@yealinkuc.com		
? +2227	+2227@yealinkuc.c		
? +2529	+2529@yealinkuc.c		
💶 2224-ogc	2224@yealinkuc.cor		
🛛 🛛 🚺 🗌 Back 🚺 Detail	Add Call		

- **4.** Press () or () to highlight the desired contact.
- 5. Press the Detail soft key to view more information about the contact.
- **6.** Press (\bullet) or (\bullet) to scroll through the information.

The detailed information (e.g., name, status, address and email) of the contact appears on the LCD screen.

Name:	Lin Wei
Status:	Available
Address:	2216@yealinkuc.com
Email:	2216@yealinkuc.com
Back	

Skype for Business Favorites


You can add your Skype for Business contacts as favorites via your Skype for Business client only. You can view Skype for Business favorites on the phone.

Adding Skype for Business Favorites

To add contacts as favorites via Skype for Business client:

1. Right-click a contact.

2. Click Add to Favorites.



Viewing Skype for Business Favorites

You can view the Skype for Business favorites in the directory or on the idle screen.

To view the Skype for Business favorites in the directory:

1. Press Directory->SFB Directory->Favorites.

Each contact is displayed with a presence icon and the address.

? +2224	224@yealinkuc.com		
? +2227	+2227@yealinkuc.c		
? +2529	+2529@yealinkuc.c		
💶 2224-ogc	2224@yealinkuc.cor		
Back Detail	Add Call		

- **2.** Press (\bullet) or (\bullet) to highlight the desired contact.
- 3. Press the Detail soft key to view more information about the contact.

The detailed information (e.g., display name, status, address or email) of the contact appears on the screen.

Name:	Lin Wei
Status:	Available
Address:	2216@yealinkuc.com
Email:	2216@yealinkuc.com
Back	

To view the Skype for Business favorites on the idle screen:

By default, Skype for Business favorites are displayed behind the local favorites on the idle screen (local favorites are indicated by the icon +, Skype for Business favorites are indicated by the status icon).



LED Instructions for Skype for Business Favorites

The line key LEDs on your phone can monitor Skype for Business favorites for status changes on the phone. For example, you can view the line key LED on the phone to monitor the status of a friend's line (busy or idle). The line key LED illuminates solid red when the friend's line is busy.

To configure the line key LED via web user interface:

- 1. Click on Features->LED.
- 2. Select the desired value from the pull-down list of Line Key Led Light On.
 - If it is enabled, the line key LEDs vary depending on the status of your Skype for Business favorites.
 - If it is disabled, the line key LEDs corresponding to your Skype for Business favorites are off.

Yealink 1426	Status Account Network	Features Settings	Log Out
General	Power LED:		NOTE
Information	Common Power Light On	Disabled 🔹	
Audio	Ring Power Light Flash	Enabled 🔹	Power LED Power LED Setting
Remote Control	Voice Mail Power Light Flash	Enabled 🔻	You can click here to get
	Mute Power Light On	Disabled 🔻	more guides.
LED	Hold/Held Power Light On	Disabled 🔻	
	Talk/Dial Power Light On	Disabled 🔹	
	Indicator LED:		
	Line Key Led Light On	Enabled •	
	Confirm	Cancel	

3. Click **Confirm** to accept the change.

LED Status	Description	
Solid green	The Skype for Business favorite is available.	
Solid red	 The Skype for Business favorite is busy. The Skype for Business favorite is Do Not Disturb. The call of your Skype for Business favorite is parked. The call of your Skype for Business favorite is placed on hold. The held call of your Skype for Business favorite is resumed. The Skype for Business favorite is in a conference. 	
Solid yellow Off	The Skype for Business favorite is right back. The Skype for Business favorite is off work. The Skype for Business favorite is away. The Skype for Business favorite is unknown. The Skype for Business favorite is offline.	
	Your phone is locked.	

Line key LED (configured as Skype for Business favorite)

Local Directory

Yealink Skype for Business phones also maintain a local directory. The local directory can store up to 1000 contacts. When adding a contact to the local directory, in addition to name and phone numbers, you can also specify the ring tone and group for the contact. Contacts can be added either one by one or in batch using a local contact file. Yealink Skype for Business phones support both *.xml and *.csv format contact files, but only support *.xml format download for local contact file.

Adding Local Contacts

You can add contacts to the local directory in the following ways:

- Manually
- From Skype for Business Directory

Adding Local Contacts Manually

To add a contact to the local directory manually:

1. Press Directory->Local Directory->All Contacts.

🚨 Ann	001@yealinkuc.com
Back	Add Option Call

- 2. Press the Add soft key.
- **3.** Press or to enter name, address, office number, mobile number, other number, title and email in the corresponding fields.

	Add	Contact	
Name:			
Jane			
Back	abc	Delete	Save

- **4.** Press or , or the **Switch** soft key to select the desired ring tone from the **Ring** field.
- 5. Press the Save soft key to accept the change or the Back soft key to cancel.

Note	If the contact name already exists in the directory, the screen will prompt "Contact name
	existed!".

Local directory is configurable via web user interface at the path Directory->Local Directory.

Adding Local Contacts from Skype for Business Directory

To add a local contact from Skype for Business directory via phone user interface:

1. Press Directory->SFB Directory.

1. Favorites		
2. Delegates		
3. Bosses		
4. Other Contacts		U
Back	Search	Enter

- 2. Press or to select the desired group, and then press the **Enter** soft key.
- **3.** Press $\overbrace{\bullet}$ or $\overbrace{\bullet}$ to highlight the desired contact.

? +2227	+2227@yealinkuc.c				
? +2529	+2529@yealinkuc.c				
💶 2224-ogc	2224@yealinkuc.coi				
🗸 Lin Wei	2216@yealinkuc.co				
Back Detail	Add Call				

- 4. Press the **Add** soft key.
- **5.** Press (\bullet) or (\bullet) to edit the contact information.

	—Add Loc	al Contact—	
Name:			
Lin Wei			
Back	abc	Delete	Save

6. Press the Save soft key to add the contact to the local directory.

The Skype for Business contact is successfully saved to the local directory.

Viewing Local Contacts

You can view the following information about each contact on the phone:

- The contact's name
- The detailed information of the contact (e.g., name, mail address)

To view the local directory:

1. Press Directory->Local Directory.

1. All Contacts	
2. Favorites	
	[
Back	Enter

- **2.** Press \frown or \bigcirc to select the desired group.
- 3. Press \frown or \bigcirc to highlight the desired contact.

Each contact is displayed with a local directory icon and the address.

🚢 Ann	80001@yealinkuc.cc
🚨 Jane	80002
🚨 Lin Wei	2216@yealinkuc.cor
Back	Add Option Call

4. Press the **Option** soft key, and then select **Detail** from the prompt list.

The detailed information (e.g., name, address, office number, mobile number, other number, title and email) of the contact appears on the screen.

	——Li	n Wei	
Name:			
Lin Wei			
Back	abc	Delete	Save

5. Press \frown or \frown to view the detail.

Editing Local Contacts

To edit a contact in the local directory:

- 1. Press Directory->Local Directory.
- 2. Select the desired group, and then press the Enter soft key.
- **3.** Press (\bullet) or (\bullet) to highlight the desired contact.

🚢 Ann	80001@yealinkuc.co
🚨 Jane	80002
🚨 Lin Wei	2216@yealinkuc.cor
Back I	Add I Option I Call

4. Press the **Option** soft key, and then select **Detail** from the prompt list.

Detail	
Delete	
Delete All	
Cancel	OK

5. Press (\bullet) or (\bullet) to highlight the contact information and then edit.

You can edit name, address, office number, mobile number, other number, title and email in the corresponding fields.



6. Press the Save soft key to accept change or the Back soft key to cancel.

Local directory is configurable via web user interface at the path Directory->Local Directory.


Deleting Local Contacts

To delete a contact from the local directory:

- 1. Press Directory->Local Directory.
- 2. Select the desired group, and then press the Enter soft key.
- **3.** Press (\bullet) or (\bullet) to highlight the desired contact.
- 4. Press the **Option** soft key, and then select **Delete** from the prompt list.

Detail	$\ $
Delete	
Delete All	
Cancel OK	Đ

The LCD screen prompts" Delete selected item?".



5. Press the **OK** soft key to confirm the deletion or the **Cancel** soft key to cancel.

You can also delete all contacts by pressing the **Option** soft key, and then select **Delete All**.

Deleting a contact or all contacts is configurable via web user interface at the path **Directory**->**Local Directory**.

Importing/Exporting Contact Lists

You can manage your phone's local directory via phone user interface or web user interface. But you can only import or export the contact list via web user interface.

To import an XML contact list file via web user interface:

- 1. Click on Directory->Local Directory.
- Click Browse... to locate a contact list file (the file format must be *.xml) from your local system.

							Log Out
Yealink 1426	Status	Account	Network	Features	Settings	Directory	Security
	Index	Name	Work Number	Mobile Ho		as 🗕 🗖	NOTE
Local Directory	1	Ann	80001	Number Nun 80001	nber Favo		NOTE
Multicast IP	2	jga	80002	80002	Favo		contactsbasic-note
	3	Lin Wei			Favo		You can click here to get
Settings	4						more guides.
	5						
	7						
	8						
	9						
	10						
	Page 1 - F	Pre Next	Hang Up	Delete All Dele	ete Move To	o 🛛 All Contac 👻	
	Contacts			Import Local Co	ntact File 🛛 🕜		
	Name	·			ntact.xml		
	Work Number			Import XML	Export XML		
	Mobile Number				file selected.		
	Home Number			Import CSV	Export CSV	Show Title	
	Email						
	Addr						
	Title						
	Favorite Index						
	Ring Tone	Auto	•				
	Group	Favo	rites 👻				
	Add	E	Edit				

3. Click **Import XML** to import the contact list.

The web user interface prompts "The original contact will be covered, continue?".

4. Click **OK** to complete importing the contact list.

To import a CSV contact list file via web user interface:

- 1. Click on Directory->Local Directory.
- Click Browse... to locate a contact list file (the file format must be *.csv) from your local system.
- 3. (Optional) Check the Show Title checkbox.

It will prevent importing the title of the contact information which is located in the first line of the CSV file.

Yealink	1							Log Out
realink	1 T42G	Status	Account	Network	Features	Settings	Directory	Security
Local Directo	ory	Index	Name	Work Number	Mobile Ho Number Nur	me All Con	tacts 👻 🔲	NOTE
Multicast IP		1	Ann jga	<u>80001</u> 80002	80001 80002		orites	contactsbasic-note
Settings		3	Jga Lin Wei	00002	00002		orites	
		5						more guides.
		7						
		8						
		10						
		-	Pre Next	Hang Up	Delete All Del	ete Move T	o All Contac 🗸	
		Contacts 🧃			Import Local Co	ontact File 🛛 🕜		
		Name			Browse No	file selected.		
		Work Number			Import XML	Export XML		
		Mobile Number			Browse co	ntact.csv		
		Home Number			Import CSV	Export CSV	Show Title	
		Email						
		Addr						
		Title						
		Ring Tone	Auto	•				
		Group	All C	ontacts 🔹				
		Add		Edit				

- 4. Click **Import CSV** to import the contact list.
- 5. (Optional) Mark the **On** radio box in the **Del Oldcontact** field.

It will delete all existing contacts while importing the contact list.

6. Select the contact information you want to import into the local directory from the pull-down list of **Index**.

At least one item should be selected to be imported into the local directory.

							Log Out
Yealink 1426	Status	Account	Networ	k Feature	es Setting	s Directory	Security
Preview		t ⊖ On ● Off					NOTE
		ay_name of		mobile_number	ignore v other_number	ignore V	contacts-preview-note
		Ad jim	1020 1003			-1 -1	You can click here to get more guides.
		unmy Tom	5002 1004			-1 -1	
	<					>	
				Import			

7. Click **Import** to complete importing the contact list.

To export a contact list via web user interface:

- 1. Click on Directory->Local Directory.
- 2. Click Export XML (or Export CSV).
- 3. Click Save to save the contact list to your local system.

Local Favorites

Favorites are the contacts in your directory that you call most often. You can assign a priority number to a favorite. Local favorites display consecutively according to their priority number, and the contact with the lowest number displays first.

Adding Local Favorites

You can add the local favorites manually or add local contacts as favorites.

To add a local favorite via phone user interface:

1. Press Directory->Local Directory->Favorites.

🛋 Ann		001@yealinkuc.com				
Back	Add	Option	Call			

- 2. Press the Add soft key.
- Press (•) or (•) to enter the contact name, address, office number, mobile number, other number, title and email in the corresponding fields.

			-Add	Con	tact—			-
	Name:							
_								
	Back	Ι_	abc	<u> </u>	Delete	1	Save	

4. Press () or (), or the **Switch** soft key to select the desired ring tone from the **Ring** field.

	Add Contact	
Ring:		
Auto		
Back	Switch	Save

5. Press (•) or (•), or the **Switch** soft key to select the desired priority number from the **Priority** field.

The valid value of priority number ranges from None to 15 and the lowest priority is None. The contact with the lowest priority number displays first.

^	Add Contact	
Priority:		
2		••
Back	Switch	Save

6. Press the Save soft key to accept the change or the Back soft key to cancel.

Adding a local favorite is configurable via web user interface at the path **Directory**->**Local Directory**.

To add a local contact as the local favorite via phone user interface:

- 1. Press Directory->Local Directory->All Contacts.
- **2.** Press \frown or \frown to highlight the desired contact.

🚢 Ann		80001@yea	ilinkuc.cc
🚨 Jane		80002	
🚨 jga		None	
🚨 Lin Wei		216@yealin	kuc.com
Back I	Add	Option I	Call

3. Press the **Option** soft key, and then select **Detail** from the prompt list.

Detail	
Delete	
Delete All	
	IJ
Cancel	ОК

4. Press \bigcirc or \bigcirc , or the **Switch** soft key to select **Favorites** from the **Group** field.

	—Lin Wei———	
Group:		•
Favorites		•
Back	Switch	Save

- 5. Press \bigcirc or \bigcirc , or the **Switch** soft key to select the desired priority number from the **Priority** field.
- 6. Press the Save soft key to accept the change or the Back soft key to cancel.

The local contact is successfully saved to the local favorite.

Adding a local contact as the local favorite is configurable via web user interface at the path **Directory**->**Local Directory**.

Viewing Local Favorites

You can view the local favorites on the idle screen or local favorites screen.

To view the local favorites on the idle screen:

1. The local favorite is indicated by the icon + on the idle screen.

By default, local favorites are displayed before the Skype for Business favorites on the idle screen.



To view the local favorites in the local directory:

1. Press Directory->Local Directory->Favorites.

1. All Contacts	
2. Favorites	
Back Enter	Ì

2. Press () or () to highlight the desired contact.

Each contact is displayed with a local directory icon and the address.

🚨 Lin Wei	2216@yealinkuc.cor
🚨 Ann	80001@yealinkuc.cc
🚨 jga	None
Back	Add Option Call

3. Press the **Option** soft key, and then select **Detail** from the prompt list.

The detailed information (e.g., name, address, office number, mobile number, other number, title and email) of the contact appears on the screen.

	—Lir	n Wei	I
Name:			
Lin Wei			
Back	abc	Delete	Save

4. Press • or • to view the detail.

Reordering Local Favorites

To reorder your local favorites, assign the local favorite a different priority number.

To reorder your local favorites:

1. Press Directory->Local Directory->Favorites.

🚢 Lin Wei		2216@yealinkuc.cor	
🚨 Ann		80001@yealinkuc.co	
🚨 jga		None	
Back	Add	Option Call	

- **2.** Press \bigcirc or \bigcirc to highlight the desired contact.
- 3. Press the **Option** soft key, and then select **Detail** from the prompt list.
- **4.** Press (•) or (•), or the **Switch** soft key to select the desired priority number from the **Priority** field.

	—Lin Wei———	
Priority:		
3		••
Back	Switch	Save

5. Press the Save soft key to accept the change or the Back soft key to cancel.

The phone uses the new priority number to order the favorite.

🛋 Ann	80001@yealinkuc.cd
🚨 jga	None
🚨 Lin Wei	2216@yealinkuc.cor
Back I	Add Option Call

Managing Local Favorites

Local favorites and Skype for Business favorites of T42G Skype for Business phones are displayed on the idle screen. By default, local favorites are displayed before the Skype for Business favorites.

You can configure whether to display local favorites on the idle screen and configure the display order of the local favorites.

Local favorite is indicated by the icon $\frac{1}{2}$. The following figure shows a sample Favorites list on the idle screen.

2529 and May are your local favorite. +2224 and 2228 are your Skype for Business favorites.



When the number of favorite contacts is more than 5, you can press the sixth line key to turn pages to view other favorites.

To configure the display priority of local favorite via web user interface:

- 1. Click on Directory->Settings.
- 2. Select the desired value from the pull-down list of Local Favorite.
- 3. Depending on your selection:
 - If **Disabled** is selected, only the Skype for Business favorites are displayed on the idle screen.
 - If Preferential is selected, local favorites will be displayed before the Skype for Business favorites on the idle screen.
 - If General is selected, the local favorites will be displayed behind the Skype for Business favorites on the idle screen.

Yealink 1426							Log Out
	Status	Account	Network	Features	Settings	Directory	Security
Local Directory		Local Favorite		Preferential	× 0		NOTE
Multicast IP		Confir	m		Cancel		contacts-lync-note
Settings							You can click here to get more guides.

4. Click **Confirm** to accept the change.

Note You can configure the display priority of local favorite via web user interface only.

Placing Calls to Contacts

To place a call on the idle screen:

1. Press desired line key (indicating a favorite) when the phone is idle.

You can press the sixth line key to switch the page to select more contacts.

[⊠ Merry]	15:5257	(★Lin Wei
Ann 🔪	Mon Jan 25	2+2224
★ jga	+2248	12
Status	History Directory	y Menu

To place a call from the directory:

- 1. Press the **Directory** soft key.
- 2. Press (•) or (•) to select the desired group, and then press the **Enter** soft key.
- **3.** Press (\bullet) or (\bullet) to highlight the desired contact.
- 4. Press the Call soft key.

- If a contact has only one number, the contact number will be dialed out directly.

🚨 Ann		80001@ye	alinkuc.cc
🚨 Jane		80002	
🚨 jga	None		
🚨 Lin Wei	216@yealinkuc.com		
Back I	Add	Option	Call

- If a contact has multiple numbers, you can press • or • to select the desired number, and then press the **Call** soft key or press •

Address:	001@yealinkuc.com
Office Number:	80001
Mobile Number:	80002
Back I	Call

Searching for Contacts

You can search the contacts on the pre-dialing screen or Skype for Business directory.

- On the pre-dialing screen, you can search for Skype for Business contacts, local contacts and Microsoft Outlook contacts.
- In the Skype for Business directory, you can only search for Skype for Business contacts.

To search for contacts on the pre-dialing screen:

1. Press the keypad keys to enter the first few continuous characters of the contact name or the contact number.

The phone performs an Intelligent search (e.g., press the digit key 2 to search the letters "2, a, b and c").

The entries whose name or phone number matches the characters entered will appear on the screen. You can press \bigcirc or \bigcirc to scroll to the desired contact, and then place a call to the contact.

[∠ Merry	2248:	(★Lin Wei
🗙 Ann)2	2+2224
🖈 jga	Ann(80001@yealinki	12
Call	123 Delete	Cancel

To search for contacts in the Skype for Business directory:

1. Press Directory->SFB Directory.

1. Favorites	
2. Delegates	
3. Bosses	
4. Other Contacts	U
Back Search	Enter

2. Press the Search soft key.

Q					0/0
Search for a name or email					
Exam	ple:				
Press	52637	to find	"James"		
Bao	k I	123	Dele	te	

3. Enter the first few continuous characters of the contact name or the contact number. (e.g., press the digit key 5 to search the letter "5, j, k and I"). The entries whose name or phone number matches the characters entered will appear on the LCD screen.

QJ5	0/17
? chenleao	8315@yealinkuc.cor
🕐 huangwz cab2	5ae14115-b890-47a
? Jane	8288@yealinkuc.cor
Back 123	Delete

You can also configure the Skype for Business phone to search for contacts after the designated time when on the pre-dialing screen.

To configure dial search delay via web user interface:

- 1. Click on Features->General Information.
- 2. Enter the desired value (in seconds) in the **Dial Search Delay** field.

The default value is "1".

Yealink 1426				Log Out
	Status Account Network	Features Setting	js Directory	Security
General	General Information			NOTE
Information	Call Waiting	Enabled 🔻		
Audio	Key As Send	# ▼		Call Waiting This call feature allows your phone to accept other incoming
Remote Control	Hotline Number	2248		calls during the conversation.
LED	Hotline Delay(0~10s)	4		Key As Send Select * or # as the send key.
	Busy Tone Delay (Seconds)	0 •		You can click here to get
	Return code when refuse	603 (Decline) 🔻		more guides.
	Time-Out for Dial-Now Rule	1		
	Dial Search Delay	1		

3. Click **Confirm** to accept the change.

Note Dial search delay feature is configurable via web user interface only.

Call History Management

The T42G Skype for Business phone maintains call history lists of Missed Calls, Received Calls, Placed Calls and Forwarded Calls. Each call history list supports up to 100 entries. You can view the call history, place a call, or delete an entry from the call history list.

History record feature is enabled by default. If you don't want to save the call history, you can disable the feature.

To disable history record via phone user interface:

- 1. Press Menu->Features->History Setting.
- 2. Press () or () , or the Switch soft key to select Disabled from the History Record field.

History Setting	
1. History Record:	
Disabled	••
Back Switch	Save

3. Press the Save soft key to accept the change or the Back soft key to cancel.

To view the call history:

1. Press the **History** soft key.

The LCD screen displays all call records.

🦠 Lin Wei	Today 15:47
🥾 Lin Wei	Today 15:10
🥾 Lin Wei	Fri 18:00
🥾 Lin Wei	Fri 17:53
Back Delete	Detail Call

- 2. Press or b to switch between All Calls, Missed Calls, Placed Calls, Received Calls and Forwarded Calls lists.
- **3.** Press \frown or \frown to select the desired entry.
- 4. Press the **Detail** soft key.

The detailed information of the entry appears on the LCD screen.

Name:	Lin Wei
Number:	2216@yealinkuc.com
Status:	Available
Time:	Mon Jan 25 15:47:00
Back	Call

To place a call from the call history list:

- 1. Press the **History** soft key.
- 2. Press or to switch between All Calls, Missed Calls, Placed Calls, Received Calls and Forwarded Calls lists.

🥆 Lin Wei	Today 15:47						
🥾 Lin Wei	Today 15:10						
🔨 Lin Wei	Fri 18:00						
🔨 Lin Wei	Fri 17:53						
Back Delete	Detail Call						

- **3.** Press (\bullet) or (\bullet) to select the desired entry.
- 4. Press the Call soft key.

To delete a contact from the call history list:

- **1.** Press the **History** soft key.
- 2. Press () or () to switch between All Calls, Missed Calls, Placed Calls, Received Calls and Forwarded Calls lists.

🥆 Lin Wei	Today 15:47
🥾 Lin Wei	Today 15:10
🥾 Lin Wei	Fri 18:00
🥾 Lin Wei	Fri 17:53
Back Delete	Detail Call

- **3.** Press () or () to select the desired entry.
- 4. Press the **Delete** soft key to delete the entry.

Headset Use

If you want to use a headset, physically connect your headset and activate the headset mode for use. For more information on physically connecting a headset, refer to Phone Installation on page 13.

Headset Mode Activation/Deactivation

To activate the headset mode:

1. Press **(O)** on the phone.

The HEADSET key LED illuminates solid green when the headset mode is activated. When you press the **Answer** soft key to answer an incoming call, the call is connected to your headset automatically.

With the handset on-hook, enter the desired number and press the **Call** soft key, the phone will then place a call using the headset automatically. For more information on using the headset to place a call, refer to Placing Calls on page 76.

To deactivate the headset mode:

1. Press (**Q**) again on the phone.

The HEADSET key LED goes out when the headset mode is deactivated.

Headset Prior

You can use headset in priority when headset prior feature is enabled. This feature is especially useful for permanent or full-time headset users.

To enable headset prior via web user interface:

1. Click on Features->General Information.

ealink 1426								
	Status	Account	Network	Features	Settin	gs	Directory	Security
		General Informat	ion 🕜					NOTE
General Information		Call Waiting		Enabled	•	0		
Audio		Key As Send		#	•	• 0		Call Waiting This call feature allows your
		Hotline Number		1234	1234			phone to accept other incomi calls during the conversation.
Remote Control		Hotline Delay(0~	10s)	4				Key As Send Select * or # as the send key.
LED		Busy Tone Delay	(Seconds)	0	•	0		
		Return code when refuse		603 (Decline)	•	0		You can click here to get more guides.
		Time-Out for Dial	Now Rule	1		0		
		Dial Search Delay		1		0		
		180 Ring Workar	ound	Disabled	•	0		
		Save Call Log		Enabled	•	0		
		Suppress DTMF D	isplay	Disabled	•	0		
		Suppress DTMF D	isplay Delay	Disabled	•	0		
		Play Local DTMF	Tone	Enabled	•	0		
		DTMF Repetition		3	•	0		
		Multicast Codec		G722		0		
	Play Hold Tone Play Hold Tone Delay		Enabled	•	0			
			30		0			
		Allow Mute		Enabled	•	0		
		Dual-Headset		Disabled	-	0		
		Auto-Answer Del	ay(1~4s)	1		0		
		Headset Prior		Enabled	•	0		
		DTMF Replace Tr	an	Enabled	•	0		

2. Select Enabled from the pull-down list of Headset Prior.

3. Click **Confirm** to accept the change.

To use headset prior feature, you should activate the headset mode in advance:

- **1.** Physically connect the headset.
- 2. Press (to activate the headset mode.

Note If headset prior is enabled, the headset mode will not be deactivated until you press the **HEADSET** key again.

If headset prior is disabled, the headset mode can be deactivated by pressing the speakerphone key or the **HEADSET** key.

Headset prior is configurable via web user interface only.

Dual Headset

You can use two headsets when enabling dual headset. To use this feature, you must physically connect headsets to the headset jack and handset jack respectively. Once the phone connects to a call, the headset connected to the headset jack will have full-duplex capabilities, while the one connected to the handset jack will only be able to listen.

To enable dual headset via web user interface:

- 1. Click on Features->General Information.
- 2. Select Enabled from the pull-down list of Dual-Headset.

						Log Out
Yealink 1426	Status Account N	letwork Features	Settings	Directory	Security	
	General Information	0			NOTE	
General Information	Call Waiting	Enabled	• 🕜		o #	
Audio	Key As Send	#	• 0		Call Waiting This call feature	re allows your ept other incoming
	Hotline Number	1234			calls during th	e conversation.
Remote Control	Hotline Delay(0~10s)	4			Key As Send Select * or #	as the send key.
LED	Busy Tone Delay (Seco	onds) 0	• 0			lick here to get
	Return code when refu	use 603 (Decline)	• 0		more guides.	
	Time-Out for Dial-Now	Rule 1	0			
	Dial Search Delay	1	0			
	180 Ring Workaround	Disabled	• 🕜			
	Save Call Log	Enabled	• 🕜			
	Suppress DTMF Display	Disabled	• 🕜			
	Suppress DTMF Display	Delay Disabled	• 🕜			
	Play Local DTMF Tone	Enabled	• 🕜			
	DTMF Repetition	3	• 0			
	Multicast Codec	G722	. 0			
	Play Hold Tone	Enabled	• 🕜			
	Play Hold Tone Delay	30	0			
	Allow Mute	Enabled	• 🕜			
	Dual-Headset	Enabled				
	Auto-Answer Delay(1~	45) 1	0			
	Headset Prior	Enabled	• 🕜			
	DTMF Replace Tran	Enabled	• 🕜			

3. Click **Confirm** to accept the change.

Note

Dual headset is configurable via web user interface only.

E911

E911 (Enhanced 911) is a location technology that enables the called party to identify the geographical location of the calling party. For example, if a caller makes an emergency call to E911, the feature extracts the caller's information for the police department to immediately identify the caller's location.

E911 Location Tip

The system administrator configures geographical location for users on the Skype for Business Server. After user signs in, the geographical location is downloaded to the phone. If geographical location is not provisioned by the server, an E911 location tip will appear to prompt the user that the location of the phone is not set.

To configure E911 location tip via web user interface:

- 1. Click on Features->General Information.
- 2. Select desired value from the pull-down list of **E911 Location Tip**.

Depending on your selection:

- If you select **Enabled**:

When the location is not set, location notification depends on the configuration on the Skype for Business Server.

- If you select **Disabled**:

When the location is not set, the LCD screen will not prompt the location notification. For more information, refer to Location Notification on page 64.

				Log Out
Yealink 1426				
	Status Account Network	Features Settin	ngs Directory	Security
	General Information 🛛 🕜			NOTE
General Information	Call Waiting	Enabled 👻	0	
	Key As Send	#	0	Call Waiting This call feature allows your
Audio	Hotline Number			phone to accept other incoming calls during the conversation.
Remote Control	Hotline Delay(0~10s)	4		Key As Send Select * or # as the send key.
LED	Busy Tone Delay (Seconds)	0 💌	0	
	Return code when refuse	603 (Decline) 🔹	0	You can click here to get more guides.
		:		
			-	
	Diversion/History-Info	Enabled •	0	
	Auto-Logout Time(1~1000min)	5	0	
	Call Number Filter		0	
	Voice Mail Tone	Enabled -	0	
	DHCP Hostname	SIP-T42G	0	
	E911 Location Tip	Enabled -	0	
	Update Checking Time	24	0	
	Use DHCP Option 120	Disabled 💌	0	
	SFB Cert Service URL		0	
	Enable SFB Automation	Disabled 👻	0	
	SFB Inactive Time	5	0	
	SFB Away Time	5	0	
	Web Sign in	Enabled 👻	0	
	Remember Password	Disabled 💌		
	History Record Contacts Avatar	Enabled 👻		
	Confirm	Cancel]	

3. Click **Confirm** to accept the change.

Note When the location is set, no matter whether E911 location tip is enabled or disabled, the LCD screen will not prompt the location notification.


E911 location tip feature is configurable via web user interface only.

Location Notification

When E911 location tip feature is enabled and the location of the phone is not set, the location

notification displayed on the phone depends on the configuration on the Skype for Business Server.

a) When the parameter **Location Required** is set to **Yes** on the Skype for Business Server, the LCD screen is shown as below after login:



You can do one of the following:


- Press the **Ignore** soft key.

The phone will return to the idle screen.

- Press the **Edit** soft key.

The phone will enter the Location Edit screen.


b) When the parameter **Location Required** is set to **Disclaimer** on the Skype for Business Server, the LCD screen is shown as below after login:



You can do one of the following:

- Press the **Ignore** soft key.

The phone will display the disclaimer configured on the Skype for Business Server.



You can press the **Back** soft key to return to the idle screen or press the **Add** soft key to enter the **Location Edit** screen.

- Press the **Edit** soft key.

The phone will enter the Location Edit screen.

Location Edit	—
1. Location:	┩║
Back ABC Delete Sa	ue I

c) When the parameter **Location Required** is set to **No** on the Skype for Business Server, the LCD screen is shown as below after login:

2248	16:27 ₁₁ (★Lin Wei
★ Ann) Mon Jan 25 (? +2224
🖈 jga	+2248	12
Status	History Directory	Menu

Adding the Location Information

You can add the location information in one of the two ways:

- Reload the location information from the Skype for Business Server.
- Add the location information manually.

Reloading the Location Information from the Skype for Business Server

The network administrator configures geographical location on the Skype for Business Server for the phone. After the phone signs in or reboots, the geographical location is downloaded automatically. The phone will update the geographical location every 4 hours automatically. If the geographical location configured on the server updates, you can also reload it via phone user interface manually.

To reload the location information via phone user interface:

- 1. Press Menu->Settings->Basic Settings->Location.
- Press the **Reload** soft key to reload the location information from the Skype for Business Server.

Location set on the phone will be covered by location set on the Skype for Business Server.




Adding the Location Information Manually

If geographical location is not provisioned on the Skype for Business Server, you can add the location information manually via phone user interface.

To add the location information manually via phone user interface:

1. Press Menu->Settings->Basic Settings->Location.

2. Press the Add soft key.



- 3. Enter the location name in the **Location** field.
- 4. Enter the address name in the **Address** field.
- 5. Enter the building name in the **Building** field.
- 6. Enter the city name in the **City** field.
- 7. Enter the state name in the **State** field.
- 8. Enter the postcode in the **Postcode** field.
- 9. Press ()or (), or the **Switch** soft key to select your country from the **Country** field.
- 10. Press the Save soft key to accept the change.

Location is configurable via web user interface at the path Settings->Location.

Note T42G Skype for Business phone has 24 country locations for you to choose. The country names are displayed in alphabetical order.

Viewing the Location Information

To view the location information via phone user interface:

Do one of the following:

- Press Menu->Settings->Basic Settings->Location.
- Press (ок)->More...->Location.

Emergency Call

You can dial emergency numbers for assistance whether you set the location or not.

You can dial an Emergency Dial String number or Emergency Dial String Mask number even if the phone is locked. Keypad is available during an emergency call.

To place an emergency call when the phone is locked:

1. Press the Emerg Call soft key.



2. Press $(\bar{})$ or $(\bar{})$ to select the desired emergency number.

1. 910086	
Back NewCall	Call

3. Press (or the **Call** soft key.

The LCD screen is shown as below:

(🖪 Merry 🌖	Talking	(★Lin Wei)
Ann 🕈	Emergency Call	2+2224
★ jga	00:04	12
EndCall	Hold	

You can cancel or hold the emergency call only.

If call forward feature is configured in advance, the call forward feature will be disabled automatically after calling the emergency number. If the call forward feature is not manually enabled again after the emergency call, it will be enabled automatically after two hours and its settings will also be restored.

If the phone status is DND before dialing an emergency number, then the phone status will change to available after the emergency call. And the phone status will restore to DND status in two hours. Other statuses will not be affected by the emergency call.

Note

Emergency Dial String number and Emergency Dial String Mask number are configurable on the Skype for Business Server only. Contact your system administrator for more information.

Dial-now

You can configure one or more dial-now rules (up to 100) on your phone. When the dialed number matches the dial-now string, the number will be dialed out automatically. For example, a dial-now rule is configured as "1xxx", any entered four-digit string beginning with 1 will then be dialed out automatically on the phone.

Basic expression syntaxes you need to know:

Syntax	Description
	The dot "." can be used as a placeholder or multiple placeholders for any
	character. Example:
	"12." would match "12 3 ", "12 34 ", "12 345 ", "12 abc ", etc.
X	An "x" can be used as a placeholder for any character. Example:
Х	"12x" would match "12 1 ", "12 2 ", "12 3 ", "12 a ", etc.
	Numeric ranges are allowed within the brackets: Digit "-" Digit. Example:
	"[5-7]" would match the number" 5 ", " 6 "or " 7 ".
[]	The square brackets "[]" can be used as a placeholder for a single character

Description
which matches any of a set of characters. Example:
"91[5-7]1234" would match "91 5 1234", "91 6 1234", "91 7 1234".
The parentheses "()" can be used to group together patterns, for instance, to logically combine two or more patterns. Example: "([1-9])([2-7])3" would match " 92 3", " 15 3", " 77 3",etc.
The "\$" followed by the sequence number of a parenthesis means the characters placed in the parenthesis. The sequence number stands for the corresponding parenthesis. Example:
A replace rule configuration, Prefix: "001(xxx)45(xx)", Replace: "9001\$145\$2". When you dial out "0012354599" on your phone, the Skype for Business phone will replace the number with "9001 235 45 99 ". "\$1" means 3 digits in the first parenthesis, that is, "235". "\$2" means 2 digits in the second parenthesis, that is, "99".

To add a dial-now rule via web user interface:

- 1. Click on Settings->Dial Plan.
- 2. Enter the desired value (e.g., 1xxx) in the Rule field.

Yealink 1426				Log_Out
	Status	Account Network Features	Settings Directory	Security
Preference	Dial-now			NOTE
Time&Date	Index	Dial-now Rule		settings-dialplan-note
	1			New energlish have to get
Upgrade	2			You can click here to get more guides.
Auto Provision	3			
Configuration	4			
	5			
Dial Plan	6			
Voice	7			
Tones	8			
	9			
Phone Lock	10			
Location				
ВТОЕ		Rule 1xxx		
		Add Edit	Del	

3. Click Add to add the dial-now rule.

For example: when you enter the number "1234" using the keypad, the phone will dial out "1234" automatically without pressing any key.

Note Dial-now rule is configurable via web user interface only.

Delay Time for Dial-Now Rule

You can configure the delay time for dial-now rules. That is, you can configure your phone to automatically dial out the phone number which matches a dial-now rule, after the designated

delay time.

To configure the delay time for dial-now rule via web user interface:

- 1. Click on Features->General Information.
- 2. Enter the time between 1 and 14 (seconds) in the **Time-Out for Dial-Now Rule** field.

								Log Out
Yealink 1426				-	<u> </u>			
	Status	Account	Network	Features	Settin	gs	Directory	Security
	Gen	eral Informati	on 🕜					NOTE
General Information	c	Call Waiting		Enabled	•	0		Call Waiting
Audio	ĸ	Key As Send		#	•	0		This call feature allows your phone to accept other incoming
	H	Hotline Number						calls during the conversation.
Remote Control	H	Hotline Delay(0~1	0s)	4				Key As Send Select * or # as the send key.
LED	E	Busy Tone Delay	(Seconds)	0	•	?		You can click here to get
	F	Return code whe	n refuse	603 (Decline)	•	0		more guides.
	1	Time-Out for Dial-	Now Rule	1		0		
	C	Dial Search Delay		1		?		
	1	180 Ring Workard	und	Disabled	•	0		
	S	Save Call Log		Enabled	•	0		
	S	Suppress DTMF D	isplay	Disabled	•	0		
	S	Suppress DTMF D	isplay Delay	Disabled	•	0		
	P	Play Local DTMF T	one	Enabled	•	0		
	C	OTMF Repetition		3	•	0		
	Ν	Multicast Codec		G722	•	0		

3. Click **Confirm** to accept the change.

For example: when you enter the number "1234" using the keypad, the phone will dial out "1234" automatically after 1 second without pressing any key.

Note Delay time for dial-now rule is configurable via web user interface only.

Live Dialpad

You can enable live dialpad on the T42G Skype for Business phone, which enables the Skype for Business phone to automatically dial out a phone number without pressing the send key. You can also configure a delay, and then the phone will dial out the phone number automatically after the designated period of time. The delay time is configurable on the Skype for Business Server only.

To enable live dialpad via web user interface:

1. Click on Settings->Preference.

2. Select Enabled from the pull-down list of Live Dialpad.

	Status Account Netwo	ork Features Setti	ngs	Directory	Security
Preference	Language	English (English)	0		NOTE
-	Live Dialpad	Enabled -	0		
Time & Date	Watch Dog	Disabled 👻	0		Preference Settings The preference settings for
Upgrade	Ring Type	Ring1.wav -	0		administrator.
Auto Provision	Upload Ringtone	Browse No file selec	Browse No file selected.		You can click here to get more guides.
Configuration		Upload Cancel			more guideor
Dial Plan	Confirm	Cancel			
Voice					

3. Click **Confirm** to accept the change.

Note

Live dialpad is configurable via web user interface only.

Hotline

You can dial a hotline number immediately upon lifting the handset, pressing the Speakerphone key or the line key. You can also configure a delay, and then the phone will dial out the hotline number automatically after the designated period of time.

To configure the hotline number via phone user interface:

1. Press Menu->Features->Hotline.

2. Enter the desired number in the Hot Number field.

	Hot	ine	
1. Hot Nur	nber:		
2248			
Back	123	Delete	Save

3. Enter the delay time (in seconds) in the HotLine Delay field.

The valid values range from 0 to 10 (seconds) and the default value is "4".

4. Press the Save soft key to accept the change or the Back soft key to cancel.

Hotline is configurable via web user interface at the path Features->General Information.

Privacy Mode

Privacy mode allows you to restrict your presence information, so that it is visible only to the contacts in your Skype for Business directory.

Note Microsoft Active Directory includes all Skype for Business users configured by the system administrator. You can add them as your Skype for Business contacts. For more information on how to add Skype for Business contacts, refer to Adding Skype for Business Contacts on page 43.

When the privacy mode is disabled on the Skype for Business Server, you can see the following two options available on the phone/Skype for Business client:

- Everyone Can See My Status Regardless Of System Settings/I want everyone to be able to see my presence regardless of system settings (override default settings): Everyone in my Microsoft Active Directory Domain can see my presence regardless of system settings.
- Only Contacts Can See My Status If System Setting/I want the system administrator to decide: Currently everyone can see my presence but this could be change in the future.


When the privacy mode is enabled on the Skype for Business Server, you can see the following two options available on the phone or Skype for Business client:

- Everyone can see my status/I want everyone to be able to see my presence: Everyone in my Microsoft Active Directory Domain can see my presence.
- Only contacts can see my status/I only want people in Contacts to see my presence: Only the contacts in my Skype for Business directory can see my presence. The other contacts in my Microsoft Active Directory Domain see my presence is offline.

Modifying the Privacy Mode from the Phone

To modify the privacy mode from the phone:

- 1. Press Menu->Features->Private Mode.
- **2.** Do one of the following:
 - a) If the privacy mode is disabled on the Skype for Business Server, the phone LCD screen displays as below:



Select the desired option.

b) If the privacy mode is enabled on the Skype for Business Server, the phone LCD screen displays as below:

Everyone can see my status	
Only contacts can see my status	
Back E	OK

Select the desired option.

3. Press the Save soft key to accept the change or the Back soft key to cancel.

Modifying the Privacy Mode from the Skype for Business Client

To modify the privacy mode from the Skype for Business client:

- **1.** Open Skype for Business client.
- 2. Click 🔯 .
- 3. In the Skype for Business Options dialog box, click Status.
- **4.** Do one of the following:
 - a) If the privacy mode is disabled on the Skype for Business Server:

Skype for Business - Opti	ons 💽
General Personal Contacts List Status My Picture Phones Alerts IM Ringtones and Sounds Audio Device Call Forwarding File Saving Recording Skype Meetings	Status 5 • Show me as Inactive when my computer has been idle for this many minutes: 5 • Change my status from Inactive to Away after this many minutes: 5 • I want everyone to be able to see my presence regardless of system settings (override default exitings) I want the system administrator to decide - currently everyone can see my presence but this could change in the future I show me as Do Not Disturb when I present my desktop Show me as Do Not Disturb when my monitor is duplicated
	OK Cancel Help

Mark the desired radio box.

b) If the privacy mode is enabled on the Skype for Business Server:

kype for Business - Optio	ons	X
General Personal Contacts List Status My Picture Phones Alerts IM Ringtones and Sounds Audio Device Video Device Call Forwarding File Saving Recording Skype Meetings	Status Show me as Inactive when my computer has been idle for this many minutes: Change my status from Inactive to Away after this many minutes: I want everyone to be able to see my presence I only want people in Contacts to see my presence I only want people in Contacts to see my presence I Show me as Do Not Disturb when I present my desktop I Show me as Do Not Disturb when my monitor is duplicated	5 <u>A</u> 5 <u>A</u> v

Mark the desired radio box.

5. Click **OK** to accept the change.

Basic Call Features

The T42G Skype for Business phone is designed to be easily used like a regular phone on a public switched telephone network (PSTN). You can place calls, answer calls, transfer a call to someone else, or conduct a Skype for Business conference call. You can also use calendar, response groups or boss-admin Skype for Business feature.

This chapter provides basic operating instructions for the T42G Skype for Business phone. Topics include:

- Placing Calls
- Answering Calls
- Ending Calls
- Redialing Numbers
- Auto Answer
- Call Waiting
- Call Mute
- Call Hold/Resume
- Calendar
- Call Forward
- Team-Call Group
- Response Groups
- Shared Line Appearance for Skype for Business
- Boss-Admin Feature
- Inbound Private Line
- Call Transfer
- Group Call Pickup
- Skype for Business Conference
- Call Park
- Voice Mail
- Multicast Paging
- Branch Office Resiliency

If you require additional information or assistance with your new phone, contact your system administrator.

Placing Calls

You can place a call in three ways using your T42G Skype for Business phone:

- Using the handset
- Using the speakerphone
- Using the headset

You can also dial the number first, and then choose the way you want to speak to the other party.

You can search for the contacts and then dial from the result list. For more information, refer to Searching for Contacts on page 58.

During a call, you can alternate between Speakerphone, Headset, and Handset modes by pressing the Speakerphone key, the Headset key, or picking up the handset.

The call duration and the talking mode are visible on the LCD screen. In the figure below, the call to "Lin Wei" has lasted 4 seconds.

Merry	alking	[★Lin Wei
★ Ann	Lin Wei	(? + 2224
★ jga	00:04	HD	12
EndCall	Hold C	onf	Tran

To place a call:

1. Enter the first few continuous characters of the contact name, phone number or the contact address using the keypad.

You can press the **123** soft key to change the input mode.

The contacts that meet search criteria will appear on the pre-dialing screen.

Merry	2248:	[★Lin Wei
🗲 Ann)2	(2 +2224
🖈 jga)Ann(80001	@yealinkt	12
Call	123	Delete	Cancel

2. Press (\bullet) or (\bullet) to scroll through the result list and highlight the desired contact.

You can press the **Detail** soft key to view the detailed information of the highlighted contact, and then press () or () to select the desired phone number or address.

Merry	2248:	(★Lin Wei
🛧 Ann)2	2+2224
★ jga	Ann(80001@yealinku	12
Call	Detail Delete	Cancel

- **3.** Do one of the following:
 - Press (**w**, **#******), **•**) or the **Call** soft key to place a call using the hands-free speakerphone mode.

- Pick up the handset to place a call using the handset mode.
- With the optional headset connected, press 🔞 to activate the headset mode, and then press (••), **#***** or the **Call** soft key to place a call using the headset mode.

The # key is configured as a send key by default. You can also set the * key as the send key, or set neither. For more information, refer to Key as Send on page 36.

To place multiple calls:

You can have more than one call on your T42G Skype for Business phone. To place a new call during an active call, do the following:

- Press the line key. The active call is placed on hold.

Enter the desired number using the keypad.

Press (o_{κ}) , $\#_{seno}$, or the **Call** soft key.

- Press the **Hold** soft key to place the original call on hold.

Press the **NewCall** soft key.

Enter the desired number using the keypad.

Press (o_{K}) , [] **#**_{seto}], or the **Call** soft key.

You can press \frown or \bigcirc to switch between calls, and then press the **Resume** soft key to retrieve the desired call.

Answering Calls

When you are not in another call, you can answer a call in three ways:

- Using the handset
- Using the speakerphone
- Using the headset
- Note

You can ignore incoming calls by pressing the **Reject** soft key or the **Silence** soft key or press the (\times) key. You can also change the presence status to be Do Not Disturb, and then the phone will ignore all incoming calls to your phone. For more information, refer to Changing Presence Status on page 23.

You can forward incoming calls to someone else by pressing the **FWD** soft key, or to voice mail by pressing the **FWD VM** soft key. For more information, refer to Call Forward on page 92.

Answering When Not In Another Call

Call duration and destination will always appear on the LCD screen of the active call.

To answer a call using the handset:

1. Pick up the handset.


To answer a call using the hands-free speakerphone mode:

Do one of the following:

- Press 🕠 .
- With the handset on-hook and headset mode deactivated, press the **Answer** soft key.
- With the handset on-hook and the headset mode deactivated, press the line key (the line key LED flashes green).

To answer a call using the headset:

Do one of the following:



- With the headset mode activated, press the **Answer** soft key.
- With the headset mode activated, press the line key (the line key LED flashes green).

Answering When In Another Call

If you have an active call, and an incoming call arrives on the phone, do one of the following:

- Press the **Answer** soft key.

The incoming call is answered, and the original call is placed on hold.

- Press (\bullet) to access the new call.

Press $(\circ \kappa)$ or the **Answer** soft key.

The incoming call is answered, and the original call is placed on hold.

Ending Calls

To end a call:

Do one of the following:

- If you are using the handset, press (x) or the **EndCall** soft key or hang up the handset.
- If you are using a headset, press (\times) or the **EndCall** soft key.

- Note When a call is placed on hold, you cannot press (x) to end it. You should press the **Resume** soft key to resume the call, and then press (x) to end it.

Redialing Numbers

To redial the last dialed number from your phone:

1. Press **(C)**.

A call to your last dialed number is attempted.

Auto Answer

You can use auto answer feature to automatically answer an incoming call.

To configure auto answer via phone user interface:

- 1. Press Menu->Features->Auto Answer.
- **2.** Press (\bullet) or (\bullet) to select **Status** field.
- 3. Press (\cdot) or (\cdot) , or the Switch soft key to select **Enabled** from the Status field.

Auto Answer	
2. Status:	
Enabled	•
Back Switch	Save

4. Press the Save soft key to accept the change or the Back soft key to cancel.

The **AA** icon appears on the LCD screen.

Auto answer is configurable via web user interface at the path Account->Basic->Auto Answer.


Note Auto answer is only applicable when there is no other call in progress on the phone.

Call Waiting

You can enable or disable call waiting on the phone. If call waiting is enabled, you can receive another call while there is an active call on the phone. Otherwise, another incoming call is automatically rejected by the phone with a busy message when there is an active call on the phone. You can also enable or disable the phone to play a warning tone when receiving another call.

To configure call waiting via phone user interface:

- 1. Press Menu->Features->Call Waiting.
- **2.** Press (\cdot) or (\cdot) , or the **Switch** soft key to select **Enabled** from the **Call Waiting** field.



- **3.** Press (\cdot) or (\cdot) , or the **Switch** soft key to select **Enabled** from the **Play Tone** field.
- 4. Press the Save soft key to accept the change or the Back soft key to cancel.

To use the call waiting:

1. When the phone receives an incoming call during a call.

The phone LCD screen displays as below:

Merry 🛛	Talking	1/2	(★Lin Wei)
★ Ann) Lin Wei		2 +2224
★ jga)Incoming call:	2224-1	12
EndCall	Answer 🚺 R	leject	Tran

2. Press 🔹 to see the incoming call.

Merry	🛜	>>>	(★Lin Wei
🖈 Ann	2224	-cgc	2 +2224
★ jga		0.30	12
Answer	FWD	Silence	More

- **3.** Do one of the following:
 - Press the **Answer** soft key to answer the incoming call.
 The original call will be placed on hold.
 - Press the **FWD** soft key to forward the incoming call to another contact.
 - Press the **Silence** soft key to ignore the incoming call.
 - Press More->Reject to reject the incoming call.
 - Press More->FWD VM to forward the incoming call to voice mail.

Call waiting is configurable via web user interface at the path **Features**->**General Information**->**Call Waiting**.

Call waiting tone is configurable via web user interface at the path **Features**->**Audio**->**Call Waiting Tone**.

Call Mute

You can mute the microphone of the active audio device during an active call so that the other

party cannot hear you. Call mute applies to all modes (Handset, Headset and Speakerphone).

To mute a call:

1. Press Ø during an active call.

The LCD screen indicates that the call is now muted. The mute key LED illuminates solid red when the call is muted.

(🖪 Merry)	Talking	(★Lin Wei)
\star Ann	2224-cgc	+2224
★ jga	🕸 Mute 📊	12
EndCall	Hold Conf	Tran

To un-mute a call:

1. Press (a) again to un-mute the call.

Call Hold/Resume

You can place an active call on hold. Only one active call can be in progress at any time. Other calls can be made and received while placing the original call on hold. If **Music on Hold** feature is enabled, the phone will play built-in music when an active call is placed on hold. For more information, contact your system administrator.

To place a call on hold:

1. Press the Hold soft key during a call.

The line key LED slow flashes green. The LCD screen indicates that the call is on hold.

Merry	Talking	(★Lin Wei)
🛧 Ann) 2224-ogc	+2224
\star jga) 🛈 Hold HĎ	12
EndCall	Resume NewCall	Tran

The phone will beep softly every 30 seconds to remind you that you still have a call on hold.

To resume a held call:

1. Press the **Resume** soft key.

Note

Multiple Calls on Hold:

1. Press () or () to switch between calls, and then press the **Resume** soft key to retrieve the desired call.

Merry	Talking	1/2	(★Lin Wei)
★ Ann) 2224-ogo		+2224
🖈 jga) 🛈 Hold	HD	12
EndCall	Resume	wCall	Tran

If more than one call is placed on hold, a numbered prompt appears on the LCD screen, for example "1/2", indicating that this is the first call out of second calls.

Calendar

Yealink Skype for Business phones integrates with the Microsoft Exchange calendar feature. If your phone is configured to connect to the Microsoft Exchange Server, and the Microsoft® Outlook® application is installed at your site, you can view Skype conference, appointment, meeting and event, or join the Skype conference in your Microsoft Outlook application from your phone.


Setting up a Skype Conference in Outlook

To set up a Skype conference in outlook:

1. Open Outlook and go to your calendar.



2. Click HOME->New Skype Meeting.



- 3. In the To box, enter the email addresses of your invitees.
- 4. Enter a subject, location, and then select the start and end time.
- 5. Enter the content about the Skype conference.
- 6. Click Send.

A Skype conference reminder will display on the phone screen of organizer and invitees 15 minutes before the Skype conference starts.

Note If you change the Skype conference content (e.g., location, subject, time) via outlook after you have sent the invitation, the phone will update the Skype conference content.


Setting up an Appointment in Outlook

To set up an appointment in outlook:

1. Open Outlook and go to your calendar.



2. Click Home->New Items->More Items->Recurring Appointment.



- **3.** Enter the appointment time.
- 4. Click **OK**.
- 5. Enter a subject, location and the appointment content.
- 6. Click Save & Close.

An appointment reminder will display on the phone screen 15 minutes before the appointment starts.

Setting up a Meeting in Outlook

To set up a meeting in outlook:

1. Open Outlook and go to your calendar.

Mail	Calendar	People	Tasks	•••
		1		

2. Click Home->New Items->More Items->Recurring Meeting.

FII	E		HON	1E	S	END	/ RE	CEIVE	F	OL	.DER	V	IEW	AD	D-INS	
				ç.	9			E			R					
	New			ew		ew		lew Skype	2	٦	Foday			Day	Work	
Арро	ointn		Mew New	eting				Meeting	_		Go	Day	rs Gi		Week	Arr
					=.		- <u>m</u> ai	l Message			GO	10	Tal I			AII
	•			6年3	8	A	ppoi	intment			▶ .	201	16年	3F	1	
	Η	—	_	Ξ		N	/ <u>e</u> eti	ng							-	
	28	29	1	2	8		onta	ict			旧			星	期—	
	6	7	8	9	1		ask				28E		-+-	29	Β	
	13	14	15	16												
	20	21	22	23		A	II Da	y E <u>v</u> ent								
	27	28	29	30		Ν	/lore	<u>I</u> tems	₽		.	Recur	ring <u>A</u> p	point	ment	
					9	<u>s</u>	kype	Meeting		1		Re <u>c</u> ur	ring M	eeting	J	
			201	6年4	月				_			Recur	ring Ev	ent		
	в	_	=	Ξ	四	Ŧ	六		6	H						
						1	2				22		ict <u>G</u> ro			
	3	4	5	6	7	8	9				<u></u>	Task F	Regues	t		
	10	11	12	13	, 14	15	16				₽	Intern	et Fa <u>x</u>			
	17	18	12	20	21	22	23				-8	Choo	se Forn	n		
	24	25	26	20	21	29	30		13	21	•	Choo	se Info	Path F	orm	
	1	23	3	4	5	6	50		1.	1			-			
	T	2	5	4	2	0	/				F	Outlo	ok Dat	a <u>F</u> ile		

- **3.** Enter the meeting time.
- 4. Click OK.
- 5. In the **To** box, enter the email addresses of your invitees.
- 6. Enter a subject, location and the meeting content.
- 7. Click Send.

A meeting reminder will display on the phone screen of organizer and invitees 15 minutes before the meeting starts.

Setting up an Event in Outlook

To set up an event in outlook:

1. Open Outlook and go to your calendar.



Appointment Meeting Items Meeting Days Wee New □ E-mail Message Go To rs Go To rs 1 2016年3 □ Appointment P 2016年3 P P 2016年3 P P 2016年3 P	FI	LE		HON	1E	SE	END	/ RE	CEIVE	FO	LDER	VIEW		ADI	D-INS	
Appointment Meeting Items Meeting Days Wee New □ E-mail Message Go To rs Go To rs 1 2016年3 □ Appointment Days Go To rs 1 - - □ E E-mail Message Pointment Pointment <td></td> <td></td> <td></td> <td></td> <td>ç.</td> <td>5</td> <td>•</td> <td></td> <td>E</td> <td></td> <td>•</td> <td></td> <td></td> <td></td> <td></td> <td></td>					ç.	5	•		E		•					
Image: Context of the second seco	Арр		nent						21	2	Toda		D)ay	Work Week	
□ □				New		E	E	- <u>m</u> ail	Message	2	Go	To 🕞				Arı
\square		•		201	6年3	8. 🛄	A	ppoi	ntment		Þ.	2016	年	3F	1	
28 29 1 2 2 Contact 28 24 29 13 14 15 16 All Day Eyent 28 24 29 13 14 15 16 All Day Eyent 28 29 29 20 21 22 23 More Items Image: Skype Meeting Recurring Appointment 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 13 13 14 15		日	—	=	Ξ	5	N	1 <u>e</u> etir	ng						-	
13 14 15 16 13 14 15 16 20 21 22 23 27 28 29 30 More Items		28	29	1	2	8		onta	ct		日日			星	期—	
13 14 15 16 20 21 22 23 27 28 29 30 More Items ▶		6	7	8	9	1¢	т	ask			28E	3 =+	_	29	B	
20 21 22 23 More Items)		13	14	15	16											
2016年4月 Skype Meeting Recurring Legenting □ □ 三 □ □ Recurring Event □ □ 三 □ □ □ Recurring Event □ □ □ □ □ □ □ □ □ 3 4 5 6 7 8 9 □ </td <td></td> <td>20</td> <td>21</td> <td>22</td> <td>23</td> <td>_</td> <td>A</td> <td>II Day</td> <td>/ E<u>v</u>ent</td> <td></td> <td>_</td> <td></td> <td></td> <td></td> <td></td> <td></td>		20	21	22	23	_	A	II Day	/ E <u>v</u> ent		_					
2016年4月 日 二 二 Recurring Event 日 一 二 五 六 6日 Recurring Event 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 23 24 25 26 27 28 29 30 131 第 Choose InfoPath Form		27	28	29	30		N	lore]	tems	. •	5	Recurring	<u>A</u> p	point	ment	
□ □						9	<u>s</u>	kype	Meeting			Re <u>c</u> urring	ј Ме	eting	J	
H - - H A 1 2 1 2 2 Contact Group 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 13				201	6年4	月				<u>ح</u> ۲		Recurring	I E <u>v</u> e	nt		
3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 131 13		日	_	Ξ	Ξ	四	五	六		6E		Contact (Grou	р		
3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 13 13 14 Form							1	2			R .	Task Reg	uest			
10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 13 13 13		3	4	5	6	7	8	9				-				
24 25 26 27 28 29 30 13 13 Choose InfoPath Form		10	11	12	13	14	15	16			_		-			
		17	18	19	20	21	22	23				Ch <u>o</u> ose F	orm			
1 2 3 4 5 6 7 📴 Outlook Data <u>F</u> ile		24	25	26	27	28	29	30		13	1	Choose <u>I</u>	nfoP	ath F	orm	
		1	2	3	4	5	6	7			5	Outlook I	Data	<u>F</u> ile		

2. Click Home->New Items->More Items->Recurring Event.

- **3.** Enter the event time.
- 4. Click OK.
- 5. Enter a subject, location and the event content.
- 6. Click Save & Close.

An event reminder will display on the phone screen 15 minutes before the event starts.

Using the Calendar

To use the calendar feature on your phone, you must sign into the phone using User Sign-in, Web Sign-in or Signing in via PC method. So the phones can display the Microsoft Exchange calendar which gives you quick access to Skype conference, appointment, meeting and event.

Viewing the Calendar

To view the calendar via phone user interface:

1. Press Menu->Calendar.

The calendar displays the schedules of today by default. You can view 1000 schedules at most on your T42G Skype for Business phone.



Name	Description
Month view	Shows all the days which have schedules in the selected
wonth view	month.
Deverieur	Shows all schedules of the selected day, including the subject,
Day view	start and end time.
	Shows the details of the selected schedule, including the
Schedule view	subject, participants, organizer, start and end time, location
	and content.

2. Press the **Back** soft key to return to the pervious screen.

Navigating Month View

Month view displays all the days which have schedules in the month, including the date and the number of schedules in selected day.

To navigate Month view:

- 1. Press Menu->Calendar.
- 2. Press the Month soft key to enter the Month view.
- **3.** Do one of the following:
 - Press (\bullet) to view the previous month.
 - Press (to view the upcoming month.
 - Press () or () to select the desired day.

- Press the **Back** soft key to return to the pervious screen.


4	lug 2016	—1,/8.▶]
04-05(Tue)	8Conference:	s	
04-06(Tue)	2Conference:	s	→ Select desired day
04-12(Tue)	8Conference:	s	desired day
Back		Enter	
		\downarrow	-
Pressto returnto previous screen	Presstos	ee Day Vi	ew

Navigating Day View

Day view shows all schedules of the selected day, including the subject, start and end time.

To navigate Day view:

- 1. Press Menu->Calendar.
- **2.** Do one of the following:
 - Press (\bullet) to view the schedules of for the previous day.
 - Press (\mathbf{b}) to view the schedules of the upcoming day.
 - Press (•) or (•) to select a schedule, and then press the **Detail** soft key to view details for a specific schedule.
 - Press the **Back** soft key to return to the pervious screen.



Navigating Schedule View

Schedule view displays the details of a selected schedule. You can view the schedules' subject, participants, organizer, start and end time, location and content.

To view schedules via phone user interface:

1. Press Menu->Calendar.



- 2. Press the Month soft key to enter the Month view.
- **3.** Press (\cdot) or (\cdot) to select a desired day.

- 4. Press () or () to select a desired schedule.
- 5. Press the **Detai**l soft key to view details of a specific schedule.

Subject:	Lync Conference
Participant:	Lin Wei,2224-cgc,252
Organizer:	Lin Wei
Time:	2015/12/08/ 00:00 -
Back	Join

6. Press the **Back** soft key to return to the pervious screen.

Working with Schedule Reminders

If you have a schedule, a reminder pop-up is displayed 15 minutes before it starts. The reminder shows the main information of the schedule, including subject and the rest time.

If you receive a reminder of an appointment, meeting or event, you can:



- Press the **Ignore** soft key to permanently remove the reminder from the screen and stop all future reminders for this schedule.
- Press the **Snooze** soft key to temporarily remove the reminder from the screen, until the next schedule reminder. The reminder will appear every 5 minutes and also appear 1 minute before the schedule starts.
- Press the **Detail** soft key to view specific information.

If you receive a reminder of a Skype conference, you can:

n the Lync conferenc 1minute(s)			
Ignore I Snooze I Detail I Join			

- Press the **Ignore** soft key to permanently remove the reminder from the screen and stop all future reminders for the Skype conference.
- Press the **Snooze** soft key to temporarily remove the reminder from the screen, until the next schedule reminder. The reminder will appear every 5 minutes and also appear 1 minute before the schedule starts.
- Press the **Detail** soft key to view specific information about the Skype conference, including the Skype conference's subject, participants, organizer, start and end time, location and content.
- Press the Join soft key to join the Skype conference.
- **Note** When the phone is locked, you can press the **Ignore** or **Snooze** soft key without unlocking the phone. But you need to unlock the phone to view detailed information and join the Skype conference.

If you do not deal with the reminder when rest time ends, the "immediately" will replace the rest time.



The reminder will show "overdue" when the schedule is overdue.

1Conference	Reminder(s)
Skype Meeting3	Overdue
Ignore Snooze	Detail Join

Note You can press (\mathbf{x}) on the phone to ignore all reminders.

When receives a Skype conference reminder during a call, you can press the **Join** soft key to join the Skype conference directly. Current call will be held and you can resume it after the Skype conference.

Joining Skype Conferences from the Calendar

There are three roles in a conference:

- Organizer (): A user who creates a conference. Organizer can manage the presenters and attendees.
- **Presenter** (): The participant who is invited to the conference will be a presenter by default. The presenter can only manage other presenters and attendees.
- Attendee (): A user who is invited to a conference but who is not authorized to act as a presenter. The attendee can hold or resume the conference, mute or unmute himself and leave the conference only.

You can join the Skype conferences from calendar in following three ways:

- Joining a Skype conference from a conference reminder (Once joined, presenter and attendee will be muted automatically, organizer will not be muted).
- Joining a Skype conference from Schedule view (Once joined, presenter and attendee will be muted automatically, organizer will not be muted).
- **Dialing the conference dial-in number to join a Skype conference** (Once joined, presenter, attendee and organizer will not be muted).
- **Note** When the organizer sets up a conference in Outlook and enables **Mute all attendees** feature, all conference participants will be muted automatically once join the Skype conferences in above ways.

Joining a Skype Conference from a Conference Reminder

To join a Skype conference from a conference reminder:

Do one of the following:

- Press the **Join** soft key.



 Press the **Detail** soft key to view detail for a specific Skype conference, and then press the Join soft key.

Subject:	the Lync conference
Participant:	Lin Wei,2224-cgc,252
Organizer:	Lin Wei
Time:	2015/12/08 13:50 - 1
Back	Join D

Joining a Skype Conference from Schedule View

To join a Skype conference from Schedule view:

1. Press Menu->Calendar.

The current day is shown by default.

√ To:	day———	—1/3
Lync Conference	00:00-00:00	
Join the Lync confer	13:50-14:20	
Skype Conference	14:00-14:00	
Back Month	Detail	Join

- 2. Press the Month soft key to enter the Month view.
- **3.** Press (\bullet) or (\bullet) to select a desired month.
- 4. Press (\bullet) or (\bullet) to select a desired day.
- **5.** Press (\bullet) or (\bullet) to select a desired Skype conference.
- 6. Do one of the following:
 - Press the **Join** soft key to join the Skype conference.

<to< th=""><th>day———</th><th>—1/3♦</th></to<>	day———	—1/3♦
Lync Conference	00:00-00:00	
Join the Lync confer	13:50-14:20	
Skype Conference	14:00-14:00	
Back Month	Detail	Join

 Press the **Detail** soft key to view specific information about the Skype conference, and then press the **Join** soft key.

Subject:	the Lync conference
Participant:	Lin Wei,2224-cgc,252
Organizer:	Lin Wei
Time:	2015/12/08 13:50 - 1
Back	Join Join

Joining a Skype Conference by Dialing the Conference Dial-in Number

If you schedule a Skype conference call via Microsoft Outlook Conferencing (Plug-In), dial-in number and Conference ID will be sent to invitees in an email. Invitees can join the Skype conference from phone by dialing dial-in number and Conference ID.

You can also obtain the dial-in number and Conference ID from the phone.

To obtain the dial-in number and Conference ID form the phone:

1. Press Menu->Calendar.

∢ To	—1/3≯	
Lync Conference	00:00-00:00	
Join the Lync confer	13:50-14:20	
Skype Conference	14:00-14:00	
Back Month	Detail	Join

- 2. Press the Month soft key to enter the Month view.
- **3.** Press (\bullet) or (\bullet) to select a desired month.
- 4. Press () or () to select a desired day.
- **5.** Press () or () to select a desired Skype conference.

4 2015Year12Month08Day 1/10.► Lync Conference 00:00-00:00				
Lync Conference	00:00-00:00			
Skype Meeting1	06:00-06:30	I		
Join the Lync confer	13:50-14:20	L		
Back Month	Detail Join	j		

6. Press the Detail soft key to view detail for specific Skype conference.

Subject:	the Lync conference
Participant:	Lin Wei,2224-cgc,252
Organizer:	Lin Wei
Time:	2015/12/08 13:50 - 1
Back	Join

7. Press \bigcirc or \bigcirc to highlight the content.

Organizer:	Lin Wei
Time:	2015/12/08/ 00:00 -
Location:	Lync Conference Ro
Content:	ync Conference,
Back	Detail Join


8. Press the **Detai**l soft key.

9. Press (\bullet) or (\bullet) to view the dial-in number or Conference ID.

You can also view the dial-in number and Conference ID during a conference call. For more information, refer to Viewing the Dial-in Number and Conference ID on page 121.

To join a Skype conference by dialing the conference dial-in number:

1. Dial the conference dial-in number (e.g., 15915).



2. Enter the Conference ID (e.g., 5493566), and then press **#** to join the Skype conference.

ps://dialin.yealinkuc.com> Conference 5493566 Forgot your dial-in PIN? <htt //dialin.yealinkuc.com> Help<http: o1<="" th=""><th>ps:</th></http:></htt 	ps:
Back Jon Jo	in

More participants can repeat steps 1-2 to join the Skype conference.

For more information on managing the Skype conference participants, refer to Managing the Conference Participants on page 122.

Call Forward

You can configure your phone to forward incoming calls to another party or voice mailbox through static forwarding. You can also forward incoming calls manually while your phone is ringing, refer to Dynamic Forwarding.

Static Forwarding

Static Forwarding on T42G Skype for Business phone

T42G Skype for Business phone supports the following static forwarding ways:

- Forward to Voice Mail: Incoming calls are forwarded to voice mailbox.
- Forward Calls to Number or Contact: Incoming calls are forwarded to the preset number or contact.
- Simultaneously Ring: The preset number will ring simultaneously when the phone receives an incoming call.

To enable call forward:

- 1. Press Menu->Features->Call Forward.
- 2. Depending on your selection:

a) If you select Forward to Voice Mail, and then press the OK soft key.

The **□** icon and the prompting message "Forward to Voice Mail" appear on the idle screen.



- b) If you select Forward Calls to Number or Contact, and then press the OK soft key:
 - 1) Enter the desired number in the **Forward to** field.

You can also press the **Directory** soft key to enter the contact list, and then select the desired contact.

	—Foru	vard To		_
1. Forwar	d To:			
8085				
Back	123	Delete	I ок	

2) Press the **OK** soft key to accept the change.

The \square icon and the prompting message "Call Forwarding On" appear on the idle screen.

🗹 Lin Wei	17:3321	(★Lin Wei
🖈 Ann	Mon Jan 25	+2224
★ jga	Call Forwarding On +2216	123
Status	History Directory	Menu

- c) If you select **Simultaneously Ring**, and then press the **OK** soft key:
 - 1) Enter the desired number in the **Simultaneously Ring** field.

Simultaneously Ring					_		
1. Simultaneously Ring							
8087							
Back		123		Delete		ОK	

2) Press the **OK** soft key to accept the change.

The \rightarrow icon and the prompting message "Simultaneous Ring On" appear on the idle screen.

🗹 Lin Wei	17:34 36	(★Lin Wei
★ Ann	Mon Jan 25	2+2224
🗲 jga	Simultaneous Ring On +2216	123
Status	History Directory	Menu

To disable call forward:

1. Press Menu->Features->Call Forward.

2. Select Forward Off.

1.	Forward off
2.	Forward to Voice Mail
з.	Forward Calls to Number or Contact
4	Simultaneously Ring
	Back OK

3. Press the **OK** soft key to accept the change.

Static Forwarding on the Skype for Business client

You can assign static forwarding feature using the Skype for Business client:


- a) Forward my calls to:
 - Voice Mail: incoming calls are forwarded to voice mailbox.
 - New Number or Contact: incoming calls are forwarded to the preset number or contact.
 - My Delegates: incoming calls are forwarded to designated delegates.
- b) Simultaneously ring:
 - **New Number**: the preset number will ring simultaneously when you receive an incoming call.
 - **My delegates**: the phones of designated delegates will ring simultaneously when you receive an incoming call.
 - **My Team-Call Group**: all members in the designated group will ring simultaneously when you receive an incoming call.

Message displayed on the phone changes according to the forwarding setting on the Skype for Business client.

Configuring Call Forwarding on Skype for Business Client

To forward incoming calls immediately without ringing your phone:

1. In Skype for Business client, click 🔶 and then select **Call Forwarding** <u>Settings</u>.



2. Mark the radio box in the Forward my calls to field.

3. Select the desired forwarding type from the pull down-list of **Forward my calls to.** Depending on your selection:

Skype for Business - Optio	ins	x
General Personal Contacts List Status My Picture Phones Alets IM Ringtones and Sounds Audio Device Video Device Call Forwarding File Saving Recording Skype Meetings	Call forwarding Learn More Calls will ring you at work and not be forwarded. Image: Calls will ring you at work and not be forwarded. Calls will be forward my calls to: Voice Mai Calls will be forwarded immediately Voice Mai Calls will be forwarded immediately Voice Mai Calls will ring you at work and also My Delegates Your current call forwarding settings: Calls will be forwarded directly to Voice Mail. These settings will apply: All the time	
	Edit my team-call group members Edit my delegate members OK Cancel H	elp

1) If you select **Voice Mail**:

Incoming calls are forwarded directly to the voice mailbox. The LCD screen is shown as below:

🗹 Lin Wei	17:	37 01	★ Lin Wei
★ Ann		Jan 25	? +2224
★ jga		o Voice Mail 216	123
Status	History	Directory	Menu

2) If you select **New Number or Contact**:

Select the contact or enter the phone number you want to forward calls to.

×

After configuration, incoming calls are forwarded to the preset number or contact. The LCD

screen is shown as below:



3) If you select My Delegates:

Add the delegates you want to forward calls to when you receive an incoming call. The phone of the delegates will ring after the time specified by you.

General Personal Contacts List	Call forwarding O Turn off call forwarding Learn More Calls will ring you at work and not be forwarded. Calls will ring you at work and not be forwarded.
Status My Picture	(Forward my calls to: My Delegates
Phones	Calls will be forwarded immediately and not ring your work number.
Alerts	Simultaneously ring: 2248@yealinkuc.com
Ringtones and Sounds	Calls will ring you at work and also ring another phone or person.
Au Call Forwarding - De	
Re Sk Receive Calls Delega	ate
Sk	ate
Sk	ate
Sk	ate
Sk Receive Calls Delega	move

The LCD screen is shown as below:

🗹 Lin Wei	17:3832	[★jga]
🖈 Ann	Mon Jan 25	★ Lin Wei
2 B/A	Forward to Delegates +2216	123
Status	History Directory	Menu

Configuring Simultaneously Ring on Skype for Business Client

To configure simultaneously ring:

- 1. In Skype for Business client, click 🕼 and then click **Call Forwarding <u>S</u>ettings**.
- 2. Mark the radio box in the Simultaneously ring field.

3. Select the desired forwarding type from the pull down-list of Simultaneously ring.

Depending on your selection:

Skype for Business - Optio	ns
General Personal Contacts List Status My Picture Phones Akets IM Ringtones and Sounds Audio Device Video Device Video Device Cal Forwarding File Saving Recording Skype Meetings	Call forwarding Learn More Calls will ring you at work and not be forwarded. Image: Calls will ring you at work and not be forwarded. Calls will be forwarded immediately and not ring your work number. Image: Calls will ring you at work and also 2248@yealnkuc.com Calls will ring you at work and also 2248@yealnkuc.com Image: Calls will ring you at work and also 2248@yealnkuc.com Your current call forwarding settings: My Team-Call Group Calls will ring you at work +2216 and also ring 2248@yealnkuc.com. Hy Delgaptes Hy settings: My Team-Call Group Calls will ring you at work +2216 and also ring 2248@yealnkuc.com. Hy Delgaptes Hy settings: My Team-Call Group Calls will ring you at work +2216 and also ring 2248@yealnkuc.com. Hy Belgaptes Hy any-Call Group My Team-Call Group Calls will ring you at work +2216 and also ring 2248@yealnkuc.com. Hy Belgaptes Hy belgaptes Hy team-Call Group members Calt my team-call group members Edt my delegate members Edt my delegate members Edt my delegate members
	OK Cancel Help

1) If you select **New Number**:

Enter the phone number in the pop-up window, and then click **OK** to accept the change.

nber 💌				
Type the phone number below. For international numbers, include all necessary country and region codes. For details and examples, click Help.				
+2529				
2529				
OK Cancel Help				

After configuration, the preset number will ring simultaneously when you receive an incoming call.

2) If you select **My Delegates:**


Add the delegates you want to ring simultaneously when you receive an incoming call. The phone of the delegates will ring after the time specified by you.

Skype for Business - (Options	×
General Personal Contacts List Status My Picture Phones Alerts IM Ringtones and Sounds Aurlin Device	Call forwarding Call forwarding Calls will ring you at work and not be forwarded. Calls will be forwarded to the forwarded. Calls will be forwarded immediately and not ring your work number. Calls will ring you at work and also ring another phone or person. Calls will ring you at work and also ring another phone or person.	
Video Device Call Forwarding File Saving Recording Skype Meetings	Call Forwarding - Delegates Delegates can schedule Skype Meetings, make calls, and receive calls (if the box is checked) on your behalf. Receive Calls Delegate	~
	Add Remove Ring your delegates after this many seconds: OK Cancel	
	OK Cancel Help	

3) If you select My Team-Call Group:

Add the contacts in the Team-Call Group. All members in the group will ring simultaneously when you receive an incoming call. The phone of the members in the group will ring after the time specified by you.

For more information on how to assign a distinct ringtone to team-call group, refer to Team-Call Ringtone on page 101.



 ✓Lin Wei
 17:34 36
 ★ Lin Wei

 ★ Ann
 Mon Jan 25
 2 + 2224

 ★ jga
 + 2216
 1 2 3


 Status
 History
 Directory
 Menu

When simultaneously ring feature is enabled, the LCD screen is shown as below:

If one member answers the call, other phones will stop ring.

To turn off the call forwarding:

1. In Skype for Business client, click 🚺 - nd then select <u>Turn Off Call Forwarding</u>.



Dynamic Forwarding

To forward an incoming call to another party:

1. Press the **FWD** soft key when the phone is ringing.



- 2. Do one of the following:
 - Enter the phone number you want to forward the incoming call to, and then press the **Call** soft key.

You can also enter the first few continuous characters of the contact name, phone number or the contact address, and then press the navigation keys to scroll through the result list and select the desired contact.

Press the **Directory** soft key to select the desired contact from the contact list you
want to forward the incoming call to, and then press the **FWD** soft key.

To forward an incoming call to voice mail directly:

1. Press the More->FWD VM soft key when the phone is ringing.



The incoming call will be forwarded to your voice mail directly.

Forward International

Forward international allows you to forward an incoming call to an international phone number. This feature is enabled by default.

To disable forward international via phone user interface:

- 1. Press Menu->Settings->Advanced Settings (default password: admin)->FWD International.
- **2.** Press (•) or (•), or the **Switch** soft key to select **Disabled** from the **FWD International** field.

1. FWD International:	
Disabled	••
Back Switch	Save

3. Press the Save soft key.

Forward international is configurable via web user interface at the path **Features**->**General Information**->**Fwd International**.

Team-Call Group

A team-call group is a team of people who can answer your work calls. You can use Skype for Business client to add or remove members, and select when they can answer calls for you. For more information on how to configure team-call group, refer to Configuring Simultaneously Ring on Skype for Business Client on page 96.

Assume that you have a team of people working on the same project or tasks. If one of your team members is away from his desk and his phone rings, anyone in the team-call group can answer the call for him. As soon as a team member picks up the phone, the other phones stop ringing.


For example, a user (phone number:2529) calls a user named "Hedy", other members in the same team-call group as Hedy will ring too, their phones' screens are shown as below:

Team-Call Ringtone

Team-call ring tone feature allows the phone to play a distinct ringtone when receiving a team-call.

To set a ringtone for the team-call via phone user interface:

1. Press Menu->Settings->Basic Settings->Ring Tones->Team-call.



- 2. Press () or () to select a ring tone.
- 3. Press the **Save** soft key to accept the change.

Response Groups

If you sign into the phone using Onprem account, you can use response groups feature. Current Online environment does not support this feature.

If your organization has groups of people who answer and manage certain types of calls, such as for customer service, an internal help desk, or general telephone support for a department, you can deploy the Response Group application to manage these types of calls. The Response Group application routes and queues incoming calls to designated persons, who are known as agents. You can increase the use of telephone support services and reduce the overhead of running these services by using response groups.

For example, a response group named "yealink" is configured on Skype for Business Server in advance. When a user named "Hedy" calls the response group, the screens of other agents' phones are shown as below:

[⊠ Merry]	2	2	(★ Linna
★Hedy	He	vh	(★LinWei
🖈 Jane 📃	For ye	-	🗹 Lin Wei
Answer	FWD	Silence	[More]

Note

Response group can be configured via by Skype for Business Server only. Contact your system administrator for more information.

Response Group Ringtone

Response group ring tone feature allows the phone to play a distinct ringtone when receiving a response group calls.

To set a ringtone for the response group via phone user interface:

1. Press Menu->Settings->Basic Settings->Ring Tones-> Response Group.

1. Normal Ringtone
2. Private Line Tones
3. Team-call
4. Response Group
Back Enter

- **2.** Press (\bullet) or (\bullet) to select a ring tone.
- 3. Press the Save soft key to accept the change.

Shared Line Appearance for Skype for Business

When your phone is registered with the Skype for Business Server, you can use the Shared Line Appearance (SLA) feature to share a single line with other contacts as a member of a group.

System administrators assign members to SLA groups. Any SLA group member can place, answer, hold, or resume calls on the line, and all group members can view the call held by the shared line on their phones. Each line supports up to 24 call appearances. Only one call at a time can be active on the shared line appearance. If a call is placed to the shared line with an active call in place, the incoming call is sent to another shared line.

Answering SLA Calls

Any incoming call to the shared line rings on all group members' phones simultaneously, the call is displayed on all members' screens, and a green LED light flashes on the first line key. Any group member can respond to an incoming call to the shared line. When a group member answers an incoming call, the third line key's LED indicator on all phones illuminates solid green to indicate the call was answered.

Placing a SLA Call on Hold

To place a SLA call on hold:

Press the Hold soft key to place the call on hold.
 The third line key on other members' phones flash green.

Resuming Held SLA Calls

Any SLA member can resume a held call on the shared line.

To resume a call on the shared line:

- 1. Press the third line key (flashing green) to view the calls that are held by the shared line.
- 2. Press the **Resume** soft key.

Boss-Admin Feature

The boss-admin feature, which is also called boss-delegate feature, enables a "boss" phone and delegates' phones to ring simultaneously when a user calls the boss. When one party answers the call, the other phone will stop ringing. A boss can assign delegates and manage calls on the delegate's line.

Delegates can place, answer or hold the call. Delegates can also make a safe transfer to boss's voice mail or call on behalf of the boss's line. The boss can pick up held calls on a delegate's line. What's more, the boss can hold the calls, and the delegate can pick up held calls on the boss's line.

Boss-Admin Scenario:

The system administrator has configured the phone number 2248 to be the delegate of phone number 2216. For more information on how to assign delegates on the Skype for Business client, refer to Assigning/Removing Delegate on page 103.

- **Boss**: Lin Wei (phone number: 2216)
- Delegate: Merry (phone number: 2248)
- Other: 2224-cgc (phone number: 2224)

Note Boss-admin feature is configurable via the Skype for Business client only.

Assigning/Removing Delegates

You can assign delegates to your line using the Skype for Business client. However, you cannot assign yourself as a delegate. As a delegate, you can be assigned to multiple bosses' lines.

To assign delegates using Skype for Business client:

- 1. Open Skype for Business client.
- 2. Sign into Skype for Business client as the person who wants to assign a delegate.
- 3. Click the 🔄 button, and then click **Call Forwarding Settings**.
- 4. Mark the radio box in Simultaneously ring field.

5. Select My Delegates from the pull-down list of Simultaneously ring.

Skype for Business - Options	
General Personal Cortacts List Status My Picture Phones Aderts IM Ringtones and Sounds Audio Device Video Device Call Forwarding File Saving Recording Skype Meetings	Call forwarding Learn More Calls will ring you at work and not be forwarded. Calls will ring you at work and not be forwarded. Calls will be forwarded immediately and not ring your work number. Calls will be forwarded immediately and not ring your work number. Calls will ring you at work and also 2248@yealnkuc.com Calls will ring you at work and also 2248@yealnkuc.com New Number New Number Your current call forwarding settings: My Delegates Your current call forwarding settings: My Team-Call Group Calls will ring you at work +2216 and also ring 2248@yealnkuc.com. Unanswered calls will go to: Youre calls will apply: All the time Edit my team-call group members Edit my delegate members Edit my delegate members Edit my delegate members
	OK Cancel Help

- 6. In the **Delegate**s dialog box, click **Add**. Each delegate must be a Skype for Business contact.
- **7.** Click the **Ring your delegates after this many seconds** pull-down list to determine when your delegates' phones ring.

Call Forwardir	g - Delegates		×
Delegates can s	chedule Skype Meetings, make	calls, and receive calls (if the box is checked) on your behalf.	
Receive Calls	Delegate		
Add Ring your deleg	Remove ates after this many seconds:	0 - at the same time	
		OK	:I

- 8. Click OK.
- 9. Click OK in the Delegates dialog box.
- **10.** Click **OK** in the **Options** dialog box.

To remove a delegate from Skype for Business client:

- 1. Open Skype for Business client.
- 2. Sign into Skype for Business client as the person who wants to remove a delegate.

Make sure **My Delegates** option is not selected in either the **Simultaneously ring** or **Forward my calls to** list.

3. Click Edit my delegate members.

Skype for Business - Option	×
General Personal Contacts List Status My Picture Phones Alerts IM Ringtones and Sounds Audio Device Video Device Call Forwarding Recording Skype Meetings	Call forwarding Learn More Calls will ring you at work and not be forwarded. Calls will ring you at work and not be forwarded. Calls will be forwarded immediately and not ring your work number. Calls will be forwarded immediately and not ring your work number. Simultaneously ring: Calls will ring you at work and also ring another phone or person. Your current call forwarding settings: Calls will ring you at work +2216. Unanswered calls will go to: Yoice Mail in 20 seconds These settings will apply: All the time
	OK Cancel Help

4. Check the checkbox of the delegate you want to remove.

Call Forwarding - Delegates	×
Delegates can schedule Skype Meetings, make calls, and receive calls (if the box is checked) on your behalf.	
Rec <mark>eive C</mark> alls Delegate	
Merry	
Add Remove	
Ring your delegates after this many seconds: 0 - at the same time -	
OK Cancel	

- 5. Click Remove.
- 6. Click **OK** in the **Delegates** dialog box.
- 7. Click **OK** in the **Option**s dialog box.

Viewing the Bosses/Delegates

Viewing the Bosses

Once a user is assigned to be a delegate of the boss on the Skype for Business client, a Bosses

group will appear on the delegate's phone automatically.

To view your bosses:

- 1. Press Directory->SFB Directory.
- 2. Press (•) or (•) to select the **Bosses** group.

1. Favorites		11
2. Delegates		
3. Bosses		
4. Other Cont	acts	
Back	Search	Enter

3. Press the Enter soft key.

Your boss(es) will be displayed.

🗹 Lin Wei		216@yealinkuc.com	
Back	Detail	I Option I	Call

Viewing the Delegates

Once a boss is assigned delegates on the Skype for Business client, a **Delegates** group will appear on the boss's phone automatically.

To view your delegates:

- 1. Press Directory->SFB Directory.
- **2.** Press (\bullet) or (\bullet) to select the **Delegates** group.

1.	Favorites	Π
2.	Bosses	
З,	Delegates	
4	Other Contacts	U
	Back Search Enter	

3. Press the Enter soft key.

Your delegate(s) will be displayed.

Merry		2248@	yealinkuc.coi
Back	Detail	Add	Call

Using the Boss-Admin Feature

Answering Incoming Calls

When a user calls the boss, both boss's and delegate's phones will ring simultaneously.

To answer an incoming call on a boss's phone:

1. Press the **Answer** soft key or $(\mathbf{o}\mathbf{K})$.

The delegate's phone stops ringing and the LCD screen of the delegate's phone is shown below:

[∠ Merry_	17:5849	? + 2227]
■+222 ■ B/A	Answered by Lin Wei	1 (2)
Status	History Directory	Menu

The **B/A** line key LEDs of the boss's and delegate's phone illuminate solid green.

To answer an incoming call on a delegate's phone:

1. Press the **Answer** soft key or (or).

The boss's phone stops ringing and the LCD screen of the boss's phone is shown below:

🗹 Lin Wei	17:57 ₂₆ (\star jga 🔡
🗙 Ann	Answered by Merry	Lin Wei
≞ B/A	Hilswered by Herry)23
Status	History Directory	Menu

The B/A line key LEDs of the boss's and delegate's phone illuminate solid green.

Placing the Calls on Hold

To place a call on hold on a boss's phone:

1. Press the Hold soft key to place the call on hold.

The **B/A** line key LED of the delegate's phone flashes green. The Boss/Admin screen appears on the delegate's phone.

1. 2224 -	⇒ Lin Wei		
Back		1	Resume

To place a call on hold on a delegate's phone:

1. Press the Hold soft key to place the call on hold.

The **B/A** line key LED of the boss's phone flashes green. The Boss/Admin screen appears on the boss's phone.

1, 2224 ->	Lin Wei	
Back		Resume

Resuming the Held Calls

Either boss or delegate can resume the held call. Once one party resumes the call, the other party will drop the call automatically.

To resume a call held on a boss's phone:

Do one of the following:

- The boss presses the **Resume** soft key to resume the held call.

💶 Lin Wei)	Talking	(★ Jane 🔡
★ Hedy	2224-cgc	(★Linna
≞ B/A	🔴 Hold 🔐	123
EndCall	Resume NewCall	More

- The delegate presses the **B/A** line key to view the calls that are held by the boss.

1. 2224 -	-> Lin Wei	
Back		Resume

(A call from 2224 to Lin Wei)

Press the **Resume** soft key. The call will be resumed by delegate, and the boss will drop the call automatically.

To resume a call held on a delegate's phone:


Do one of the following:

- The delegate presses the **Resume** soft key to resume the held call.

Merry	Talking	(★ Jane
★ Hedy) 2224-ogo	(★Linna
₿B/A) 🛛 🛈 Hold 🔐	12
EndCall	Resume NewCall	More

- The boss presses the **B/A** line key to view the calls that are held by the delegate.

1. 2224 -	-> Lin Wei	
Back		Resume
Dack	<u> </u>	Thesume



Press the **Resume** soft key. The call will be resumed by the boss, and the delegate will drop the call automatically.

Transferring Calls to Boss Voicemails

If a boss is unavailable to answer calls, delegates can transfer the calls directly to a boss's

voicemail. The caller can follow the voice prompt to leave the voice mail.

To transfer a delegation call to the boss's voicemail:

Do one of the following:

- Before the delegate answers the incoming call:

Press the BossVM soft key to forward the incoming call to boss's voice mail directly.

The LCD screen of the delegate's phone is shown below:

[∠ Merry_	<u> 18:12 ns (</u>	2 +2227
2+222	Transfer to BOSS VM	+2529
₿B/A	Transfer to boos vir	12
Status	History Directory	Menu

- After the delegate answers the call:

Press More->BossVM to transfer the call to boss's voice mail directly.

The LCD screen of the delegate's phone is shown below:

Merry_	Transferred	2 + 2227)
■+222 & B/A	Transfer to BOSS VM	1+2529 1 2
EndCall	NewCall	

Making a Safe Transfer to Boss

After a delegate answers a delegation call, the delegate can transfer the call to the boss's phone using Safe Transfer, which enables the delegate to transfer the call to the boss's phone and prevent the call from going to the voice mail if the boss does not answer the call.

To make a safe transfer to a boss's phone:

1. Press More->SafeTran during a call. The call is placed on hold.

When the boss answers the call, the call will be transferred to the boss successfully.

(🖬 Merry) 🛙	alking		(🛛 +2227)
2+2224	2224-ogo		2+2529
≗ B/A	00:02	HD	12
Tran (BossVM Safe	eTran	More

When the boss is not available to answer the transferred call or rejects the transferred call, the delegate's phone displays as "Transfer failed". The delegate can resume the call.


Merry Transferred		(🛛 +2227)
2+2224	2224-ogc	2+2529
≞ B/A	Transfer failed	12
EndCall	Resume NewCall	Tran

Calling on Behalf of a Boss

The delegate can make calls on behalf of his assigned boss's lines.

To place a call on behalf of a boss's line:

- 1. Press Directory->SFB Directory->Bosses.
- 2. Selected the desired boss, and then press the **Option** soft key.
- **3.** Press (\bullet) or (\bullet) to select **On behalf**.



4. Enter the number or press the **Directory** soft key to select the desired contact, and then press (or, **#******) or the **Call** soft key.

The call displays "Calling On behalf of XXX" on the delegate's phone.

[✓Merry] Calling	[🔁 +2227]
Calling on behalf of L 2224-cgc	+2529
8 B/A	12
i de la constante de la consta	Cancel

The delegate displays a notification after the third-party answers the phone. As shown below:

Merry	Talking	+2227
2+2224	Calling on behalf of L	+2529
	/ To: 2224-cgc 00:01 цб ⁶	1 2
EndCall	Hold Coof	

Joining Conference Calls

The delegate can join an incoming conference call on behalf of a boss's line and add the boss to the conference call.

To add a boss's line to a conference call:

1. Press the **Answer** soft key to join an incoming conference call.

[🖪 Merry]	Lync Conf	7 +2227
+2224	2224-cgc	2+2529
₿ ₿/А	2529 00:03	12
EndCall	Invite Hold	More

2. If the conference needs the boss to be present, press the **Invite** soft key to add the boss's line to the conference.

The LCD screen of the delegate's phone is shown below:

 Mercy
 Long Cont
 2227

 WWWWWWNOtewwwWWW
 2529
 2529

 B/r
 2
 2

 Cancel
 OK
 0K

3. Press the OK soft key.

The LCD screen of the delegate's phone is shown below:

Mer	مد) vne Conf [[عد] ممصحححما Notewarawa	2227
2+ 2	Sending invitation!	2529
≜ B//	-	2

When the boss joins the conference call, the delegate can choose to continue or leave the conference.


[Merry]	Lync Conf	(7 +2227)
+2224	2224-ogc	+2529
	2529	
 B/A	01:01	12
EndCall	Invite Hold	More

Boss-Line Ringtone

As a delegate, you can set a distinct ringtone for your assigned boss's line. When you receive incoming calls from your assigned boss or your assigned boss receives an incoming call, your phone will play this ringtone.

To set a ringtone for the boss's line via phone user interface:

1. Press Menu->Settings->Basic Settings->Ring Tones->Boss Line.




- **2.** Press (\bullet) or (\bullet) to select a boss.
- **3.** Press (\bullet) or (\bullet) to select a ring tone.
- 4. Press the **Save** soft key to accept the change.

Delegates-call Ringtone

As a boss, you can set a distinct ringtone for incoming calls from your assigned delegate's line.

To set a ringtone for the delegate's line via phone user interface:

1. Press Menu->Settings->Basic Settings->Ring Tones->Delegates-call.



- **2.** Press (\bullet) or (\bullet) to select a delegate.
- **3.** Press () or () to select a ring tone.
- 4. Press the Save soft key to accept the change.

Inbound Private Line

If you sign into the phone using Onprem account, you can use inbound private line feature. Current Online environment does not support this feature.

The Skype for Business Server enables the system administrator to give users a second, private telephone line in addition to their primary telephone line. Private telephone lines are often assigned to bosses who want an unlisted telephone number at which they can be reached directly.

When the boss receives a private call, the private line will bypass call delegation and only his/her phone rings even though a secretary has been designated as his/her delegate for ring simultaneously feature.

The system administrator can assign a private line to boss in one of the following situations occurs:

- The boss doesn't want to miss important calls denied by his DND status.
- The boss doesn't want the delegate to answer some important or confidential calls for him.
- The boss wishes his friends and families to reach him directly or bypass his delegate.

In many organizations, bosses have administrative secretaries who answer their office phones for them. This is easily accomplished on the Skype for Business Server by using call delegation. As a result, if one people dial the primary line of the boss, the phones of the delegate will ring simultaneously. If the people dial the private line of the boss, only boss's phone rings.

Characteristics of Private Lines:

- A user can have only one private line.
- A user with a private line has only one voice mailbox.
- Calls to the private telephone line ring through. They do not follow "Do Not Disturb" rules.
- Private lines are inbound only and cannot be used to make outgoing calls.
- None of the following features are available with a private telephone line: delegation, and Response Group application.

For more information on planning for private telephone lines, refer to Plan for private telephone

lines.

When receiving a private call, the screen of the phone will prompt "Call for private line":



Note

Private lines can only be configured on the Skype for Business client only. Contact your administrator for more information.

Private Line Tones

Private line tone feature allows the Skype for Business phone to play a specific ring tone when receiving a private call.

To select a ring tone for the private line via phone user interface:

1. Press Menu->Settings->Basic Settings->Ring Tones->Private Line Tones.

1. Normal Ringtone	1
2. Private Line Tones	
3. Team-call	0
4. Response Group	U
Back	Enter

- **2.** Press (\bullet) or (\bullet) to select the desired ring tone.
- 3. Press the Save soft key to accept the change.

A ring tone for the private line is configurable via web user interface at the path **Settings**->**Preference**->**Private line ring**.

Call Transfer

You can transfer a call to another party in one of the two ways:

- Blind Transfer: Connect a second party to a third party before the third party answers.
- Consultative Transfer: Connect a second party to a third party after the third party answers and agrees to take the call from the second party.

Blind Transfer

To perform a blind transfer during a call:

- 1. Press the Tran soft key during a call.
- 2. Enter the number or press the **Directory** soft key to select the desired contact from the

contact list you want to transfer the call to.

You can also enter the first few continuous characters of the contact name, phone number or the contact address, and then press the navigation keys to scroll through the result list and select the desired contact.

🔳 Lin Wei	Transfer to:	2/2	(L Daisy)
★2529)2248		Hedy
May)Merry(2248@y	ealink	⊡William
Tran	123 De	elete	Cancel

3. Press the Tran soft key to complete the transfer.

Then the call is connected to the number to which you are transferring.

Consultative Transfer

To perform a consultative transfer:

- 1. Press the Tran soft key during a call.
- 2. Enter the number or press the **Directory** soft key to select the desired contact from the contact list you want to transfer the call to.

You can also enter the first few continuous characters of the contact name, phone number or the contact address, and then press the navigation keys to scroll through the result list and select the desired contact.

- 3. Press (OK) or **#**seno to dial out.
- 4. After the party answers the call, press the **Tran** soft key to complete the transfer.

Group Call Pickup

If you sign into the phone using Onprem account, you can use group call pickup feature. Current Online environment does not support this feature.

Group call pickup is used for picking up incoming calls within a pre-defined group. If the group receives many incoming calls at once, the user will pick up the first incoming call, by dialing the group pickup code. This feature depends on support from a Skype for Business Server.

Note Group and group pickup code are configurable on the Skype for Business Server only. Contact your system administrator for more information.

To use group pickup via phone user interface:

1. Enter the group pickup code (e.g., #505) on your phone when a phone number in your group receives an incoming call.

[∠ Lin Wei] 2216:	(🗳 Daisy)
★2529 #505	■Hedy
May	₩William
Call 123	Delete Cancel

2. Press the Call soft key.

The call is answered on your phone.

Skype for Business Conference

This chapter provides basic operating instructions for managing Skype for Business conference. You can initiate a Skype for Business conference call on your phone or on the Skype for Business client. You can view the conference participants. And you can also manage the conference participants (e.g., promote or demote conference participants, enable or disable announcements).

Initiating a Skype for Business Conference Call

You can initiate a Skype for Business conference call on your phone or on the Skype for Business client.

Note You can join a Skype conference from the calendar. For more information, refer to Joining Skype Conferences from the Calendar on page 89.

Initiating a Skype Conference Call during a Call

Initiating a Skype Conference Call from the Phone

You can initiate a Skype for Business conference call, add and invite contacts to a conference call from phone.

To initiate a Skype for Business conference call via phone user interface:

- **1.** Place a call to the first party.
- When the first party answers the call, press the Conf soft key to invite a new call to the Skype for Business conference.
- Enter the number of the third party, and then press or the Call soft key.
 You can also enter the first few continuous characters of the contact name, phone number or the contact address, and then press the navigation keys to scroll through the result list and select the desired contact.
- 4. When the third party answers, three parties are now joined in the Skype conference.

[🛛 Lin Wei] L	.ync Conf		(★Lin Wei)
★ Ann	Men	ry -	+2224
Ĭ	2224-		
★ jga	00:	29	123
EndCall	Hold	Add	More

- 5. Press the Add soft key to invite a new party.
- 6. Repeat the steps 3-4 to add more parties to the conference.

Initiating a Skype Conference Call from the Skype for Business Client

You can initiate a Skype conference call on the Skype for Business client.

To initiate a Skype for Business conference call from the Skype for Business Client:

1. Place a call to the first party.




2. Click to enter the number or name of the third party, and then click **OK** to invite a new call to the Skype for Business conference.

9	Lin Wei		E ⊮ ^π − □ ×
🐣 2 Participa	3	×	. 111 4:07 2 +
	Choose a contact or type a name or phone number.	×	
	25		
	2529 - Available - Video Capable		
	80055-cgc - Offline 17 hours		
9	<u> </u>	ancel	2

You can also enter the first few characters of the contact name or the contact number. Then select the desired contact from the result list, the call will be placed directly.

- 3. When the third party answers, three parties are now joined in the conference.
- **4.** Click **(L+)** to invite a new party.
- 5. Repeat the steps 2-3 to add more parties to the conference.



Join Calls into a Conference

Joining Two Calls into a Conference from the Phone

You can join an active call and a held call into a conference call from the phone.

To join two calls into a conference call from the phone:

1. Place a call to the first party.

2. When the first party answers the call, press the **Hold** soft key to place the call on hold.

Merry	Talking		[]
★ Jack	j 22:	16	
₿B/A) Он	lold HD	
EndCall	Resume	NewCall	More

- 3. Press the NewCall soft key to place a new call.
- 4. Enter the number of the third party, and then press the **Call** soft key.

You can also enter the first few characters of the contact name or the contact number. Then select the desired contact from the result list, the call will be placed directly.

- 5. When the third party answers, press the **Conf** soft key.
- **6.** Press (\bullet) to select the contact that is held.
- 7. Press the Merge soft key.

The active call and the held call are joined into a conference.

Merry Conf:	2/2	
🖈 Jack		
B/A 1.(HOL	D)	
Merg	e Director	y Cancel

8. Press the Add soft key, and dial other numbers to invite more parties.

Joining Two Calls into a Conference from the Skype for Business Client


To initiate a Skype for Business conference call from the Skype for Business Client:



1. Place a call to the first party.

- 2. Click 🐼 -> 🕕 to place the call on hold.
- 3. Enter the first few characters of the contact name or the contact number in the search box.

4. Hover the mouse over the avatar of the contact, and then click **(**).



- 5. When the third party answers, click .
- 6. Select Merge This Call Into, and then click the held call.



Three parties are now joined in the conference.

9	Conversation (3 Participants)	– 🗆 🗙
PARTICIPANTS		×
Presenters (3)		
		• • • •
• 2529		9 J = .
 Hedy Lin Wei 		9 J m W
Lin wei		ý ý e é
Invite More People	Participant Actions	
Ş		2 °

7. Click **Invite More People** to add more parties to the conference.

Initiating a Skype Conference Call by Meet Now

Initiating a Skype Conference Call from the Phone

To initiate a Skype for Business conference call by meet now via phone user interface:

1. Press Menu->Meet Now.

1.	Lock	
2.	Status	H
з.	Features	
4	Meet Now	
	Exit Exit	Enter

You will initiate a Skype for Business conference call directly.

- 2. Press the Add soft key.
- 3. Enter the desired number, and then press the Call soft key.


You can also press the **Directory** soft key or line key to select the desired contact.

4. Repeat the steps 2-3 to add more parties to the conference.

Initiating a Skype Conference Call from the Skype for Business Client

To initiate a Skype for Business conference call by meet now from the Skype for Business client:

1. Click I on the Skype for Business client, and then select Meet Now.



You will initiate a Skype for Business conference call directly.

2. Click to enter the number or name of the third party, and then click **OK** to invite a new call to the Skype for Business conference.

You can also enter the first few characters of the contact name or the contact number. Then select the desired contact from the result list, the call will be placed directly.


3. Repeat the step 2 to add more parties to the conference.

Viewing the Dial-in Number and Conference ID

You can view the dial-in number and conference ID when you initiate or join a Skype for Business conference.

To view the dial-in number and conference ID via phone user interface:

 During a Skype for Business conference, press More->ConfInfo to view the dial-in number and conference ID.



2. Notify other parties of the dial-in number and conference ID, other parties can use the dial-in number and conference ID to join this Skype for Business conference. If this conference is locked, anyone that tries to join the call will enter the lobby until the organizer or presenters accept(s) the call. For more information, refer to Locking or Unlocking the Conference on page 125.

Viewing the Conference Participants

When you initiate or join a conference call, you can view the conference participants.

To view the conference participants via phone user interface:

 Press More->Members to view the conference participants' information during a conference.

Conf User Information	
1.Lin Wei	
2.Merry	4
3.2224-cgc	2.
Back	

The conference information includes organizer (), presenter () and attendee (). For more information on conference roles, refer to Joining Skype Conferences from the Calendar on page 89.

- **2.** Press (\bullet) or (\bullet) to view the conference participants information.
- 3. Press the **Back** soft key to return to the pervious screen.

Managing the Conference Participants

When you initiate a Skype for Business conference call, you will be an organizer and other participants are listed as presenters by default.

Holding or Resuming the Conference Call

All participants can place the conference call on hold.

To place the conference call on hold:

1. Press the Hold soft key during an active conference call.

Other participants can hear each other.

🖪 Lin Wei	Lync Conf	(★Lin Wei)
★ Ann	Merry	+2224
\star jga	2224-ogc	123
EndCall	Resume NewCall	More

Note

The phone will beep softly every 30 seconds to remind you that you still have a call on hold.

To resume the held conference call:

1. Press the Resume soft key.

Muting or Unmuting Conference Participants

All participants can mute or unmute themselves. But only the organizer and presenters can mute or unmute other conference participants.

To mute the conference participants by organizer or presenters:

- 1. Press More->Members.
- **2.** Press \frown or \bigcirc to select the desired participant.

Conf User Information-	
1.Lin Wei	▲ [
2.Merry	4
3.2224-cgc	4
Back FarMute Remove	Attendee

3. Press the FarMute soft key.

The muted participant can hear other participants, but other participants cannot hear the muted participant.

The mute icon \mathbf{y} is displayed at the right of the participant who is muted.

Conf User Inform	nation
1.Lin Wei	
2.Merry	4
3.2224-cgc	4 ,
Back UnMute Rem	nove Attendee

The mute key LED of the muted participant's phone illuminates solid red. The LCD screen of the muted participant's phone is shown below:

Merry Lync Conf	7 +2529
Lin Wei	1 2224)
2224-ogc	
+2227 A presenter muted y	Lin Wei
EndCall Hold Add	More

To unmute the conference participants by organizer or presenters:

- 1. Press More->Members.
- 2. Press (\bullet) or (\bullet) to select the desired muted participant.

Conf User I	information
1.Lin Wei	▲ [
2.Merry	🎝 🖗
3.2224-ogc	*
Back UnMute	Remove Attendee

3. Press the UnMute soft key.

The LCD screen of the muted participant's phone is shown below:

[IMerry] Lync Conf	(7 +2529)
Lin Wei	2224)
2224-cgc	Lin Wei
EndCall Hold Add	More

4. The muted participants press 👔 to unmute.

Promoting or Demoting Conference Participants

The organizer and presenters can promote other conference participants from attendees to presenters, or demote conference participants from presenters to attendees. But they cannot demote or promote themselves. The presenters cannot demote or promote the organizer. The attendees cannot promote or demote every participant.

To demote conference participant:

- 1. Press More->Members.
- **2.** Press (\bullet) or (\bullet) to select the desired presenter.

Conf User Information-	
1.Lin Wei	∔ [
2.Merry	4
3.2224-cgc	4
Back FarMute Remove	Attendee

3. Press the Attendee soft key to demote a presenter (2) to attendee (2).

To promote conference participant:

- 1. Press More->Members.
- 2. Press () or () to select the desired attendee.

Conf User Information-	
1.Lin Wei	_ ⊥ ∏
2.2224-cgc	4
3.Merry	
Back FarMute Remove	Presenter

3. Press the **Presenter** soft key to promote an attendee (\mathbf{x}_{1}) to presenter (\mathbf{x}_{2}).

Enabling or Disabling the Announcement

Only the organizer and presenters can enable or disable the announcement. When the announcement feature is enabled, the phone will issue a voice message to announce that a participant joins or leaves the conference.

To disable conference announcements:

1. During a conference call, press More->U.Anc to disable announcement.

🖪 Lin Wei	Lync Conf	(★Lin Wei)
Ann	Merry	2+2224
★ jga	2224-cgc 03:46	123
Members	U.Anc ConfL	ock More

To enable conference announcements:

1. During a conference call, press More->E.Anc to enable announcement.

🖪 Lin Wei 🛛	Lync Conf	(★Lin Wei)
★ Ann	Merry	+2224
	2224-ogc	
,★ jga	04:06	123
Members I	E.Anc ConfL	ock More

Locking or Unlocking the Conference

Only the organizer and presenters can lock or unlock the conference.

The organizer and presenters can lock a conference call to prevent other people from joining the conference call without an organizer's or presenter's approval.

To lock a conference:

1. During an active conference, press More->ConfLock to lock the conference.

🛛 🛛 Lin Wei 🛛	.ync Conf	🛧 Lin Wei
★ Ann	Merry	+2224
Ĭ	2224-cgc	
★ jga	03:46	123
Members	U.Anc ConfL	.ock More

The icon \Box appears on the LCD screen. Anyone that tries to join the call will enter the lobby until the organizer or presenters accept the call.

💶 Lin Wei 🛛 Lync Conf	🖈 Lin Wei
Ann Merry	+2224
2224-cgc ★jga ⊖ 05:08	123
EndCall Hold A	dd More

To unlock a conference:

1. During an active conference, press More->UnLock to unlock the conference.

The icon \square_{τ} disappears on the LCD screen.

💶 Lin Wei 🛛 Ly	nc Conf	(★Lin Wei)
Ann 🗍	Merry 2224-eas	+2224
\star jga 🛛 🖯	2224-cgc 00:46	123
Members	Anc UnLock	More

Joining a Locked Conference Call

The conference participants can invite you to join a locked conference, you can also join locked conference by dialing dial-in number and Conference ID. For more information, please refer to Joining a Skype Conference by Dialing the Conference Dial-in Number on page 91.

The participant invites a new call to a locked conference:

1. Press the Add soft key to invite a new call.

🖪 Lin Wei	Lync Conf	(★Lin Wei)
Ann 🕈	2224-cgc 2 Members	+2224
🗲 jga		123
EndCall	Hold Add	More

The invitee will enter the lobby until the organizer or presenters accept the call. The LCD screen of the organizer's or presenters' phones is shown below:

🖪 Lin Wei	Lync Conf		🗲 Lin Wei
★ Ann	2224	*	+2224
(★ jga	' 2 Merr ि⊖1 is wa		123
EndCall	Hold	Add	More

The organizer or presenters admit a new call to join a locked conference:

When the locked conference receives a call, a number icon (indicating the number of calls waiting in the lobby) will appear on \Box .When the organizer admits or rejects the caller to join the locked conference, the number icon \Box (indicating a call waiting in the lobby) will disappear.

1. Press More->Lobby to view the caller waiting in the lobby.

Lobby			
	Admit	I Rejec	t
		Lobby-	

- **2.** Do one of the following:
 - Press the Admit soft key.

The caller joins the locked conference as a presenter successfully.

- Press the **Reject** soft key.

The caller fails to join the locked conference, and the caller drops the call automatically.

Lin Wei Lync Conf	(★Lin Wei
★Ann 2224-cgc	+2224
2 Members	
<u>★jga</u> ↔ 05:50	123
EndCall Hold Add	_ More _

Removing Conference Participants

All conference participants cannot remove themselves. An organizer can remove presenters and attendees. A presenter can remove other presenters and attendees.

To remove a conference participant:

- 1. Press More->Members.
- 2. Press () or () to select the desired participant, and then press the **Remove** soft key to remove the participant from the conference.

Conf User Informatio	on
1.Lin Wei	
2.Merry	.
3.2224-ogc	2.
Back FarMute Remove	Attendee

A notification prompts that the participant is removed.

	-Conf User Information
1.Lin Wer	▲ [
2.2224-	2248 Has left the meeting 🔣 📕
)
Back	FarMute Remove Attendee

Leaving the Conference

All participants can leave the conference at any moment.

To leave the conference:

1. Press the EndCall soft key.

Other participants remain connected.

Call Park

You can use call park feature to place a call on hold, and then retrieve the call later or from another phone in the system (for example, a phone in another office or conference room). You can park an active call by pressing the **Park** soft key on the phone. If the call is parked successfully, a visible prompt will be displayed on the LCD screen of each party confirming that the call was parked.

Call park is different from call hold. Call hold keeps the held call on the same line, while call park places the call in a call orbit on the Skype for Business Server. Calls placed in the call orbit are given an orbit number and can be retrieved by any Skype for Business-compatible phone with access to the orbit.

To use call park:

1. User on phone A is during a call with user on phone B.

2. User on phone A wants to deal with some things or take the call in a conference room for privacy, then presses the **More**->**Park** soft key on phone A.

🔳 Lin Wei)	Talking		(★Lin Wei)
Ann 🗎	Merry		2+2224
★ jga	00:13	HD	123
Tran	Park		More

The LCD screen of phone A displays the call park orbit number.

💶 Lin Wei) Parked	(★Lin Wei)
Ann d.Dial#147 to pick up	+2224
★jga 00:14	123
Retrieve	NewCall

To retrieve the parked call on phone A:

After things are processed, user on phone A presses the **Retrieve** soft key to retrieve the parked call directly.

To retrieve the parked call on phone C:

User walks to an available conference room where the phone is designated as phone C. The user uses phone C to dial the call park orbit number (appearing on phone A) to retrieve the parked call.

The LCD screen of phone A will prompt that the parked call is retrieved by phone C (user Lin Wei in the following figure).

💶 Lin Wei		(★Lin Wei)
★ Ann	Retrieve by 2224-cg	+2224
\star jga	00:17	123
Retrieve		NewCall


Two-way voice path is established between phone C and B.

Note If the call is hung up by the other party before parker retrieves the parked call, the prompting message "Parked user ended call before being retrieved" will be displayed on the LCD screen of parker.

The parker will receive a ring back if the parked call is not retrieved by anyone after timeout expires. If the parker does not answer or reject the ring back, the call will be terminated and will not get redirected to voice mail.

Voice Mail

You can leave voice mails for someone else using the T42G Skype for Business phone. You can also listen to voice mails that are stored in a voice mailbox. When receiving a new voice mail, the phone will play a warning tone. The power indicator LED will slow flash red, and the LCD screen will prompt "n New Voice Mail(s)" ("n" indicates the number of unread voice mails, e.g., 18 New Voice Mail(s)) and display an icon $\boxed{00}$.



Leaving the Voice Mail

You can leave a voice mail for someone else when he/she is busy or inconvenient to answer the call. Follow the voice prompt from the system server to leave a voice mail, and then hang up.

Managing the Voice Mail

PIN Authentication

When you sign into the phone using PIN Authentication method, you can follow the voice prompts to listen to voice mails only.

To listen to the voice mail when sign into the phone using PIN Authentication, do the following:

1. When the LCD screen prompts that the phone receives a new voice mail and the power indicator LED illuminates solid red, press are or the **Connect** soft key.



2. Follow the voice prompt to listen to your voice mails.

To view the voice mail when sign into the phone using PIN Authentication, do the following:

1. Press Menu-> View Voice Mail.

2. The LCD screen displays the amount of new and old voice mails.

Back	Connect

3. Press the **Connect** soft key to listen to voice mails.

User Sign-in/Web Sign-in/Sign in via PC

When you sign into the phone using User Sign-in, Web Sign-in or Signing in via PC method, you can manage the voice mail, includes viewing a list of voice mails, call back to those who left the voice mails list, mark voice mails as read, delete voice mails and follow the voice prompts to listen to voice mails, etc.

Accessing the Message Center

To access the message center:

- **1.** Do one of the following to enter the message center:
 - When the LCD screen prompts that the phone receives a new voice mail and the power indicator LED illuminates solid red, press or the **Connect** soft key.
 - When the phone is idle, press Menu->View Voice Mail->Msg soft key.

•	^	·II	—11/38 →
\sim 2529		Sat Dec 2	26
2529		Sat Dec 2	26
√2529		Sat Dec 2	26
Back	Msg	Detail	Play

2. Follow the voice prompts to listen to the voice mails.

Note First time you listen to your voice mails, the message center will ask you to configure a voice mail access PIN.

When all new voice mails are retrieved, the flashing power indicator LED will go out and the icon oowill disappear.

Listening to the Voice Mail

To listen to the voice mail:

1. Press Menu->View Voice Mail.

•	AII11/38∳
\sim 2529	Sat Dec 26
₩2529	Sat Dec 26
₩2529	Sat Dec 26
Back I	Msg 🚺 Detail 📘 Play

2. Press ()or () to switch between unread voice mails and all voice mails.

•	
\sim 2529	Sat Dec 26
₩2529	Sat Dec 26
∕2529	Sat Dec 26
Back	Msg Detail Play

- **3.** Press () or () to select the desired voice mail.
- **4.** Press the **Play** soft key, the phone will connect to the Exchange server to play the selected voice mail.
- **Note** The phone can accept an incoming call while it is connected to Exchange to play a single or all voice mails. The call with the exchange becomes hold when the phone accepts the incoming call.

Calling a Contact

To call a contact:

1. Press Menu->View Voice Mail.

•	All	
\sim 2529	Sat Dec	26
√2529	Sat Dec	26
√2529	Sat Dec	26
Back I	Msg 🚺 Detail	Play

- **2.** Press (\bullet) or (\bullet) to select the desired voice mail.
- **3.** Press the **Detail** soft key to view the detail, and then press the **Call** soft key to call the contact.

Name:		2216	
Number:		2216	
Status:		In a confical	
Time:		Wed Jul 27	U
Back	Mark	Delete	Call

Marking the Voice Mail as Read

The following icons indicate the status of the voice mail:

- Unread voice mail
- 📩 Read voice mail

To mark the voice mail as read:

- 1. Press Menu->View Voice Mail.
- **2.** Press (\bullet) or (\bullet) to select the unread voice mails.

The voice mail icon will change from \bigvee to \bigcirc .

3. Press the **Detail** soft key to view the detail, and then press the **Mark** soft key.

Name:		2216	
Number:		2216	
Status:		In a conf call	
Time:		Wed Jul 27	
Back I	Mark	Delete	Call

Deleting the Voice Mail

To delete the voice mail:

- 1. Press Menu->View Voice Mail.
- 2. Press (•) or (•) to select the desired voice mail.
- 3. Press the **Detail** soft key to view the detail, and then press the **Delete** soft key.

The voice mail you selected will be deleted directly.

Name:	2216	
Number:	2216	
Status:	In a conf call	
Time:	Wed Jul 27	U
Back I	Mark Delete Call	Ì

Multicast Paging

You can use multicast paging to quickly and easily broadcast time sensitive announcements to users who are listening to a specific multicast group. You can configure the paging list on the phone, which allows you to send a Real Time Transport Protocol (RTP) stream to the pre-configured multicast address(es) without involving SIP signaling. You can configure the phone to receive an RTP stream from pre-configured multicast listening address(es) without involving SIP signaling. You can specify up to 10 multicast listening addresses.

Sending RTP Stream

To configure paging list via phone user interface:

- 1. Press Menu->Features->Paging List.
- **2.** Press (\bullet) or (\bullet) to select a desired paging group.

The default tag is Empty if it is not configured before.

1. (Empty)	
2. (Empty)	
3. (Empty)	
4 (Empty)	
Back	Option Paging

- 3. Press the **Option** soft key, and then press the **Edit** soft key.
- **4.** Enter the multicast IP address and port number (e.g., 224.5.6.20:10008) in the **Address** field.

The valid multicast IP addresses range from 224.0.0.0 to 239.255.255.255.

Edit Pag	ing Address—	
 Address: 224.5.6.20:10008 		
Back 123	Delete	Save

- 5. Enter the group name in the Label field.
- 6. Press the Save soft key to accept the change.

If the paging group is configured successfully, the second line key is assigned as the paging list key automatically. You can press it to enter the paging list.

E 2216		0011	? +2224
Paging	Tue o	Jan 19	2228
★ Ann	+2	216	123
Status	History	Directory	Menu

7. Repeat steps 2 to 6, you can add more paging groups.

To delete a paging group via phone user interface:

- Press the second line key (indicating the paging list key) or press
 Menu->Features->Paging List when the phone is idle.
- **2.** Press (\bullet) or (\bullet) to select a desired group.
- 3. Press the **Option** soft key, and then select **Delete** soft key.

The LCD screen prompts "Delete selected paging group?".



4. Press the **OK** soft key to accept the change or the **Cancel** soft key to cancel.

If you want to delete all paging groups, you can press the **Del All** soft key.

Paging list is configurable via web user interface at the path Directory->Multicast IP.

You can also configure the phone to use a codec for sending multicast RTP stream via web user interface.

To configure a default codec for multicast paging via web user interface:

- 1. Click on Features->General Information.
- Select the desired codec from the pull-down list of Multicast Codec. The default codec is G722.

	Status	Account	Network	Features	Settin	gs	Directory	Security		
	Genera	al Information	0					NOTE		
General Information	Call	Waiting		Enabled	•	0				
Audio	Key	As Send		#	-	0		Call Waiting This call feature		
AUDIO	Hot	line Number						phone to accep calls during the		
Remote Control	Hot	line Delay(0~10s)		4				Key As Send Select * or # as	s the send ke	
LED	Busy	y Tone Delay (Sec	onds)	0	•	0				
	Reti	Return code when refuse		603 (Decline)	-	0		You can click here to get more guides.		
	Tim	e-Out for Dial-Now	Rule	1		0				
	Dial	Search Delay		1		0				
	180	Ring Workaround		Disabled	•	0				
	Save	e Call Log		Enabled	•	0				
	Sup	press DTMF Display	1	Disabled	•	0				
	Sup	press DTMF Display	/ Delay	Disabled	•	0				
	Play	Local DTMF Tone		Enabled	•	0				
	DTM	IF Repetition		3	•	0				

3. Click **Confirm** to accept the change.

Default codec for multicast paging is configurable via web user interface only.

Receiving RTP Stream

You can configure the phone to receive a Real Time Transport Protocol (RTP) stream from the pre-configured multicast address(es) without involving SIP signaling. You can specify up to 10 multicast addresses that the phone listens to on the network.

How the phone handles incoming multicast paging calls depends on Paging Barge and Paging Priority Active parameters configured via web user interface.

Note If G722 codec is used for multicast paging, the LCD screen will display the **HD**[®] icon to indicate that it is providing high definition voice.

Paging Barge

The Paging Barge parameter defines the priority of the voice call in progress. If the priority of an incoming multicast paging call is lower than that of the active call, it will be ignored automatically. If Disabled is selected from the pull-down list of Paging Barge, the voice call in progress will take precedence over all incoming multicast paging calls. Valid values in the Paging Barge field:

- 1 to 10: Define the priority of the active call, 1 with the highest priority, 10 with the lowest.
- Disabled: The voice call in progress will take precedence over all incoming paging calls.

Paging Priority Active

The Paging Priority Active parameter decides how the phone handles incoming multicast paging calls when there is already a multicast paging call on the phone. If enabled, the phone will ignore incoming multicast paging calls with lower priorities, otherwise, the phone will answer incoming multicast paging calls automatically and place the previous multicast paging call on hold. If disabled, the phone will automatically ignore all incoming multicast paging calls.

To configure multicast listening addresses via web user interface:

- 1. Click on Directory->Multicast IP.
- 2. Select the desired value from the pull-down list of Paging Barge.
- 3. Select the desired value from the pull-down list of Paging Priority Active.
- **4.** Enter the multicast IP address(es) and port number (e.g., 224.5.6.20:10008) which the phone listens to for incoming RTP multicast in the **Listening Address** field.
- 5. Enter the label in the Label field.

Label will appear on the LCD screen when receiving the multicast RTP stream.

	Status	Account	Network	Features	Settings	Directory	Security
ocal Directory	Multicast Li	stening					NOTE
lulticast IP		Paging Barge		10	~		contacts-multicastIP-note
ettings		Paging Priority	Active	Enabled	~		You can click here to get
g-	IP /	Address	Listening Add	Iress	Label	priority	more guides.
	1 IP	Address	224.5.6.20:1000	18	Test	1	
	2 IP	Address				2	
	3 IP	Address				3	
	4 IP	Address				4	
	5 IP	Address				5	
	6 IP	Address				6	
	7 IF	Address				7	
	8 IF	Address				8	
	0.10	Address				9	

6. Click **Confirm** to accept the change.

Note

The priorities of listening addresses are predefined: 1 with the highest priority, 10 with the lowest. Multicast listening addresses are configurable via web user interface only.

Using Multicast Paging

To send RTP stream via the paging list:

- **1.** Do one of the following to enter the paging list.
 - When the phone is idle, press the second line key (indicating the paging list key) or press Menu->Features->Paging List.
 - During a call, press the second line key (indicating the paging list key).
 - During a call, press Hold->NewCall, and then press the second line key (indicating the paging list key).
- **2.** Press (\bullet) or (\bullet) to select the desired group.

1. Test	n i i i i i i i i i i i i i i i i i i i
2. (Empty)	
3. (Empty)	
4. (Empty)	
Back	Option Paging

3. Press (or the **Paging** soft key to send RTP.

Both the sender's and receiver's phones play a warning tone and the receiver automatically answers the multicast RTP session in the speakerphone mode.

The following figure shows a multicast RTP session on the phone:

💶 Lin Wei 📔	Falking	(🔁 +222	4]
Paging	Test	2228	D
★ Ann	00:18	HD 🕄 🕄	3)
EndCall	Hold		

4. To place the current multicast RTP session on hold, press the Hold soft key.

The sender's phone places the multicast RTP session on hold and receiver's phone releases the session.

5. To resume the held multicast RTP session, press the **Resume** soft key.

The multicast RTP session is established again.

6. To end the multicast RTP session, press the EndCall soft key.

Note Multicast RTP is one way only from the sender to the multicast address(es) (receiver). For outgoing RTP multicasts, all other existing calls on the phone will be placed on hold.

Branch Office Resiliency

If you sign into the phone using Onprem account, you can use branch office resiliency feature. Current Online environment does not support this feature.

Branch office resiliency is critical for multi-site deployments of Skype for Business where the

control servers are located at a central site or data center. It allows branch site users to continue to have Enterprise Voice service and voice mail (if voice mail rerouting settings are configured) when the branch site loses the connection to the central site.

When the WAN connection between the branch site and central site is unavailable, the phone goes into resiliency mode:

- Branch site user on the phone stays signed in with an indication of "Limited service due to outage".
- Call between branch site users is established successfully with 2-way audio.
- Conference between branch site users can be established successfully.
- The call history cannot get modified. (Already downloaded call log entries will not be deleted).
- Calls can be placed from the call history on the phone.
- Contact list is unavailable but you can search for a contact on the phone.
- Presence icon on the phone LCD screen is displayed as ? (Unknown).
- User is not able to change his presence status manually.
- User is not able to use calendar feature.
- User is not able to receive the voice mail as exchange is unreachable.
- Calls between the branch office phones can be transferred to another branch site user.
- Call forward settings cannot be changed.

When the WAN connection between the branch site and central site becomes available, the phone comes out of resiliency mode automatically. Notification of resiliency is automatically dismissed, and you can use phone features as normal.

Note For more information on branch office resiliency, contact your system administrator.

Common Area Phone

Common area phones are Skype for Business phones that are not associated with an individual user. Instead of being located in someone's office, common area phones are typically located in building lobbies, cafeterias, employee lounges, conference rooms, and other locations where a large number of people are likely to gather. Unlike other phones on the Skype for Business Server, which are typically maintained by using voice policies and dial plans that are assigned to individual users, common area phones do not have individual users assigned to them.

Your system administrator provides you with login credentials that you can use to sign into a Common Area Phone.

This chapter explains how to use the Common Area Phone. Topics include:

- Signing into a Common Area Phone
- Using a Common Area Phone
- Switching to a Skype for Business Account
- Signing Out of a Common Area Phone

Signing into a Common Area Phone

To use the Common Area Phone, you must sign into the phone using PIN Authentication or Web Sign-in method.

You need to configure an unlock PIN at the initial sign-in. And it is used to enter the **Advanced Settings**.

If the phone signs into a CAP account, the idle screen will be shown as below:



Note

Your system administrator provides you with login credentials that you can use to sign into a Common Area Phone.

Using a Common Area Phone

Users should pay attention to the following points when using the Common Area Phone:

• The phone can sign into the last CAP account automatically after the phone recovers from network failure, sever failure or being off line. The phone can sign into the last CAP account automatically after rebooting.

• The phone will not sign into the last CAP account automatically after being reset to factory.

Available features of the Common Area Phone:

- The Common Area Phone supports the basic call features, including placing the call, answering the call, placing the call on hold, resuming a held call, muting or unmuting the call and ending the call like a regular phone.
- The Common Area Phone supports switching between a CAP account and a Skype for Business account.
- The Common Area Phone supports the local directory feature.
- The Common Area Phone will switch to away status when screen free time reaches to the set time of the Skype for Business Server.
- If the network administrator enables the advanced feature (e.g., Skype for Business conference, the call park feature, transferring the call) on the Skype for Business Server, you can use these authorized features.

Unavailable features of the Common Area Phone:

- The Common Area Phone doesn't have Skype for Business directory.
- The Common Area Phone doesn't have call history feature.
- The Common Area Phone doesn't have phone lock feature, the unlock PIN is used as the administrator password to access the Advanced Settings.
- The Common Area Phone doesn't have calendar feature.
- The Common Area Phone doesn't have voice mails feature.
- You can't change your presence manually.
- If the network administrator disables the advanced feature (e.g., Skype for Business conference, the call park feature, transferring the call) on the Skype for Business Server, you can't use these unauthorized features.

Switching to a Skype for Business Account

If the network administrator enables the sign-in configuration on the Skype for Business Server, users can sign into their own Skype for Business account to use Skype for Business features and their own user profile settings.

To switch a CAP account to a Skype for Business account:

1. Press the Sign in soft key when the phone is idle.



2. Press () or () to select the desired sign-in method, and then enter your information to sign in a Skype for Business account.

For more information on sign-in, refer to Signing into Skype for Business on page 17.

1.	PIN Authentication
2.	User Sign-in
з.	Web Sign-in
	Back OK

3. Press the Sign in soft key.

No matter whether you sign out of the Skype for Business account, the phone will sign into the last CAP account automatically after a period of time. The time is specified on the Skype for Business Server by system administrator.

Note If you switch to another CAP account, your phone will never sign into the last CAP account again.

Signing Out of a Common Area Phone

System administrator can sign out of the CAP account. Once the CAP account is signed out, the phone will not sign into the last CAP account automatically. User can sign into other CAP account or Skype for Business account.

To sign out of a Common Area Phone:

 Press Menu->Settings->Advanced Settings (default password: admin or the unlock PIN) ->CAP Sign Out.

7. Firmware Update	
8. FWD International	
9. Account Lock	
10. CAP Sign Out	
Back	Enter

The current CAP account will sign out.

Better Together over Ethernet

Better Together over Ethernet (BToE) feature on Yealink T42G Skype for Business phones enables you to control call activity from your phones and your computer using your Skype for Business client. You can also use BToE to sign into your phone using your Skype for Business credentials. In order to use BToE, you need to download and install the Yealink BToE Connector application.

This chapter explains how to download and install the Yealink BToE Connector application, and how to enable and use BToE feature. Topics include:

- Getting Started with Better Together over Ethernet
- Installing the Yealink Better Together over Ethernet Connector
- Enabling Better Together over Ethernet
- Using Better Together over Ethernet
- Disabling BToE on Your Phone
- Exiting BToE on Your Computer
- Uninstalling the Yealink BToE Connector

If you require additional information or assistance, contact your system administrator.

Getting Started with Better Together over Ethernet

To enable and use BToE, you need to ensure the following requirements are available on your PC:

- Skype for Business client
- A registered Skype for Business user (Obtain Skype for Business credentials from your system administrator)
- Running Windows Vista or later
- Administrator privileges are needed to install the Yealink BToE Connector

Installing the Yealink Better Together over Ethernet


Connector

The Yealink BToE Connector enables you to use BToE feature on your Skype for Business client and T42G Skype for Business phone. You need to download, install, and start the Yealink BToE Connector application before enabling BToE and pairing your phone with the Skype for Business client. This section shows you how to download and install the Yealink BToE Connector application on your PC. Ask the Yealink FAE or reseller for the BToE Connector application, or download it online: http://support.yealink.com/documentFront/forwardToDocumentFrontDisplayPage.

To install the Yealink BToE Connector on your PC:

- **1.** Unzip the downloaded file.
- 2. Double click the installation application Yealink BToE Connector.

A User Account Control dialog is displayed as below:



3. Ensure that the dialog lists **YEALINK NETWORK TECHNOLOGY CO., LTD.** as the verified publisher and click **Yes**.

If the YEALINK NETWORK TECHNOLOGY CO., LTD. is not listed as the publisher, click **No** and download the application again from the Yealink website.

The Yealink BToE Connector Setup Wizard is displayed as below:



4. Click **Next** to continue.

The License Agreement dialog is displayed as below:

Z Yealink BToE Connector 3.0.0.32 Setup
License Agreement Please review the license terms before installing Yealink BToE Connector 3.0.0.32.
Press Page Down to see the rest of the agreement.
Copyright(c) 2017 Yealink Inc. All rights reserved.
If you accept the terms of the agreement, click I Agree to continue. You must accept the agreement to install Yealink BToE Connector 3.0.0.32.
Nullsoft Install System v3.0

5. Click **I Agree** to accept the agreement.

The Yealink BToE Connector Setup Wizard is displayed as below:

Yealink BToE Connector 3.0.0.32 Setup	_ _ X
Choose Install Location Choose the folder in which to install Yealink BToE Connector 3.0.0.32.	\$
Setup will install Yealink BToE Connector 3.0.0.32 in the following folder. To i different folder, dick Browse and select another folder. Click Install to start t	
Destination Folder C:\Program Files\Yealink\Yealink BToE Connector	Browse
Space required: 5.9MB Space available: 34.6GB	
Nullsoft Install System v3.0	Cancel

6. Click **Browse...** to select an installation folder and click **Install** to begin the installation.

By default, the Yealink BToE Connector application is installed in the directory C:\Program Files\Yealink\Yealink BToE Connector\.


A status bar showing the Yealink BToE Connector installation's progress is displayed as below:

Yealink BToE Connector 3.0.0.32 Setup	
Installing Please wait while Yealink BToE Connector 3.0.0.32 is being installed.	2
Try download CA	
Extract: msvcp80.dll 100% Extract: msvcr80.dll 100% Extract: Microsoft.VC80.CRT.manifest 100% Extract: MFC80CHS.dll 100% Extract: MFC80ENU.dll 100% Extract: Microsoft.VC80.MFCLOC.manifest 100% Extract: YealinkBToEConnector.exe 100% Extract: YealinkEnum.cat 100% Extract: YealinkEnum.inf 100% Try download CA	A E V
Nullsoft Install System v3.0	Cancel

The installation may take several minutes. A Windows Security is displayed as below during installation:



7. Click **Always trust software from "YEALINK NETWORK TECHNOLOFY CO., LTD**", and then click **Install** to install the driver software.



After the software has completed installing, a dialog is displayed as below:

The checkbox of **Run Yealink BToE Connector 3.0.0.32** is checked by default, as shown above. If the checkbox of **Run Yealink BToE Connector 3.0.0.32** is not checked, you need to start the Yealink BToE Connector manually.

8. Click Finish.

The Yealink BToE Connector starts on your PC automatically, the following window will appear:



To set up the Yealink BToE connector:

Right-click 🛃 in the system tray, you can do the following:



- Click Show/Hide(S), the Yealink BToE Connector interface will be shown or hidden.
- Click Pair & Sign in(G), you can pair your phone with your Skype for Business client.
- Click **Sign in via client(L)**, after your phone pairs with Skype for Business client, but your phone and Skype for Business client are signed into with different user accounts, you can use BToE to sign into the Skype for Business client and the connected phone with the same account. For more information, refer to Signing in via PC on page 153.
- Click Settings(P), you can set up the Yealink BToE Connector, and then click OK to save.

Settings X				
Settings Run automatically when starting Windows Pair automatically when running the software Set minimization automatically when paired Set phone as a normal audio device BTOE security transport				
Gruu interval(s):				
OK Cancel				

- a) Check the **Run automatically when starting Windows** checkbox, the Yealink BToE Connector software will run automatically when your computer boots up.
- b) Check the Pair automatically when running the software checkbox, the Yealink BToE Connector software will attempt to pair with the phone IP address when you start Yealink BToE Connector software.
- c) Check the Set minimization automatically when paired checkbox, the Yealink BToE Connector software will be minimized to the system tray after your phone and computer are paired.
- d) Check the **Set phone as a normal audio device** checkbox, your phone will act as the audio output device for your computer after your phone and computer are paired successfully.

- e) Check the **BToE security transport** checkbox, your phone and connected commputer will use TLS encryption transmission. If it is unchecked, TCP transmission will be used instead.
- Click About(A), you can view the information of Yealink BToE Connector.
- Click **Exit(E)**, you can close the software.


Enabling Better Together over Ethernet

You need to pair your phone with your Skype for Business client to enable BToE. This section provides information on how to pair your phone with the Skype for Business client.

Paired Status

Before you pair your phone with the Skype for Business client, you need to be familiar with the following paired status:

• Unpaired: Your phone and your Skype for Business client are not paired.



• **Paired (Sign Out):** Your phone and your Skype for Business client are paired but failing to sign in. The reason may be that the user signing on your phone differs from the one signing on the Skype for Business client, or there is no user signing on your phone.




• **Paired (Sign In)**: Your phone and your Skype for Business client are paired and sign in successfully. This means the Skype for Business user signing on the phone is the same as the one signing on the Skype for Business client.



You can view the paired status via phone user interface or PC.

To view the paired status via phone user interface:

- 1. Press Menu->Features->BToE.
- 2. View the BToE paired status in the BToE Pairing Status field.



To view the paired status on PC:

- 1. Double left-click on BToE icon.
- 2. View the BToE paired status in the **BToE Status** field.

🔁 Yealink BToE Co	onnector
Ye	
Pair Info Phone IP	10 . 2 . 20 . 95 🗖 Wired
BToE Status	Unpaired
	Pair


Pairing Your Phone with Your Computer

There are two BToE Pairing modes on the phone. If **BToE Pairing Mode** is **Auto**, your phone will pair with your computer directly without a pairing code. If **BToE Pairing Mode** is **Manual**, You need to use a pairing code generated by your phone to manually pair your phone with your computer.

To configure BToE feature via phone user interface:

- 1. Press Menu-> Features->BToE.
- **2.** Press (\cdot) or (\cdot) , or the **Switch** soft key to select **Enabled** from the **BToE** field.
- Press () or () , or the Switch soft key to select the desired value from the BToE Pairing Mode field.

The default value is Auto.



4. Press the **Save** soft key to accept the change or the **Back** soft key to cancel.

Ensure that the Yealink BToE Connector application is running on your PC. To pair your phone with your Skype for Business client, do one of the following on your PC:

- a) Connect an Ethernet cable from your computer to the PC port on your phone (network of the PC will be provided by the PC port of the phone).
 - **1.** As the checkbox of **Wired** is checked by default, the IP address of your phone is automatically filled in the **Phone IP** field.
 - 2. Click Pair.

nnector	- 0 ×
alinkluc	edition
10 . 2 . 20 . 95	<mark>⊮ Wired</mark>
Unpaired	
Pair	
	alink UC 10 . 2 . 20 . 95 Unpaired

- If **BToE Pairing Mode** is **Auto**, your phone will pair with Skype for Business client directly.
- If **BToE Pairing Mode** is **Manual**, a six-digit pairing code displays. You should enter the six-digit pairing code shown on the phone into the notification on your computer.



(A six-digit pairing code displays on your phone)

2	Yealink BToE Connect		X
	Enter Pairing Cod	e which is shown on your phone	
	Pair code:	908876	
		ОК	Cancel

(Enter the pairing code shown on the phone into the notification on your computer)

b) If your PC is not connected to the PC port on your phone using an Ethernet cable, do the following:

- 1. Uncheck the Wired checkbox.
- 2. Enter the IP address of the phone that you want to pair in the **Phone IP** field.
- 3. Click Pair.

Yealink BToE Co	onnector	
Ye	alinkuc	edition
– Pair Info		
Phone IP	10 . 2 . 20 . 95	☐ Wired
BToE Status	Unpaired	1
1		

- If **BToE Pairing Mode** is **Auto**, your phone will pair with Skype for Business client directly.
- If **BToE Pairing Mode** is **Manual**, a six-digit pairing code displays. You should enter the six-digit pairing code shown on the phone into the notification on your computer.

Note The pairing code is case-sensitive.

BToE is configurable via web user interface at the path: Settings->BToE.

Signing in via PC

After you carry out the above steps, the computer and phone are paired. However if the phone and Skype for Business client are signed into with different user accounts, the BToE is not activated.

To activate the BToE, you can sign into the phone via your computer.

To sign into the phone via PC:

- a) If the Skype for Business client is already logged on, but the phone is not signed in:
 - **1.** A dialog box is displayed on your computer asking for your Skype for Business login credentials.

6		Skype for Busines	s		-		×
What's ha	ppening toda	ıy?					
1	Hedy Available 🔻						
		Location 🔻 🗙					
•	(1	Ë			¢	۶÷
_						×	Ŧ
Log	on infor	mation nee	de	d			ł
Skype f	for Business.	een detected betwee To complete the cor				and	
networ	rk logon pass	word.					
Sign-	in address:	2227@yealinkuc.con	n				
User	name:	2227@yealinkuc.con	n				
Passv	vord:						
		ОК		Ca	ncel		
					_		-1
	2240 - Offlir	ne 402 days					
7.	2529 - Availa	able					
L	lim - Offline	13 days					.
8. ⇔.	CALL FORW	ARDING OFF					4-

If you click **Cancel**, the dialog box will disappear. You can do one of the following to display the dialog box again:

On your computer, right-click on the system tray, and then select Sign in via client(L).



 On your phone, press the Sign in soft key to select Sign in via PC, and then press the OK soft key.

1. PIN Authentication	Π
2. User Sign-in	Ι
3. Sign in via PC	
4. Web Sign-in	
Back OK	D

2. Enter your login credentials into the dialog displayed on your computer, click **OK**.

b) If the phone and Skype for Business client are signed into with different accounts:

1. Right-click 🛃 on the system tray, and then select Sign in via client(L).

A dialog box is displayed on your computer asking for your Skype for Business login credentials.

							-	- 🗆	×
		<u>M</u> eet							
	Wha	at's hap	opening t	oday?					
(1		Hedy Available		cation 🔻 💙	•			
			: Sech	19	1				
	_					Ē		- 1	¢-
-								×	÷
		Logo	on inf	orm	nation I	neede	d		ł
	3	Skype f		ss. To	detected b complete th rd.				
		Sign-i	in address	3: 22	27@yealinku	c.com			
		User r	name:	22	27@yealinku	c.com			
		Passw	ord:						
									.
					OK		Cano	el	
	2	2	240 - 01	ffline 4	102 days				1
	1	2	2529 - Av	ailable	2				
(E	J	im - Offi	ine 13	days				Ŧ
4	8-	(→ -	CALL FO	RWAR	DING OFF				4-

2. Enter your login credentials into the dialog displayed on your computer, click OK.

When the same user account is signed into the phone and the Skype for Business client, your computer and phone are paired, and BToE is activated. The paired status changes to **Paired** (Sign In) and the BToE icon changes to **V**.

Setting Your Phone as Your Primary Audio Device

Before you begin using the BToE feature, you need to ensure that your Skype for Business phone is set as your primary audio device in your Skype for Business client.

To set your phone as your primary audio device

- **1.** In your Skype for Business client, click the audio device icon.
- 2. Select your phone as your primary device, as shown next.



Note

If **Yealink SIP-T42G Phone** is not selected as audio device, you will not be able to use BToE feature (for example, calls made on the Skype for Business client will not be displayed on the phone).

Using Better Together over Ethernet

This section provides information on how to use BToE on your phone and the Skype for Business client.

BToE enables you to call Skype for Business contacts using your Skype for Business client while providing you with quality audio through your phone. After BToE is enabled, you can answer, place, hold and resume calls with your Skype for Business contacts on your phone and the Skype for Business client on your PC simultaneously. What's more, your phone will be locked once paired PC is locked or in sleep mode.

Placing BToE Calls

Do one of the following:

- Select a contact or enter the phone number, and then press the **Call** soft key on your phone.
- Hover the mouse over the avatar of the contact, and then click 🕓 in your Skype for

Business client.

Your phone and the client are in the calling state.

Answering BToE Calls

When you receive an incoming call, the incoming call information is displayed on your phone and your Skype for Business client.

Do one of the following:

- Press the Answer soft key on your phone.
- Click 🔇 in your Skype for Business client.

The incoming call is answered both on the phone and the Skype for Business client. The established call uses the phone as audio device by default.

Pausing BToE Calls

Do one of the following:

- Press the Hold soft key on your phone.
- Click 22 to display the control panel, and then click 1 in your Skype for Business client.

The call is placed on hold on your phone and your Skype for Business client.

Resuming BToE Calls

Do one of the following:

- Press the **Resume** soft key on your phone.
- Click 22 to display the control panel, and then click in your Skype for Business client.

The call is resumed on your phone and your Skype for Business client.

Moving Call Audio between Your Phone and Computer:

During an active Skype for Business call, you can move the call audio from your phone to your computer or from your computer to your phone. Do the following:

- **1.** Click **2** to display the control panel, and then click **1** in your Skype for Business client.
- 2. Click the desired audio device.
 - Click PC MIC and Speakers to move the call audio from your phone to your

computer.

The call on the phone will be released. The Skype for Business client uses the selected audio device to continue the call.

- Click Handset to move the call audio from your computer to your phone.

Using BToE to Lock and Unlock Your Phone

When your phone is paired with your computer and phone lock is enabled, you can lock and unlock your phone automatically when you lock or unlock your computer.

To lock you phone:

When BToE status is Paired (Sign In), your phone will be locked automatically in following situation:

- The paired PC gets locked.
- The paired PC enters sleep mode.
- The paired PC starts the screen saver.
- The account status of Skype for Business client changes from active to inactive.
- BToE status changes from Paired (Sign In) to Paired (Sign Out) or Unpaired.

To unlock you phone:

If you do not connect an Ethernet cable from your computer to the PC port on your phone, the phone will not be unlocked automatically.

If you connect an Ethernet cable from your computer to the PC port on your phone and the BToE status is Paired (Sign In), your phone can be unlocked automatically in following situation:

- The paired PC gets unlocked.
- The paired PC wakes up and is not locked.
- The paired PC stops the screen saver and is not locked.
- The account status of Skype for Business client changes from inactive to active.
- BToE status changes from Paired (Sign Out) or Unpaired to Paired (Sign In) and the paired PC is unlocked, does not in sleep mode, does not start the screen saver and the Skype for Business account is active.

Disabling BToE on Your Phone

You can disable the BToE feature on your phone and unpair your phone from the computer. When you disable BToE, you can no longer use BToE functions.

Do one of the following:

- Disconnect the Ethernet cable from the PC port on your phone.

- Click Unpair on the Yealink BToE Connector.
- Press Menu ->Features->BToE on your phone.

Press (\cdot) or (\cdot) , or the **Switch** soft key to select **Disabled** from the **BToE** field.

Press the **Save** soft key to accept the change.

Exiting BToE on Your Computer

You can exit the Yealink BToE Connector at any time. When you exit the application, you can no longer use the BToE functions on your phone and computer.

To exit BToE on your computer:


1. Right-click BToE icon (V) in the system tray and click Exit(E).

Uninstalling the Yealink BToE Connector

To uninstall the Yealink BToE connector:

- 1. Click the Start button 🌅
- 2. Click All Programs->Yealink BToE Connector->Uninstall.

A dialog box asking if you're sure you want to uninstall this product is displayed.



3. Click Yes to uninstall the Yealink BToE connector.

A dialog box showing the progress of the application uninstall is displayed.

Troubleshooting

This chapter provides general troubleshooting information to help you solve the problems you might encounter when using your T42G Skype for Business phone.

If you require additional information or assistance with your new phone, contact your system administrator.

Troubleshooting Solutions

Why is the phone LCD screen blank?

- Ensure that the phone is properly plugged into a functional AC outlet.
- Ensure that the phone is plugged into a socket controlled by a switch that is on.
- If the phone is plugged into a power strip, try plugging it directly into a wall outlet instead.
- If the phone is powered from PoE, ensure you use a PoE-compliant switch or hub.

Why does the phone display "Network unavailable"?

- Ensure that the Ethernet cable is plugged into the Internet port on the phone and the Ethernet cable is not loose.
- Ensure that the switch or hub in your network is operational.
- Contact your system administrator for more information.

Why doesn't the phone display time and date correctly?

Check if you have configured the phone to obtain the time and date from the SNTP server automatically. If the phone fails to connect to the SNTP server, you need to configure the time and date manually.

How can I find the basic information of the phone?

Press the **OK** soft key to check the basic information of the phone when the phone is idle, such as the IP address and firmware version. For more basic information, refer to Phone Status on page 28.

How to obtain the MAC address of a phone when the phone is not powered on?

Three ways to obtain the MAC address of a phone:

- You can ask your supplier for shipping information sheet which includes MAC addresses according to the corresponding PO (Purchase Order).
- You can find the MAC address on the label of the carton box.

• You can also find the MAC address from the phone's bar code on the back of the phone.

Why can't I sign into the Skype for Business Server on the phone?

- Check your phone is properly connected to the switch or hub.
- Validate your domain name and sign-in information are correct.
- Ensure that DNS address is properly configured on the phone, or DHCP is configured to provide DNS address as part of DHCP response.

How to check if the application driver of the Yealink BToE Connector is installed on the PC?

Do one of the following:

 After installation, if the Yealink BToE Connector and the application driver run successfully, the notification area of the system tray will prompt: **Device driver software installed** successfully.



- Do the following steps to check if the application driver is installed (take the Windows 2007 operating system as an example):
 - 1. Click the Start button 🌆
 - 2. Click Control Panel->Device Manager.
 - 3. Double click System devices.
 - 4. Check if the driver Yealink BToE Enumerator is displayed.

If Yealink BToE Enumerator is not displayed, reinstall the Yealink BToE Connector application, and ensure that the application driver is installed during the installation process.

How to cancel auto-start for the Yealink BToE connector?

- 1. Right-click 😂 in the system tray.
- 2. Click Settings(P).

3. Uncheck **Run automatically when starting Windows** to cancel the auto-start feature. As shown below:

Settings	×			
Settings				
🗌 Run automatically when st	arting Windows			
Pair automatically when ru	nning the software			
Set minimization automatic	ally when paired			
✓ Set phone as a normal audio device				
I BToE security transport				
Gruu interval(s):	15			
ОК	Cancel			

Why can't the phone pair with my Skype for Business client?

- Ensure that your Skype for Business client is installed on your PC and a Skype for Business user signs into the Skype for Business Server successfully.
- Ensure that the user signing on the phone is the same as the one signing on the Skype for Business client.
- Re-pair the phone and Skype for Business client manually.
- Ensure that Yealink BToE Connector and application driver are successfully installed on your PC, and both of them start successfully. If the phone still cannot pair with the Skype for Business client, reboot the PC.
- After reboot, if the phone still cannot pair with the Skype for Business client, uninstall the Yealink BToE Connector and application driver, and then reinstall them.
- Ensure that Yealink BToE Connector is an allowed program in your system's firewall on your PC.

Why doesn't the phone display the Calendar menu?

Ensure that your phone has signed in successfully.

Why doesn't the Calendar menu display the Skype conference, appointment, meeting or event set up in outlook?

Ensure that your sign into the phone using User Sign-in, Web Sign-in or Signing in via PC method.

Why can't I get a dial tone?

• Check for any loose connections and that the phone has been installed properly. For the installation instructions, refer to Phone Installation on page 13.

• Switch between the Handset, Headset (if present) or Hands-Free Speakerphone to check whether the dial tone is present for one of the audio modes.

If the dial tone exists on another audio mode, connect a different handset or headset to isolate the problem.

Why doesn't the phone ring?

Check the ringer volume on the phone. To adjust the ringer volume setting, press the Volume key when the phone is on-hook and idle. For more information, refer to Volume on page 41.

Why can't I receive calls?

- Check that whether your status is DND mode, if it is, you should reset status. Refer to Changing Presence Status on page 23.
- Check that whether call forward is disabled on the phone. Refer to Call Forward on page 92.

Why does my handset not work?

Check that the handset cord is fully connected to both the handset jack on the phone and handset. Refer to Phone Installation on page 13.

Why does my headset not work?

- Check that the headset cord is properly connected to the headset jack on the phone. Refer to Phone Installation on page 13.
- Check that the headset mode is activated. Refer to Headset Use on page 61.
- Check that the headset volume is adjusted to an appropriate level. Refer to Volume on page 41.

Why does the phone play a tone when there is a call on hold? How to disable it?

When there is a call on hold, the phone will play a hold tone every 30 seconds. Play hold tone is enabled by default. Play hold tone and the interval of playing a hold tone are configurable via web user interface only.

To configure play hold tone and play hold tone delay via web user interface:

- 1. Click on Features->General Information.
- 2. Select Enabled or Disabled from the pull-down list of Play Hold Tone.

ealink 1426	Status	Account	Network	Features	Settin	gs	Directory	Security	
		General Informat	ion 🕜					NOTE	
General Information		Call Waiting		Enabled	•	0			
		Key As Send		#	•	0		Call Waiting This call featu	re allows your
Audio		Hotline Number						phone to accord calls during th	ept other incomi e conversation.
Remote Control		Hotline Delay(0~	10s)	4				Key As Send	as the send key
LED		Busy Tone Delay	(Seconds)	0	•	0			
		Return code wh	en refuse	603 (Decline)	•	0		You can c more guides.	lick here to get
		Time-Out for Dia	l-Now Rule	1		0			
		Dial Search Delay	r	1		0			
		180 Ring Workar	ound	Disabled	•	0			
		Save Call Log		Enabled	•	0			
		Suppress DTMF I	Display	Disabled	•	0			
		Suppress DTMF I	Display Delay	Disabled	-	0			
		Play Local DTMF	Tone	Enabled	•	0			
		DTMF Repetition		3	•	0			
		Multicast Codec		G722	-	0			
		Play Hold Tone		Enabled	•	0			
		Play Hold Tone [Delay	30		0			
		Allow Mute		Enabled	•	0	1		
		Dual-Headset		Disabled	-	0			
		Auto-Answer De	lay(1~4s)	1		0			
		Headset Prior		Disabled	•	2			

3. Enter the desired time (in seconds) in the Play Hold Tone Delay field.

4. Click **Confirm** to accept the change.

How to export PCAP trace?

We may need you to provide a PCAP trace to help analyze your problem.

To export a PCAP trace via web user interface:

- 1. Click on Settings->Configuration.
- 2. Click Start to begin recording signal traffic.
- **3.** Recreate the error to be documented in the trace.
- 4. Click **Stop** to end recording.
- 5. Click **Export** to open file download window, and then save the file to your local system.

Yealink 1426	Status Account Network	Features Settings Directory	Log Out
Preference	Export or Import Configuration	Browse No file selected.	NOTE
Time & Date		Import Export	Configuration The configuration parameters
Upgrade	Export Call Log	Export ?	for administrator.
Auto Provision			You can click here to get more guides.
Configuration	Pcap Feature	Start Stop Export 🥥	
Dial Plan	Export System Log	🖲 Local 🔘 Server 🕜	
Voice		Export	

How to configure the severity level of the log?

If your Skype for Business phone encounters some problems, commonly the global log files are needed. You can export the global log files to a local system, a syslog server or the Skype for Business Server. You can also specify the severity level of the global log and module log to be reported. The default global log and module log are 3.

Log parameters are described below:

Parameter	Description	Configuration Method
Global Log Level	Configure the severity level of the global logs to be reported to a log file. Default: 3	Web User Interface
Max Log File Size (1-1024KB)	Configure the size of the global log files. Default: 1024KB Note: The Skype for Business phone will reboot to make the change take effect.	Web User Interface
Register Log Level	Configure the severity level of the register logs to be reported to a log file. Default: 3	Web User Interface
Subscribe Log Level	Configure the severity level of the subscribe logs to be reported to a log file. Default: 3	Web User Interface
Call Log Level	Configure the severity level of the call logs to be reported to a log file. Default: 3	Web User Interface
Ice Log Level	Configure the severity level of the Ice logs to be reported to a log file. Default: 3	Web User Interface
BToE Log Level	Configure the severity level of the BToE logs to be reported to a log file. Default: 3	Web User Interface
Exchange Log Level	Configure the severity level of the Exchange logs to be reported to a	Web User Interface

Parameter	Description	Configuration Method
	log file.	
	Default: 3	

Note Global Log consists of Module logs. The severity level of the exported Module Log will not be greater than the Global Log Level. For example, if you set Global Log Level to 3 and set ICE log Level to 6, the exported ICE log Level will be 3.

To configure the level of the log files log via web user interface:

1. Click on Settings->Configuration.

- 2. Select the desired level from the pull-down list of corresponding log levels.
- 3. Enter the desired maximum size of global log in the Max Log File Size(1-3072KB) field.

			Log Out
Yealink 1426	Status Account Network	Features Settings Directory	Security
	Status Account Network	reatures bettings Directory	Security
Preference	Export or Import Configuration	Browse No file selected.	ΝΟΤΕ
Time&Date		Import Export	Configuration The configuration parameters
Upgrade			for administrator.
Auto Provision	Export Call Log	Export	You can click here to get more guides.
Configuration	Pcap Feature	Start Stop Export	
Dial Plan	Export System Log	Local Server Ser	
Voice		Export	
Tones	Global Log Level Setting		
Phone Lock	Global log Level	3 •	
Location	Max Log File Size (1-1024KB)	1024	
LOCATION	Module Log Level Settings		
BTOE	Register Log Level	3 -	
	Subscribe Log Level	3 -	
	Call Log Level	3 •	
	Ice Log Level	3 •	
	Btoe Log Level	3 •	
	Exchange Log Level	3 🔹	
	Confirm Reset Lo	g Level to default Cancel	

4. Click **Confirm** to accept the change.

How to export global log?

a) Exporting the global Log File to the Skype for Business Server

You can upload global log file to the Skype for Business Server via phone user interface only.

To export a global log file to the Skype for Business Server via the phone user interface:

1. Press Menu->Settings->Basic Settings->Log Upload.

4. Phone Lock	
5. Location	
6. Always Online	
7. Log Upload	
Back I	Enter

A dialog box pops up to prompt "Log Upload Success!".

4. Phone Lock	
5. Loca	
6. Alwa Log Uploaded Successfully!	
7. Log l	
Back Contract Contrac	Enter

b) Exporting the global log file to the local system:

To export a global log file to the local system via web user interface:

- 1. Click on Settings->Configuration.
- 2. Mark the Local radio box in the Export System Log field.
- **3.** Click **Export** to open file download window, and then save the file to your local system.

Yealink 1426	Status Account Network	Features Settings Directory	Log Out
Preference	Export or Import Configuration	Browse No file selected.	NOTE
Time & Date		Import Export	Configuration The configuration parameters
Upgrade	Export Call Log	Export	for administrator.
Auto Provision	Export Call Log	Export	You can click here to get more guides.
Configuration	Pcap Feature	Start Stop Export ?	
Dial Plan	Export System Log	🖲 Local 🔘 Server 🛛 🕜	
Voice		Export	

A log file named "MAC address-sys.log" is successfully exported to your local system.

c) Exporting the global Log File to a Syslog Server

To configure the phone to export the global log file to a syslog server via web user interface:

- 1. Click on Settings->Configuration.
- 2. Mark the Server radio box in the Export System Log field.
- 3. Enter the IP address or domain name of the syslog server in the Server Name field.

Yealink 1426	Status Account Network	Features Settings Directory	Log Out
Preference	Export or Import Configuration	Browse No file selected.	NOTE
Time & Date		Import Export	Configuration The configuration parameters
Upgrade	Export Call Log	Export	for administrator.
Auto Provision	Export Call Log	Export	You can click here to get more guides.
Configuration	Pcap Feature	Start Stop Export ?	
Dial Plan	Export System Log	🛇 Local 🔘 Server 🕜	
Voice	Server Name	192.168.1.100	

For example, the IP address of your syslog server is 192.168.1.100.

4. Click **Confirm** to accept the change.

A dialog box pops up to prompt "Do you want to restart your machine?". The configuration will take effect after a reboot.

5. Click **OK** to reboot the phone.

The global log **file** will be exported successfully to the desired syslog server (192.168.1.100) after a reboot.

High level may make some sensitive information accessible (e.g., password and dial number), we recommend that you reset the log level to 3 after providing the global log for troubleshooting purpose.

To reset severity level of all logs via web user interface:

- 1. Click on Settings->Configuration.
- 2. Click Reset Log Level To Default.

Yealink 1426			Log Out
	Status Account Network	Features Settings Directory	Security
Preference	Export or Import Configuration	Browse No file selected.	NOTE
Time&Date		Import Export	Configuration The configuration parameters
Upgrade	Export Call Log	Export	for administrator.
Auto Provision			You can click here to get more guides.
Configuration	Pcap Feature	Start Stop Export	
Dial Plan	Export System Log	Iccal Server	
Voice		Export	
Tones	Global Log Level Setting		
Phone Lock	Global log Level	3 •	
	Max Log File Size (1-1024KB)	1024	
Location	Module Log Level Settings		
BTOE	Register Log Level	3 •	
	Subscribe Log Level	3 •	
	Call Log Level	3 •	
	Ice Log Level	3 •	
	Btoe Log Level	3 •	
	Exchange Log Level	3 •	
	Confirm Reset Log	Level to default Cancel	

All log level will reset to 3.

How to export/import phone configurations?

We may need you to provide your phone configurations to help analyze your problem. In some instances, you may need to import configurations to your phone.

To export your phone configurations via web user interface:

- 1. Click on Settings->Configuration.
- 2. Click Export to open file download window, and then save the file to your local system.

Yealink 1426	Status Account Network	Features Settings Directory	Log Out
Preference	Export or Import Configuration	Browse No file selected.	NOTE
Time & Date		Import Export	Configuration The configuration parameters
Upgrade	Export Call Log	Export	for administrator.
Auto Provision	Export Call Log	Export	You can click here to get more guides.
Configuration	Pcap Feature	Start Stop Export 🕜	
Dial Plan	Export System Log		
Voice		Export	

To import phone configurations via web user interface:

- 1. Click on Settings->Configuration.
- 2. Click Browse... to locate a configuration file from your local system.
- 3. Click **Import** to import the configuration file.

Note The file format of configuration file must be ".bin".

How to export call log?

User can access call logs by downloading them to the local system for diagnosis purpose.

To export the call log via web user interface:

- **1.** Click on **Settings->Configuration**.
- 2. Click Export to open file download window, and then save the file to your local system.

Yealink 1426			Log Out
	Status Account Network	k Features Settings Directory	Security
Preference	Export or Import Configuration	Browse No file selected.	NOTE
Time & Date		Import Export	Configuration The configuration parameters
Upgrade			for administrator.
Auto Provision	Export Call Log	Export	You can click here to get more guides.
Configuration	Pcap Feature	Start Stop Export ?	
Dial Plan	Export System Log		
Voice		Export	

How to change the user password?

To change the user password via web user interface:

- 1. Click on Security->Password.
- 2. Select user from the pull-down list of User Type.
- 3. Enter the new user password in the New Password field and Confirm Password field.

Yealink 1426									Log Out
	Status	Account	Network	Features	Setti	ings	Directory	Security	
License		er Type		user		0		NOTE	
Password		Password w Password		•••••		0 0		User Type Select your type	e. If you log in
Trusted Certificates	Con	nfirm Password		•••••		0			vord. If you login
Server Certificates				r				as an administra modify both the admin's passwor	e user's and
		Confirm	n		Cancel			You can clic more guides.	k here to get

4. Click **Confirm** to accept the change.

Note If logging in the web user interface of the phone with the user credential, you need to enter the current user password in the **Old Password** field.

User password is configurable via web user interface only.

How to reboot the phone?

To reboot the phone via phone user interface:

- 1. Press Menu->Settings->Advanced Settings (default password: admin).
- **2.** Press (\bullet) or (\bullet) to scroll to **Reboot**, and then press the **Enter** soft key.

1.	Network	
2,	Reboot	I
З,	Reset to Factory	
4	Set Password	U
	Back Enter	Ì

The LCD screen prompts "Reboot the phone?".

1.	Net	work	
2.	Rel	wwwwwWarningwwwwww	
з.	Re:	Reboot the phone?	
4	Se		
	Cano	el 📘 📘 📘 🗋 C	ĸ

3. Press the **OK** soft key to reboot the phone.

Note Any reboot of your phone may take a few minutes.

How to upgrade firmware?

To upgrade firmware via web user interface:

- 1. Click on Settings->Upgrade.
- 2. Click Browse... to locate the firmware from your local system.

Yealink 1426	Status Account Netwo	rk Features Settings Direct	Log Out
Preference	Version		NOTE
Time&Date	Firmware Version	29.8.1.65	Reset to Factory Setting Reset all the settings of the phone to default configurations.
Upgrade	Hardware Version	29.0.0.0.0.0	
Auto Provision	Reset to Factory Setting Reboot	Reset to Factory Setting	Select and Upgrade Firmware Select and upgrade the file from the hard disk or network.
Configuration	Select and Upgrade Firmware	Browse No file selected.	You can click here to get
Dial Plan Voice		Upgrade	more guides.

3. Click Upgrade to upgrade the firmware.

The browser pops up the dialog box "Firmware of the SIP phone will be updated. It will take 5 minutes to complete. Please don't power off!".

4. Click **OK** to confirm upgrading.

T42G Skype for Business phones can be also upgraded from the Skype for Business Server. For more information on how to upgrade the T42G Skype for Business phone from the Skype for Business Server, refer to *Updating Phone Firmware from Microsoft Skype for Business Server*.

How to reset your phone?

Reset the phone when other troubleshooting suggestions do not solve the problem. You need to note that all customized settings will be overwritten after resetting. We recommend you ask your system administrator for advice before resetting the phone.

To reset your phone via phone user interface:

- 1. Press Menu->Settings->Advanced Settings (default password: admin).
- 2. Press (•) or (•) to scroll to **Reset to Factory**, and then press the **Enter** soft key.

The LCD screen prompts the following message:

1.	Net	ыock	_
2.	Rel	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
З,	Re:	Reset to factory setting?	
4	Set		
	Cano	el I I I	ОК

3. Press the OK soft key.

The LCD screen prompts "Resetting to factory, please Wait!".

Resetting to factory, please wait...

The LCD screen prompts "Initializing, please wait...".

Welcome Initializing...please wait

The phone will be reset to factory sucessfully after startup.

Note

You can also long press the **OK** soft key to reset the phone when the phone is idle.

Reset of the phone may take a few minutes. Do not power off until the phone starts up successfully.

Regulatory Notices

Service Agreements

Contact your Yealink Authorized Reseller for information about service agreements applicable to your product.

Limitations of Liability

TO THE FULL EXTENT ALLOWED BY LAW, YEALINK EXCLUDES FOR ITSELFAND ITS SUPPLIERS ANY LIABILITY, WHETHER BASED IN CONTRACT OR TORT (INCLUDING NEGLIGENCE), FOR INCIDENTAL, CONSEQUENTIAL, INDIRECT, SPECIAL, OR PUNITIVE DAMAGES OF ANY KIND, OR FOR LOSS OF REVENUE OR PROFITS, LOSS OF BUSINESS, LOSS OF INFORMATION OR DATA, OR OTHER FINANCIAL LOSS ARISING OUT OF OR IN CONNECTION WITH THE SALE,INSTALLATION, MAINTENANCE, USE, PERFORMANCE, FAILURE, OR INTERRUPTION OF ITS PRODUCTS,EVEN IF YEALINK OR ITS AUTHORIZED RESELLER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, AND LIMITS ITS LIABILITY TO REPAIR, REPLACEMENT, OR REFUND OF THE PURCHASERICE PAID, AT YEALINK'S OPTION. THIS DISCLAIMER OF LIABILITY FOR DAMAGES WILL NOT BE AFFECTED IF ANY REMEDY PROVIDED HEREIN SHALL FAIL OF ITS ESSENTIAL PURPOSE.

Safety Instructions

Save these instructions. Read these safety instructions before use!

The following basic safety precautions should always be followed to reduce risk of fire, electrical shock, and other personal injury.

🕂 General Requirements

- Before you install and use the device, read the safety instructions carefully and observe the situation during operation.
- During the process of storage, transportation, and operation, please always keep the device dry and clean.
- During the process of storage, transportation, and operation, please avoid collision and crash of the device.
- Please attempt not to dismantle the device by yourself. In case of any discrepancy, please contact the appointed maintenance center for repair.
- Without prior written consent, no organization or individual is permitted to make any change to the structure or the safety design of the device. Yealink is under no circumstance liable to consequences or legal issues caused by such changes.
- Please refer to the relevant laws and statutes while using the device. Legal rights of others should be respected as well.

🕂 Environmental Requirements

- Place the device at a well-ventilated place. Do not expose the device under direct sunlight.
- Keep the device dry and free of dusts.
- Place the device on a stable and level platform.
- Please place no heavy objects on the device in case of damage and deformation caused by the heavy load.

- Keep at least 10 cm between the device and the closest object for heat dissipation.
- Do not place the device on or near any inflammable or fire-vulnerable object, such as rubber-made materials.
- Keep the device away from any heat source or bare fire, such as a candle or an electric heater.
- Keep the device away from any household appliance with strong magnetic field or electromagnetic field, such as a microwave oven or a refrigerator.

A Operating Requirements

- Do not let a child operate the device without guidance.
- Do not let a child play with the device or any accessory in case of accidental swallowing.
- Please use the accessories provided or authorized by the manufacturer only.
- The power supply of the device shall meet the requirements of the input voltage of the device. Please use the provided surge protection power socket only.
- Before plugging or unplugging any cable, make sure that your hands are completely dry.
- Do not spill liquid of any kind on the product or use the equipment near water, for example, near a bathtub, washbowl, kitchen sink, wet basement or near a swimming pool.
- Do not tread on, pull, or over-bend any cable in case of malfunction of the device.
- During a thunderstorm, stop using the device and disconnect it from the power supply. Unplug the power plug and the Asymmetric Digital Subscriber Line (ADSL) twisted pair (the radio frequency cable) to avoid lightning strike.
- If the device is left unused for a rather long time, disconnect it from the power supply and unplug the power plug.
- When there is smoke emitted from the device, or some abnormal noise or smell, disconnect the device from the power supply, and unplug the power plug immediately. Contact the specified maintenance center for repair.
- Do not insert any object into equipment slots that is not part of the product or auxiliary product.
- Before connecting a cable, connect the grounding cable of the device first. Do not disconnect the grounding cable until you disconnect all other cables.

A Cleaning Requirements

- Before cleaning the device, stop using it and disconnect it from the power supply.
- Use a piece of soft, dry and anti-static cloth to clean the device.
- Keep the power plug clean and dry. Using a dirty or wet power plug may lead to electric shock or other perils.

Appendix A - Time Zones

Time Zone	Time Zone Name
-11	Samoa
-10	United States-Hawaii-Aleutian, United States-Alaska-Aleutian
-9:30	French Polynesia
-9	United States-Alaska Time
	Canada(Vancouver,Whitehorse), Mexico(Tijuana,Mexicali), United
-8	States-Pacific Time
_	Canada(Edmonton,Calgary), Mexico(Mazatlan,Chihuahua), United
-7	States-MST no DST, United States-Mountain Time
6	Canada-Manitoba(Winnipeg), Chile(Easter Islands), Mexico(Mexico
-6	City,Acapulco), United States-Central Time
F	Bahamas(Nassau), Canada(Montreal,Ottawa,Quebec), Cuba(Havana),
-5	United States-Eastern Time
-4:30	Venezuela(Caracas)
	Canada(Halifax,Saint John), Chile(Santiago), Paraguay(Asuncion),
-4	United Kingdom-Bermuda(Bermuda), United Kingdom(Falkland
	Islands), Trinidad&Tobago
-3:30	Canada-New Foundland(St.Johns)
	Argentina(Buenos Aires), Brazil(DST), Brazil(no DST),
-3	Denmark-Greenland(Nuuk)
-2:30	Newfoundland and Labrador
-2	Brazil(no DST)
-1	Portugal(Azores)
	Denmark-Faroe Islands(Torshavn), GMT, Greenland, Ireland(Dublin),
0	Morocco, Portugal(Lisboa,Porto,Funchal), Spain-Canary Islands(Las
Ũ	Palmas), United Kingdom(London)
	Albania(Tirane), Austria(Vienna), Belgium(Brussels),
	Caicos, Chad, Croatia(Zagreb), Czech Republic(Prague),
_	Denmark(Kopenhagen), France(Paris), Germany(Berlin),
+1	Hungary(Budapest), Italy(Rome), Luxembourg(Luxembourg),
	Macedonia(Skopje), Namibia(Windhoek), Netherlands(Amsterdam),
	Spain(Madrid)
	Estonia(Tallinn), Finland(Helsinki), Gaza Strip(Gaza), Greece(Athens),
2	Israel(Tel Aviv), Jordan(Amman), Latvia(Riga), Lebanon(Beirut),
+2	Moldova(Kishinev), Romania(Bucharest), Russia(Kaliningrad),
	Syria(Damascus), Turkey(Ankara), Ukraine(Kyiv, Odessa)
+3	East Africa Time, Iraq(Baghdad), Russia(Moscow)
+3:30	Iran(Teheran)
	Armenia(Yerevan), Azerbaijan(Baku), Georgia(Tbilisi), Abu Dhabi,
+4	Kazakhstan(Aktau), Russia(Samara)
+4:30	Afghanistan(Kabul)
	Kazakhstan(Aqtobe), Kyrgyzstan(Bishkek), Pakistan(Islamabad),
+5	Russia(Chelyabinsk)
+5:30	India(Calcutta)
+5:45	Nepal(Katmandu)
+6	Kazakhstan(Astana, Almaty), Russia(Novosibirsk,Omsk)
+6:30	Myanmar(Naypyitaw)
+7	Russia(Krasnoyarsk), Thailand(Bangkok)
-	Australia(Perth), China(Beijing), Russia(Irkutsk, Ulan-Ude),
+8	Singapore(Singapore)
+8:45	Eucla
+9	Japan(Tokyo), Korea(Seoul), Russia(Yakutsk,Chita)
+9:30	Australia(Adelaide), Australia(Darwin)
+10	Australia(Brisbane), Australia(Hobart),
110	

Time Zone	Time Zone Name			
	Australia(Sydney, Melboume, Canberra), Russia(Vladivostok)			
+10:30	Australia(Lord Howe Islands)			
+11	New Caledonia(Noumea), Russia(Srednekolymsk Time)			
+11:30	Norfolk Island			
+12	New Zealand(Wellington,Auckland), Russia(Kamchatka Time)			
+12:45	New Zealand(Chatham Islands)			
+13	Tonga(Nukualofa)			
+13:30	Chatham Islands			
+14	Kiribati			

Index

Α

About This Guide V Accessing the Message Center 130 Account Lock 25 Adding Local Contacts from Skype for Business Directory 48 Adding Local Contacts Manually 47 Adding Local Favorites 53 Adding the Location Information 66 Adding Skype for Business Favorites 44 Administrator Password 36 Always Online 24 Answering Calls 77 Answering Incoming Calls 77 Answering SLA Calls 102 Appendix A-Time Zone 175 Assigning/Removing Delegates 103 Attaching the Stand or the Optional Wall Mount Bracket 14 Audio Settings 41 Auto Answer 79

В

Basic Network Settings29Basic Call Features75Better Together over Ethernet143Blind Transfer113Boss-Admin Feature103Boss-Line Ringtone111Branch Office Resiliency136

С

Calendar 82 Call Forward 92 Call History Management 59 Call Hold/Resume 81 Call Mute 80 Call Park 127 Call Transfer 113 79 Call Waiting Calling on Behalf of a Boss 110 Changing Presence Status 23 Common Area Phone 139 Connecting the Handset and Optional Headset 15 Connecting the Power 15 Connecting to the Network 16 Contact Management 42 Consultative Transfer 114 Customizing Your Phone 33

D

Declaration of Conformity vi

Delegates-call Ringtone 111 50 Deleting Local Contacts Deleting the Voice Mail 132 Dial-now 68 **Disabling BToE on Your Phone** 157 Documentations 9 Dual Headset 62 Dynamic Forwarding 99

Е

E911 63 E911 Location Tip 63 Editing Local Contacts 49 Emergency Call 67 Enabling Better Together over Ethernet 143 Ending Calls 78 Enabling or Disabling the Announcement 124 Entering Data and Editing Fields 26 Exiting BToE on Your Computer 158

G

General Settings 33 Getting Started 11 Getting Started with Better Together over Ethernet 143 Group Call Pickup 114

н

Hardware Component Instructions1Headset Mode Activation/Deactivation61Headset Prior61Headset Use61Holding or Resuming Conference Call122Hotline71

I

Icon Instructions 3 Idle Screen 31 Importing/Exporting Contacts Lists 50 In This Guide v Inbound Private Line 111 Initiating a Skype Conference Call by Meet Now 120 Initiating a Skype for Business Conference Call 115 Initiating a Skype for Business Conference Call during a Call 115 Installing the Yealink Better Together over Ethernet Connector 143

J

Joining a Locked Conference Call 125 Joining Calls into a Conference 117 Joining Conference Calls 110 Joining Skype Conference from the Calendar 89 Joining Two Calls into a Conference from the

Phone 117 Joining Two Calls into a Conference from the Skype for Business Client 118

К

Key as Send 36

L

Language 33 Leaving the Conference 127 Leaving the Voice Mail 129 LED Instructions Limitations of Liability 173 Listening to the Voice Mail 131 Live Dialpad 70 Local Directory 45 Local Favorites 53 Location Notification 64 Locking or Unlocking the Conference 125

Μ

Managing Local Favorites 56 Managing the Conference Participants 122 Managing the Voice Mail 129 Making a Safe Transfer to Boss 109 Marking the Voice Mail as Read 132 Modifying the Privacy Mode from the Phone 72 Modifying the Privacy Mode from the Skype for Business client 73 Multicast Paging 132 Muting or Unmuting Conference Participants 122

Ν

Navigating Day View87Navigating Month View86Navigating Schedule View87

Ρ

Packaging Contents 11 Paired Status 149 Pairing your Phone with Skype for Business Client 150 Phone Initialization 16 Phone Installation 13 Phone Lock 37 Phone Ringtone 41 Phone Status 28 Phone User Interface 6 PIN Authentication 19

Placing a SLA Calls on Hold 102 Placing Calls 76 Placing the Calls on Hold 107 Placing Calls to Contacts 57 Privacy Mode 72 Private Line Tones 113 Promoting or Demoting Conference Participants 124

0

Optional Accessories 12 Overview 1

R

Receiving RTP Stream 134 Redialing Numbers 79 Regulatory Notices 173 Remembering Password 40 **Removing Conference Participants** 126 Reordering Local Favorites 55 Response Groups 100 Response Group Ringtone 102 Resuming Held SLA Calls 103 Resuming the Held Calls 108

S

Safety Instructions 173 Searching for Contacts 58 Sending RTP Stream 133 Service Agreements 173 Setting up a Meeting in Outlook 84 Setting up a Skype Conference in Outlook 82 Setting up an Appointment in Outlook 83 Setting up an Event in Outlook 84 Shared Line Appearance for Skype for Business 101 Signing into Skype for Business 17 Signing in via PC 153 Signing into a Common Area Phone 139 Signing Out of Skype for Business 22 Signing Out of a Common Area Phone 141 Skype for Business Conference 115 Skype for Business Directory 43 Skype for Business Favorites 44 Static Forwarding 92 Static Forwarding on T42G Skype for Business phone 92 Static Forwarding on the Skype for Business Client 94 Static Forwarding 92 Switching to Skype for Business Accounts 140

Т

Table of ContentsviiTeam-Call Group101Time and Date34Transferring Calls to Boss Voicemails108Troubleshooting158

Troubleshooting Solution 159

U

Uninstalling the Yealink BToE Connector 158 User Interfaces 5 User Sign-in 17 User Sign-in/Web Sign-in/Sign in via PC 130 Using a Common Area Phone 139 Using Better Together over Ethernet 155 Using Multicast Paging 136 Using the Calendar 85 Using the Boss-Admin Feature 106

V

Viewing Local Contacts 49 Viewing Local Favorites 54 Viewing the Bosses/Delegates 105 Viewing the Bosses 105 Viewing the Dial-in Number and Conference ID 121 Viewing the Delegates 106 Viewing the Calendar 86 Viewing the Conference Participants 121 Viewing the Location Information 67 Viewing Skype for Business Contacts 43 Viewing Skype for Business Favorites 45 Voice Mail 129 Volume 41

w

Web Sign-in 20 Web User Interface 7 Working With Schedule Reminders 88