# Tested headset list compatible with Yealink IP Phone V8.2

## Tested wired headset list compatible with Yealink IP Phone

| Manufacturer | Model | Wired Headset Connection | Compatible Phone | IP Phone Interface Type |
|---|---|---|---|---|
| Plantronics | SupraPlus (HW251, HW251N, HW261, HW261N) | Plantronics U10P-S Cord | SIP-T48S, SIP-T48G, SIP-T46S, SIP-T46G, SIP-T42S, SIP-T42G, SIP-T41S, SIP-T41P, SIP-T40P, SIP-T29G, SIP-T27G, SIP-T27P SIP-T23G, SIP-T23P, SIP-T21P E2,SIP-T19P E2 ——Based on V83 | RJ-9 |
| | Entera (HW111N, HW121N) | | | |
| | Encore (Pro710, Pro720, Pro540) | | | |
| | Practica (SP11, SP12) | Direct connect (RJ9) | | |
| | | | | |
| Jabra | GN2120 NC-AP | Jabra GN1200 | | |
| | GN2000 MONO | | | |
| | BIZ 1900 MONO | | | |
| | GN2110 ST-AP | | | |
| | BIZ 2300 QD | | | |
| | BIZ 2400 MONO | | | |
| | | | | |
| Sennheiser | SC660 & SC662 | Sennheiser 5362 - CSTD 01 Cables | | |
| | SC630 & SC632 | | | |
| | SC230 & SC232 | | | |
| | SC260 & SC262 | | | |
| | SC xx2 variants are low impedance | | | |

## Tested wireless headset list compatible with Yealink IP Phone

| Manufacturer | Model | Additional device needed | Compatible Phone | IP Phone Interface Type |
|---|---|---|---|---|
| Plantronics | Savi 700 Series (710, 720, 730, 740, 745) | Yealink EHS Adapter ( EHS36 ) | SIP-T48S, SIP-T46S, SIP-T42S, SIP-T41S, SIP-T40G, SIP-T40P, SIP-T27G ——Based on V84 | RJ-12 |
| | CS500 Series (510, 520, 530, 540) | | | |
| | C054 | | | |
| | | | | |
| Jabra | PRO 9450 | | | |
| | PRO 9460 | | | |
| | PRO 9465 | | | |
| | PRO 9470 | | | |
| | PRO 920 | | | |
| | PRO 925 | | | |
| | Engage 65 Mono | | | |
| | Engage 65 Convertible | | | |
| | Motion Office | | | |
| | GN 9125 | | | |
| | | | | |
| Sennheiser | DW Pro 1 & DW Pro 1 ML | | | |
| | DW Pro 2 & DW Pro 2 ML | | | |
| | DW Office & DW Office ML | | | |
| | SD Pro 1 & SD Pro 1 ML | | | |
| | SD Pro 2 & SD Pro 2 ML | | | |
| | SD Office & SD Officel ML | | | |
| | D10 Phone EU | | | |
| | D10 Phone US | | | |

## Tested wireless headset list compatible with Yealink IP Phone

| Manufacturer | Model | Additional device needed | Compatible Phone | IP Phone Interface Type |
|---|---|---|---|---|
| Plantronics | CS520 | Yealink EHS Adapter ( EHS40 ) | SIP-T58V, SIP-T58A, SIP-T57W, SIP-T54W, SIP-T53, SIP-T48S, SIP-T46S, SIP-T42S, SIP-T41S, ——Based on V83,V84 SP4 | USB |
| | CS540 | | | |
| | Savi 8220 not applicable to T58A/V | | | |
| | | | | |
| Jabra | PRO 920 | | | |
| | PRO 925 | | | |
| | PRO 9460 | | | |
| | PRO 9470 | | | |
| | Motion Office | | | |
| | Engage 65 Stereo&Mono | | | |
| | Engage 75 Convertible□ | | | |
| | Engage 75 Stereo&Mono | | | |
| | | | | |
| Sennheiser | SDW5016 | | | |

| Tested Wired USB headset compatible with Yealink IP Phone | | | | |
|---|---|---|---|---|
| Manufacturer | Model | Additional device needed | Compatible Phone | IP Phone Interface Type |
| Plantronics | Blackwire C310/C315/C320/C325 (Not applicable for VP59) | X | SIP-T58V<br>SIP-T58A<br>SIP-T56A<br>VP59<br>——V83 | USB 2.0 |
| | Blackwire C435 (Not applicable for VP59) | | | |
| | Blackwire C510/C520 (Not applicable for VP59) | | | |
| | Blackwire C5210 (Only applicable for VP59) | | | |
| | Blackwire C3210 (Only applicable for VP59) | | | |
| | Blackwire C710/C720/C725 | | | |
| | | | | |
| Jabra | Evolve 20 | | | |
| | Evolve 30(Not applicable for VP59) | | | |
| | Evolve 40 | | | |
| | Evolve 80 (Not applicable for VP59) | | | |
| | BIZ 2300 & BIZ 2400 | | | |
| | BIZ 1500 (Not applicable for VP59) | | | |
| | | | | |
| Sennheiser | SC 30/60 USB CTRL (Not applicable for VP59) | | | |
| | SC 40/70 USB CTRL (Not applicable for VP59) | | | |
| | SC 45/75 USB CTRL | | | |
| | SC 230/260 USB CTRL II | | | |
| | SC 232/262 (Only applicable for VP59) | | | |
| | SC 630/660 USB CTRL | | | |
| | SC 635 (Only applicable for VP59) | | | |
| | SC 632/662 (Only applicable for VP59) | | | |
| | | | | |
| Plantronics | Blackwire C720 | X | SIP-T54S<br>SIP-T52S<br>SIP-T48S<br>SIP-T46S<br>SIP-T42S<br>SIP-T41S<br>——Based on V84 | USB 2.0 |
| | Blackwire C5210 | | | |
| | Blackwire C310 | | | |
| | Blackwire C3210 | | | |
| | | | | |
| Jabra | Evolve 30 | | | |
| | Evolve 40 | | | |
| | Jabra EVOLVE LINK | | | |
| | BIZ 2400 | | | |
| | | | | |
| Sennheiser | SC 30/60 USB CTRL | | | |
| | SC 40/70 USB CTRL | | | |
| | SC 45/75 USB CTRL | | | |
| | SC 230/260 USB CTRL II | | | |
| | SC 630/660 USB CTRL | | | |
| | | | | |
| Plantronics | Blackwire C720 | X | SIP-T53<br>SIP-T53W<br>SIP-T54W<br>SIP-T57W<br>——Based on V84 | USB 2.0 |
| | Blackwire C5210 | | | |
| | Blackwire C310 | | | |
| | Blackwire C3210 | | | |
| | BT300+Voyager Legend | | | |
| | BT600+B825(Focus） | | | |
| | | | | |
| Jabra | Evolve 20 | | | |
| | Evolve 40 | | | |
| | Link 360+Evolve 65 | | | |
| | Link 370+Evolve 75 | | | |
| | BIZ 2400 | | | |
| | | | | |
| Sennheiser | SC635 | | | |
| | SC 75 | | | |
| | SC232 | | | |
| | SC262 | | | |
| | SC632 | | | |
| | SC660 | | | |
| | BTD800+presence uc | | | |
| | BTD800+MB pro2 | | | |
| | | | | |
| Yealink | YHS33 | | | |

| Tested Wireless USB headset compatible with Yealink IP Phone | | | | |
|---|---|---|---|---|
| Manufacturer | Model | Additional device needed | Compatible Phone | IP Phone Interface Type |
| Plantronics | CS500 Series (510, 520, 530, 540) (Not applicable for VP59) | Via APU-75 cable (Provided by Plantronics) | SIP-T58V<br>SIP-T58A<br>SIP-T56A<br>VP59<br>——V83 | USB 2.0 |
| | C054, C053A (Only applicable for VP59) | | | |
| | Voyager Legend CS | | | |
| | | | | |
| Jabra | Pro 930/935 | Via Mini-USB cable For Pro930/935<br>Via Micro-USB cable For Pro9400 Series, Motion and Engage Series<br>(Provided by Jabra) | | |
| | Pro 9450 | | | |
| | Pro 9460/9465 | | | |
| | Pro 9470 | | | |
| | Motion Office | | | |
| | Engage 65 Convertible | | | |
| | Engage 65 Stereo & Mono | | | |
| | Engage 75 Convertible | | | |
| | Engage 75 Stereo & Mono | | | |
| | | | | |
| Plantronics | Savi 700 Series (710, 720, 730, 740, 745) | Via APU-75 cable (Provided by Plantronics) | SIP-T54S<br>SIP-T52S<br>SIP-T48S<br>SIP-T46S<br>SIP-T42S<br>SIP-T41S<br>——Based on V84 | USB 2.0 |
| | PLT_Legend | | | |
| | Series 740 | | | |
| | C054 | | | |
| | CS530 | | | |
| | Voyager Legend CS | | | |
| | | | | |
| Jabra | Pro 920/925 | Via ENC006 cable For Pro920/925<br>Via Mini-USB cable For Pro930/935<br>Via Micro-USB or ENC006 cable For Pro9400 Series and Motion<br>Via Micro-USB cable For Pro9400 Series and Engage Series<br>(Provided by Jabra) | | |
| | Pro 930/935 | | | |
| | Pro 9460 | | | |
| | Pro 9470 | | | |
| | Engage 65 Convertible | | | |
| | Engage 65 Stereo & Mono | | | |
| | Engage 75 Convertible | | | |
| | Engage 75 Stereo & Mono | | | |
| | Motion office | | | |
| | | | | |
| Sennheiser | DW Pro 1 & DW Pro 1 ML | Direct USB | | |
| | DW Office & DW Office ML | | | |
| | SD Pro 1 & SD Pro 1 ML | | | |
| | SD Pro 2 & SD Pro 2 ML | | | |
| | SD Office & SD Officel ML | | | |
| | D10 USB EU & D10 USB ML EU | | | |
| | D10 USB US & D10 USB ML US | | | |

| | | | | |
|---|---|---|---|---|
| Plantronics | Voyager Legend CS | Via APU-75 cable (Provided by Plantronics) | SIP-T53<br>SIP-T53W<br>SIP-T54W<br>SIP-T57W<br>——Based on V84 | USB 2.0 |
| | C054 | | | |
| | C053A | | | |
| | | | | |
| Jabra | pro930 | Via ENC006 cable For Pro925<br>Via Mini-USB cable For Pro930<br>Via Micro-USB or ENC006 cable For Pro9400 Series and Motion<br>Via Micro-USB cable For Pro9400 Series and Engage Series | | |
| | Pro925 | | | |
| | Pro9460 | | | |
| | pro9470 | | | |
| | Motion office | | | |

| Tested Bluetooth Headset list compatible with Yealink IP Phone | | | | |
|---|---|---|---|---|
| Manufacturer | Model | Additional device needed | Compatible Phone | IP Phone Interface Type |
| Plantronics | Voyager Legend CS | Yealink Bluetooth USB dongle(BT40) | SIP-T48S;<br>SIP-T46S:<br>SIP-T42S;<br>SIP-T41S;<br>SIP-T27G;<br>——Based on V84 | USB 2.0 |
| | M55 | | | |
| | ML20 | | | |
| | M25 | | | |
| | M165 | | | |
| | Discovery 975 | | | |
| | B825(Focus) | | | |
| | Voyager Legend | | | |
| | B825(Focus) | Plantronics BT300/BT600 —— supported by T4S | | |
| | Voyager Legend | | | |
| | T4S support the BT300/BT600 and test the above two headsets | | | |
| | | | | |
| Jabra | GO6400BS | Yealink Bluetooth USB dongle(BT40) | | |
| | Classic | | | |
| | Style | | | |
| | BT2045 | | | |
| | BT2080 | | | |
| | easygo+ | | | |
| | 2400 (Mono) | | | |
| | Supreme | | | |
| | Style | | | |
| | Stone 3 | | | |
| | Storm | | | |
| | MINI | | | |
| | Stealth | | | |
| | Talk 2 | | | |
| | Pro9470 | | | |
| | Evolve 65 | Jabra Link 360&370 —— supported by T4S | | |
| | Evolve 75 | | | |
| | T4S support the Link 360&370 and test the above two headsets | | | |
| | | | | |
| Sennheiser | VMX 200 | Yealink Bluetooth USB dongle(BT40) | | |
| | Presence UC | | | |
| | MB PRO 1 | | | |
| | MB PRO 2 | | | |
| | VMX 200-II | | | |
| | EZX 60 | | | |
| | EZX 80 | | | |
| | Presence UC | BTD800 —— supported by T4S | | |
| | MB Pro2 | | | |
| | T4S support the Link BTD800 and test the above two headsets | | | |
| | | | | |
| Apple | Airpods | BT40 —— Supported by T4S | | |
| | | | | |
| Samsung | HM1800 | Yealink Bluetooth USB dongle(BT40) | | |
| | HM1700 | | | |
| | | | | |
| LG | LG Tone Wireless Bluetooth Stereo Headset | | | |
| | | | | |
| Motorola | H720 | | | |
| | | | | |
| Wireless | V268 | | | |

| Tested Bluetooth Headset list compatible with Yealink IP Phone | | | | |
|---|---|---|---|---|
| Manufacturer | Model | Additional device needed | Compatible Phone | IP Phone Interface Type |
| Plantronics | Edge | X<br>Or<br>Plantronics BT300/BT600 | SIP-T54S<br>SIP-T52S<br>——Based on V84 | Bluetooth |
| | ML20 | | | |
| | M25 | | | |
| | M165 | | | |
| | B825(Focus) | | | |
| | Voyager Legend | | | |
| | | | | |
| Jabra | Classic | X<br>Or<br>Jabra Link 360&370 | | |
| | easygo+ | | | |
| | Storm | | | |
| | MINI | | | |
| | Stealth | | | |
| | Motion UC | | | |
| | Talk 2 | | | |
| | Evolve 65 | | | |
| | | | | |
| Sennheiser | Presence UC | X<br>Or<br>BTD800 | | |
| | MB PRO 1 | | | |
| | MB PRO 2 | | | |
| | | | | |
| Plantronics | Edge | X<br>Or<br>Plantronics BT300/BT600<br>Or<br>BT40/BT41 | | |
| | ML20 | | | |
| | M25 | | | |
| | M165 | | | |
| | B825(Focus) | | | |
| | VOYAGER 5200 U | | | |
| | Discovery 97 | | | |
| | Voyager Legend | | | |
| | | | | |
| Jabra | OTION UC | X<br>Or<br>Jabra Link 360&370<br>Or<br>BT40/BT41 | SIP-T53<br>SIP-T53W<br>SIP-T54W<br>SIP-T57W<br>——Based on V84 | Bluetooth |
| | Supreme | | | |
| | easygo | | | |
| | Strom | | | |
| | Stealth | | | |
| | Style | | | |
| | Talk 2 | | | |
| | Evolve 65 | | | |
| | Evolve 75 | | | |
| | MINI | | | |
| | Engage 75 Stereo & Mono | | | |
| | Engage 75 Convertibl | | | |
| | pro947 | | | |
| | | | | |
| Sennheiser | Presence UC | X<br>Or<br>BTD800<br>Or | | |
| | EZX 60 | | | |
| | MB PRO 2 | | | |
| | | | | |
| Apple | Airpods | X<br>Or<br>BT40/BT41 | | |

| Tested Bluetooth Headset list compatible with Yealink IP Phone | | | | |
|---|---|---|---|---|
| Manufacturer | Model | Additional device needed | Compatible Phone | IP Phone Interface Type |
| Plantronics | ML20 | X | SIP-T58V<br>SIP-T58A<br>VP59<br>——V83 | Bluetooth |
| | Edge | | | |
| | VOYAGER 5200 UC | | | |
| | B825(Focus) | | | |
| | | | | |
| Jabra | STEALTH | | | |
| | EasyGo (Not applicable for VP59) | | | |
| | style V1.3.0 | | | |
| | Supreme | | | |
| | storm (Not applicable for VP59) | | | |
| | classic (Not applicable for VP59) | | | |
| | MOTION UC (Only applicable for VP59) | | | |
| | Talk 2 (Only applicable for VP59) | | | |
| | Pro9475 (Only applicable for VP59) | | | |
| | Evolve 75 | | | |
| | | | | |
| Sennheiser | Presence UC | | | |
| | MB Pro2 | | | |
| | EZX 60 | | | |
| | | | | |
| Apple | Airpods | | | |